

**ORDER FOR SUPPLIES OR SERVICES**

1. CONTRACT/PURCH. ORDER/ AGREEMENT NO. W912DW-04-P-0414	2. DELIVERY ORDER/ CALL NO. W912DW	3. DATE OF ORDER/CALL (YYYYMMDD) 2004 Sep 17	4. REQ./ PURCH. REQUEST NO. W68MD9-4219-8766	5. PRIORITY
---	---------------------------------------	---	---	-------------

6. ISSUED BY USA ENGINEER DISTRICT, SEATTLE ATTN: CENWS-CT 4735 EAST MARGINAL WAY SOUTH SEATTLE WA 98134-2329	CODE W912DW	7. ADMINISTERED BY (if other than 6) USA ENGINEER DISTRICT, SEATTLE VINCENT DANIELS PH:206-764-3572 FAX: 206-764-6817 VINCENT.E.DANIELS@US.ARMY.MIL SEATTLE WA	CODE W912DW	8. DELIVERY FOB <input checked="" type="checkbox"/> DESTINATION <input type="checkbox"/> OTHER  (See Schedule if other)
---	-------------	---	-------------	---

9. CONTRACTOR NAME FERGUSON CONTRACTING, INC AND DONALD SCOTT FERGUSON ADDRESS 110 WILDCAT WAY KELLOGG ID 83837	CODE 1VT10	FACILITY 1VT10	10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) <b>SEE SCHEDULE</b>	11. MARK IF BUSINESS IS <input type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMEN-OWNED
			12. DISCOUNT TERMS Net 14	13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Item 15

14. SHIP TO SEE SCHEDULE FOR FURTHER INFORMATION. US ARMY CORPS OF ENGRS SEATTLE WA 98124-3755	CODE SEE SCH	15. PAYMENT WILL BE MADE BY US ARMY CORPS OF ENGRS FINANCE CENTER CEFC-AO-P 901-874-8556 5722 INTEGRITY DRIVE MILLINGTON TN 38054-5005	CODE W66KQZ	<b>MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2.</b>
---	--------------	--	-------------	--

16. TYPE OF ORDER	DELIVERY/ CALL	<input type="checkbox"/>	This delivery order/call is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.
	PURCHASE	<input checked="" type="checkbox"/>	Reference your quote dated _____ Furnish the following on terms specified herein. REF: _____

ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.

NAME OF CONTRACTOR	SIGNATURE	TYPED NAME AND TITLE	DATE SIGNED (YYYYMMDD)
<input type="checkbox"/>	If this box is marked, supplier must sign Acceptance and return the following number of copies: _____		

17. ACCOUNTING AND APPROPRIATION DATA/ LOCAL USE  
**See Schedule**

18. ITEM NO.	19. SCHEDULE OF SUPPLIES/ SERVICES	20. QUANTITY ORDERED/ ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
	<b>SEE SCHEDULE</b>				

* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.	24. UNITED STATES OF AMERICA TEL: (206) 764-3638 EMAIL: elaine.m.ebert@usace.army.mil BY: ELAINE M EBERT	<i>Elaine M Ebert</i> CONTRACTING / ORDERING OFFICER	25. TOTAL \$8,170.00
			26. DIFFERENCES

27a. QUANTITY IN COLUMN 20 HAS BEEN  
 INSPECTED  RECEIVED  ACCEPTED, AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED

b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	c. DATE (YYYYMMDD)	d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE
--	--------------------	---

e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	28. SHIP NO.	29. DO VOUCHER NO.	30. INITIALS
--	--------------	--------------------	--------------

f. TELEPHONE NUMBER	g. E-MAIL ADDRESS	<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	32. PAID BY	33. AMOUNT VERIFIED CORRECT FOR
---------------------	-------------------	--	-------------	---------------------------------

36. I certify this account is correct and proper for payment.

a. DATE (YYYYMMDD)	b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL	34. CHECK NUMBER
--------------------	--	--	------------------

37. RECEIVED AT	38. RECEIVED BY	39. DATE RECEIVED (YYYYMMDD)	40. TOTAL CONTAINERS	41. S/R ACCOUNT NO.	42. S/R VOUCHER NO.
-----------------	-----------------	------------------------------	----------------------	---------------------	---------------------

35. BILL OF LADING NO.
------------------------

Section B - Supplies or Services and Prices

NOTES

Web Invoicing System (WInS)

WInS is an optional online invoicing system providing Department of Defense vendors an electronic means of submitting invoices for payment. Vendor registration for WinS is accomplished through the following DFAS website: <https://ecweb.dfas.mil>

At the website click on NEW Account to register and select "USACE" as the payment system name. The payment office code and location is "TO-UFC Millington". To establish an account in WInS, vendors must be registered with the Central Contractor Registration (CCR).

Period of performance is in strict accordance with the attached statement of work.

Verbal confirmation was given on 17 September 2004 at 2:15 p.m. to Deanne Seltenreich by Vincent Daniels.

CF:

Don Ferguson, ([dsfergusoncontracting@usamedia.tv](mailto:dsfergusoncontracting@usamedia.tv))

Eric Herschelman, ([ejh.sc@usamedia.tv](mailto:ejh.sc@usamedia.tv))

Ph: 208-784-7604 Fax: 208-783-1164

Philip Stoa

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	INSTALL GUARDRAIL EXTENSION FFP Provide and install a 125-foot long (nominal) W-Beam Guardrail as extension to existing guardrail in accordance with the attached statement of work and Wage Rates No. MT20030001 and MT20030002.	1	Lump Sum	\$8,170.00	\$8,170.00
<p>**Award will be made pursuant to the Small Business Competition Demonstration Program. PURCHASE REQUEST NUMBER: W68MD9-4219-8766</p>					

---

	NET AMT	\$8,170.00
--	---------	------------

ACRN AA Funded Amount	\$8,170.00
-----------------------	------------

FOB: Destination

STATEMENT OF WORK

Highway Guardrail Extension  
Jennings Hiline Drive  
Libby Dam  
Libby, Montana

## 1. Project Description

Provide and install a 125-foot long (nominal) W-Beam Guardrail as extension to existing guardrail; omit reflectors.  
See attached maps and pictures for location.  
Concrete blocks visible in the pictures will be moved by others.

## 2. Duration/Time

All work is to be completed by 30Sep2004

## 3. References.

3.a. Provide materials and installation meeting Montana Department of Transportation standard requirements. Specifications and Detailed Drawings (2002) are available at <http://www.mdt.state.mt.us/entrcct/contract.htm>. Standard Specification **606 Guardrail and Median Barrier Rail** is replaced by Supplemental Specification **606 Guardrail and Median Barrier Rail (1-1-04 [sic])**, and Standard Specification **705 Guardrail and Guide Posts** is modified by Supplemental Specification **705.01.2 Wood Posts and Blocks**.

**Supplemental to the MDT Detailed Drawings**, effective December 2002 / Revised January 2004, includes Table of Contents, Abbreviations, and Symbols, and includes these drawings:

606-05A	Jan-04	Metal Guardrail - Wood Posts
606-05B	Jan-04	Metal Guardrail - Steel Posts
606-80	Jan-04	Schedule of Guardrail Hardware
606-82	Jan-04	Guardrail Hardware
606-88	Jun-03	W-Beam Metal Guardrail Hardware

3.b. References noted above are subject to requirements below.  
Selected MDT specifications and selected Detailed Drawings are in Appendixes A and B of this project.

## 4. Materials.

Provide all new guardrail materials for this contract.  
Guardrail beam shall be 12-gage Galvanized Steel W-Beam with related hardware.  
Posts may be either wood or steel, meeting requirements of References 3.a and 3.b., but the same post type shall be used throughout the project.  
Materials in Metric or English units may be used, but the same units shall be used throughout the project.  
If furnishing steel guardrail posts, furnish minimum 6-foot (1830 mm) long steel guardrail posts and associated hardware meeting the AASHTO "Guide to Standardized Highway Barrier Hardware (Task Force 13 Report)" and the National Cooperative Highway Research Council (NCHRP) 350 crashworthy requirements.

## 5. Submittals.

Provide to the COR, for information only, and at least seven days in advance of on-site work, two sets of information detailing dimensions, steel grade, etc. for the guardrail beam, posts, blockouts, bolts, and all other hardware for

the installation; certification of wood treatment, if wood is used; certification of galvanizing; installation instructions; manufacturer's certification that the guardrail system meets NCHRP 350 requirements.

Send submittals to:  
U.S. Army Corps of Engineers  
Libby Dam Project Office  
ATTN: Richard Wernham  
17115 Highway #37  
Libby, MT. 59923-9703

## 6. Installation.

Notify Contracting Officer's Representative (COR) at least 7 days before on-site work begins.  
Install new guardrail extension in a straight alignment, not following curvature of road.  
Verify alignment with Contracting Officer's Representative (COR) before starting work.  
Remove existing flared end-section, splice new guardrail to old, with the lap in the direction of up-hill traffic, and reinstall flared end section at end of new guardrail extension.  
Install guardrail extension (beams, posts, and related hardware) in conformance with MDT detailed drawings as referenced.

## 7. Traffic Control

Contractor shall provide warning signs for traffic approaching from both directions, indicating work in progress. The project work area is primarily outside of the traveled roadway. However, should the contractor's operations block a portion of the traveled roadway, signs warning of the restriction shall be posted, and a flagger will be used.

## 8. Measurement and Payment

This project will be paid LUMP SUM for all work, materials, and equipment to provide and install the W-Beam Guardrail extension, complete.

## 9. Safety: Accident Prevention

All construction activities shall be conducted in strict compliance with the Corps of Engineers Safety and Health Requirements Manual EM 385-1-1, and Occupational Safety and Health Administration regulations, as applicable. The manual is available on line at: <http://www.usace.army.mil/inet/usacedocs/eng-manuals/em385-1-1/toc.htm>

1.8.1 In addition to Safety and Health Requirements Manual EM 385-1-1, and all applicable OSHA standards, the Contractor shall comply with the requirements listed below. Paragraph numbers refer to EM 385-1-1 or are added thereto.

(a) Paragraph 01.A.12: Add new paragraph: Safety Personnel. The Contractor shall designate a knowledgeable and experienced person on his staff to manage the Contractor's safety and accident prevention program. This person will provide a point of contact for the Contracting Officer on matters of job safety, and shall be responsible for ensuring the health and safety of on site personnel and may have other duties if approved by the Contracting Officer.

(b) Paragraph 01.D.02, revise as follows:

(1) Replace paragraph 01.D.02c with the following:

"c. Property damage in excess of \$2,000.00

(2) Add new paragraph d as follows:

"An injury resulting in a lost workday, not including the day of injury."

## APPENDIX A - Selected MDT Standard Specifications

### 606 GUARDRAIL AND CONCRETE BARRIER RAIL

Page 301 9-1-01

Rescind Section 606 and replace with the following:

#### SECTION 606 GUARDRAIL AND CONCRETE BARRIER RAIL

606.01 DESCRIPTION. This work is the furnishing, installing, removing, replacing and revising metal beam guardrail, cable guardrail, box beam guardrail and concrete barrier rail.

606.02 MATERIALS. Furnish metal beam guardrail, cable guardrail, box beam guardrail and concrete barrier rail materials meeting the following Section and Subsection requirements:

Steel Beam Guardrail and Fittings	705.01.1
Wood Guardrail Posts and Blocks	705.01.2
Wire Rope and Connecting Hardware	705.02
Concrete Barrier Rail	554
Box Beam Guardrail	Detailed Drawings
Guardrail Reflectors	704 and Detailed Drawings

Furnish all new materials unless otherwise specified.

606.03 CONSTRUCTION REQUIREMENTS.

606.03.1 General. Install the guardrail and concrete barrier rail meeting the Detailed Drawings and Contract requirements.

The Project Manager will establish the line and grade for the terminal sections. Establish the line and grade between the terminal sections.

Correct all vertical and horizontal mis-alignment to the specified line and grade at Contractor expense.

Complete the guardrail installation(s) within 48 hours of starting work at all locations exposed to traffic. Where difficult post placement conditions prevent completion in one working day without additional resources, place, at Contractor expense, hazard panels at maximum 50 foot (15.2 m) spacing to delineate partial installation areas when work on those installations is not active.

Excavate the postholes and drive the posts using methods and equipment that do not damage the adjacent pavement.

Stop post driving that heaves the adjacent pavement more than ½-inch (13 mm) in 10 feet (3 m), measured using a 10-foot (3 m) straightedge parallel to the pavement.

Level and repair all damaged surfaces around the installed posts as directed.

Use only steel or wood guardrail posts for new metal beam guardrail runs unless wood posts are specified.

Where the contract specifies extending an existing guardrail run, the contractor may use either the existing post type or other approved post types in the extension. Use the post type specified for terminal sections.

When wood posts and blocks are damaged, cut or bored after treatment, treat the injuries, cuts and holes with three applications of a copper naphthenate solution containing at least two percent copper metal or with chromated copper arsenate (CCA) meeting AWPA M4.

606.03.2 Installing Posts. If the posthole is excavated, compact the posthole bottom, insert the post, and backfill and compact around the post in 6-inch (155 mm) loose layers ensuring the material is at optimum moisture before placing and compacting the next layer. Maintain the post line and grade.

Always drive steel posts. Wood and concrete posts may be placed by excavating and backfilling or by driving.

Replace all posts damaged by post driving.

Maintain the post alignment as the posts are driven.

Fill the area between the surrounding ground and the post by backfilling and tamping. Re-compact the loose material around the post and level the area as directed.

Remove, replace or re-install mis-aligned, loose or damaged posts at Contractor expense.

Pilot holes approximately 6-inches (155 mm) in diameter may be used when necessary.

606.03.3 Metal Beam Guardrail Erection. Install metal beam guardrail, including the terminal sections and bridge approach sections as shown in the Detailed Drawings and meeting the Contract requirements.

Splice the metal rail sections with the lap in the direction of traffic. Locate all rail splices at the posts. Construct splices, laps, and terminal connectors as shown in the Detailed Drawings and meeting the Contract requirements.

Splice the terminal connectors for attaching the rail sections to the bridge ends by lapping as shown in the Detailed Drawings.

Tighten the bolts through the splices and mounting bolts "snug tight".

Ensure the bolts project at least 1/4-inch (6 mm) beyond the nut. Place the bolt heads on the traffic side of the guardrail.

Paint holes, slots, or cut ends in metal guardrail caused during installation with an approved galvanizing paint.

- Spot paint all bruised, broken, scaled, or damaged spelter coating on metal parts following the paint manufacturer's recommendations after the guardrail is installed.
- 606.03.4 Stiffened Guardrail Sections. Construct stiffened guardrail sections as shown in the Detailed Drawings.
- 606.03.5 Box Beam Guardrail. Construct box beam guardrail and bridge approach sections as shown in the Detailed Drawings.
- 606.03.6 Cable Guardrail. Furnish and install cable guardrail and terminal sections meeting the Detailed Drawings and the contract requirements. Install the posts plumb without damaging the post and its protective coating. For terminal sections, set the end posts, backfill and machine compact the backfill material in 4-inch (100 mm) lifts.  
Install reflectors meeting Section 704 requirements on every other post in the guardrail run excluding posts in the terminal sections that curve away from the driving lanes.
- 606.03.7 Concrete Barrier Rail. Install concrete barrier rail meeting the Contract requirements and the Detailed Drawings.
- 606.03.8 Reset Concrete Barrier Rail. Reset concrete barrier rail as specified in the contract.
- 606.03.9 Raise Guardrail. Raise the existing guardrail to the specified height.  
Remove the rail elements or cable, and completely remove the post. Backfill and compact the posthole bottom, re-install the posts and compact the backfill around the post meeting 606.03.2, and replace the rail elements or cable to the specified height.  
Replace all guardrail materials damaged during the work at Contractor expense.  
Correct all horizontal and vertical alignment in the guardrail to the specified line and grade.
- 606.03.10 Remove Guardrail. Remove and salvage the existing guardrail from the specified locations meeting the applicable requirements of Section 202. Replace all guardrail damaged during removal at Contractor expense.  
Dispose of removed materials not designated to be salvaged.  
Load all salvaged guardrail materials from the project, transport and unload it at the specified location or as directed.  
Backfill and compact the postholes left from post removal using clean material or crushed base or top surfacing, to the base of the adjacent bituminous surfacing. Apply a light asphalt spray to the hole sides and bottom and backfill with asphalt surfacing. Compact the plant mix surfacing as specified.  
Do not cut off and leave existing posts in place.
- 606.03.11 Revise Guardrail Elements. Revise the guardrail elements as specified. The items include but are not limited to bridge approach sections and terminal sections.
- 606.04 METHOD OF MEASUREMENT.
- 606.04.1 Metal Guardrail. Metal guardrail, excluding terminal sections, is measured by the linear foot (meter) from center to center of the end posts of each section.
- 606.04.2 Metal Guardrail Terminal Sections. Metal Guardrail Terminal sections are measured by the unit or the foot (meter) as shown in the Detailed Drawings, unless otherwise specified, for each type specified.
- 606.04.3 Bridge Approach Sections. Bridge approach sections, including tapered curbs, are measured by the unit for each type specified.
- 606.04.4 Stiffened Guardrail Sections. Stiffened guardrail sections are measured by the linear foot (meter) from center-to-center of the end posts of each stiffened section.
- 606.04.5 Box Beam Guardrail. Box beam guardrail is measured by linear foot (meter), excluding the terminal sections, as shown on the Detailed Drawings.
- 606.04.6 Box Beam Guardrail Terminal Sections. Box Beam Guardrail terminal sections are measured by the unit as shown in the Detailed Drawings for each type specified.
- 606.04.7 Cable Guardrail. Cable guardrail is measured by the linear foot (meter), excluding the terminal sections as shown on the Detailed Drawings.
- 606.04.8 Cable Guardrail Terminal Sections. Cable guardrail terminal sections are measured by the unit as shown on the Detailed Drawings.
- 606.04.9 Concrete Barrier Rail. Concrete barrier rail is measured by each 10-foot (3.05 m) section. Connections to the existing barriers are included in the cost of the rail.  
Measurement does not include those portions of barrier constructed as an integral part of sign foundations.

606.04.10 Impact Attenuators. Impact Attenuators are measured by the unit as specified in the contract.

606.04.11 Reset Barrier Concrete Rail. Reset barrier concrete rail is measured by each 10-foot (3.05 m) section.

606.04.12 Concrete Barrier Rail Transition. Concrete barrier rail transitions are measured by each 10-foot (3.05 m) section.

606.04.13 Concrete Barrier Rail Terminal Section. Concrete barrier rail terminal sections are measured by each 10-foot (3.05 m) section.

606.04.14 Raise Guardrail. Raise guardrail, including terminal sections, is measured by the linear foot (meter) from center-to-center of the end posts of each section.

606.04.15 Remove Guardrail. Remove guardrail is measured by the linear foot (meter) from center-to-center of end posts of each section removed.

606.04.16 Remove Concrete Barrier Rail. Remove concrete barrier rail is measured by each 10-foot (3.05 m) section.

606.04.17 Revise Guardrail Elements. Revise guardrail elements is measured by each element revised, as specified in the Contract.

606.05 BASIS OF PAYMENT. Payment for the completed and accepted quantities is made under the following.

<u>Pay Item</u>	<u>Pay Unit</u>
Metal Guardrail	Linear Foot (meter)
Metal Guardrail Terminal Section	Each or Linear Foot (meter)
Bridge Approach Section	Each
Stiffened Guardrail Sections	Linear Foot (meter)
Box Beam Guardrail	Linear Foot (meter)
Box Beam Guardrail Terminal Section	Each
Cable Guardrail	Linear Foot (meter)
Cable Guardrail Terminal Section	Each
Concrete Barrier Rail	Each
Impact Attenuators	Each
Reset Concrete Barrier Rail	Each
Concrete Barrier Rail Transition	Each
Concrete Barrier Rail Terminal Section	Each
Raise Guardrail	Linear Foot (meter)
Remove Guardrail	Linear Foot (meter)
Remove Concrete Barrier Rail	Each

Revise guardrail elements is paid for under the appropriate "Bridge Approach Section" each, or "Guardrail Terminal Section" each.

Payment at the contract unit price is full compensation for all resources necessary to complete the item of work under the Contract.

**705.01.2 WOOD POSTS AND BLOCKS** Page 433 9-1-00

Rescind Subsection 705.01.2 and replace with the following:

705.01.2 Wood Posts and Blockouts. Furnish wood posts and blockouts made from Douglas Fir, Hemlock, Ponderosa Pine, Spruce, Larch, or Lodgepole pine. Furnish posts that are straight, sound, free from defects and meet the dimensions specified in the Contract.

Meet the Western Wood Products Association requirements, or equivalent grading rules, all of which must meet ASTM D 245.

Ensure the posts surfaces do not vary more than 1-inch (25 mm) from a straight line connecting the ends. Saw the wood posts before treating. Ensure the wood posts are seasoned to accept the specified treatment. Furnish wood posts and blocks treated with a minimum 5% by weight pentachlorophenol solution or Chromated Copper Arsenate (CCA), type B or C, or Ammoniacal Copper Arsenate (ACA) meeting AWWA standards. The minimum penetration depth is ½-inch (13 mm). Do not paint posts unless specified.

Other acceptable blockouts may be manufactured from steel, recycled plastic, and recycled plastic with wood fibers provided information is furnished that they meet NCHRP 350 requirements for the application, i.e., for use with wood, concrete or steel guard rail posts.

Use only one type of blockout in each run of guardrail.

**SECTION 705** [1995]

GUARDRAIL AND GUIDE POSTS

705.01 GUARDRAIL. Furnish metal beam and cable guardrail materials meeting the Contract requirements.

705.01.1 Steel Beams and Fittings. Furnish steel beam guardrail meeting AASHTO M 180, Class A, Type 1 requirements. Supply rail in lengths that place the splices on posts. Shape rail to be erected on curve radii less than 150 feet (45.75 m) before erecting.

Use ASTM A 307 bolts with ASTM A 563, Grade A or better nuts. Use ANSI B27.2, Type A plain steel washers. Galvanize all bolts, nuts, washers, and fittings meeting ASTM A 153 or B 695 (Class 50) requirements.

Furnish rounded end sections, buffer sections, and terminal connectors meeting AASHTO M 180, Class B, Type 1 requirements.

705.01.2 Wood Posts and Blocks. Furnish wood posts and blocks made from Douglas Fir, Hemlock, Ponderosa Pine, Spruce, Larch, or Lodgepole pine. Posts must be straight, sound, free from defects and meet the shapes and dimensions specified in the Contract.

Meet the Western Wood Products Association requirements, or equivalent grading rules, all of which must meet ASTM D 245.

Ensure the posts surfaces do not vary more than 1-inch (25 mm) from a straight line connecting the ends.

Saw the posts before treating. The posts must be seasoned to accept the specified treatment. Furnish posts and blocks treated with a minimum 5% by weight pentachlorophenol solution or Chromated Copper Arsenate (CCA), type B or C, or Ammoniacal Copper Arsenate (ACA) meeting AWWPA standards. The minimum penetration depth is 1/2-inch (13 mm). Do not paint posts unless specified.

Meet the following strength test: test as a simple beam on a 24-inch (610 mm) span with center loading applied to the post back; it must support at least 30,000 lbs (13,620 kg) before failure.

705.01.3 Concrete Posts. Furnish pre-cast concrete posts meeting the Contract requirements. Use Class "DD" concrete or concrete of equal strength meeting Section 551 requirements. Manufacture, transport, and handle guardrail posts meeting Section 554 requirements. Use reinforcing steel meeting Section 711 requirements.

705.01.4 Lightweight Concrete Guardrail Posts. Lightweight aggregates may be used in manufacturing guardrail posts.

Produce both fine and course aggregates for lightweight concrete by expanding, calcining, or sintering blast furnace slag, clay, diatomite, shale, or slate.

Meet AASHTO M 195 aggregate requirements. Use separate fine and course aggregate. Use fine aggregate in the No.4 (4.75 mm) to 0 size. Use course aggregate of either 3/4-inch (19.0 mm) to No.4 (4.75 mm) or 1/2-inch (12.5 mm) to No. 4 (4.75 mm).

Meet a minimum compressive strength of 3,000 psi (20.7 MPa) (equal to class "DD" concrete) with a maximum absorption of 15% by volume and a maximum unit weight of 115 pounds per cubic foot (1,864 kg per cubic meter). Aggregate pre-wetting may be required.

Use reinforcing steel meeting Section 711 requirements. Steel size and shape is specified in the Contract. The AASHTO M 195 Freeze-Thaw test is not required.

705.01.5 Steel Posts. Furnish steel posts for cable guardrail meeting the Detailed Drawing requirements.

705.02. Wire Rope and Connecting Hardware. Furnish wire rope and hardware for cable guardrail meeting the Contract requirements.

705.03. Wood Treatment and Painting.

705.03.1 Wood Treatment. Furnish wood posts and blocks pressure treated meeting Subsection 706.04.1, with a 5 % by weight pentachlorophenol solution, Chromated Copper Arsenate (CCA), type B or C, or, Ammoniacal Copper Arsenate (ACA) meeting AWWPA standards. Chamfer and perform other required framing and boring of bolt holes before post treating. Plug drill holes used for determining preservative penetration depth with tight fitting treated wood plugs. The Subsection 706.04.2 requirements for incising, do not apply to Ponderosa pine sawn wood posts.

705.03.2 Painting. Furnish and apply paint meeting Subsection 612.03.5 (C)(2) requirements when specified.

705.04 GUIDE POSTS.

705.04.1 Wood Posts. Furnish wood posts meeting Subsection 705.01.2 and 705.03 requirements. Size and shape are specified in the Contract.

705.04.2 Flexible Guideposts. Furnish flexible guideposts meeting the Contract requirements and the following:

Ensure the posts are a white seamless extruded polyethylene with a minimum 5/32-inch (4 mm) wall thickness, has a minimum weight of one pound per foot (1.49 kg/m). The post cross section may be round, triangular, or other shape providing at least 4-inches (100 mm) viewable width.

Erect permanent installations meeting the Contract requirements.

Epoxy-cement or nail temporary installations to the pavement surface.

705.04.3 Hardware. Furnish backplates or faceplates for posts meeting the Contract requirements.

Furnish galvanized bolts, nuts meeting ASTM A 153 or B 454 (Class 50) requirements or use cadmium plated hardware for fastening the backplate to the post. Furnish nuts and studs that are "vandal-resistant".

Furnish other miscellaneous galvanized hardware meeting ASTM A 153 or B 454 (Class 50) requirements.

WAGE RATE: MT20030001

GENERAL DECISION: **MT20030001** 09/10/2004 MT1

Date: September 10, 2004

General Decision Number: **MT20030001** 09/10/2004

Superseded General Decision Number: MT020001

State: Montana

Construction Types: Heavy

Counties: Montana Statewide.

HEAVY CONSTRUCTION PROJECTS

ZONE DEFINITIONS

CARPENTERS, \*CEMENT MASONS, LABORERS, POWER EQUIPMENT OPERATORS AND TRUCK DRIVERS

The zone hourly rates applicable to each project shall be determined by measuring the road miles over the shortest practical maintained route from the nearest County Court House of the following listed towns to the center of the job:

BILLINGS, BOZEMAN, BUTTE, GREAT FALLS, HAVRE, HELENA, KALISPELL, LEWISTOWN, MILES CITY, MISSOULA

- Zone 1: 0 to 30 miles - Base Pay
- Zone 2: 30 to 60 miles - Base Pay + \$2.95
- Zone 3: Over 60 miles - Base Pay + \$4.70

\*CEMENT MASONS ZONES: The above cities plus DILLON, GLASGOW, GLENDIVE, SIDNEY

Modification Number	Publication Date
0	06/13/2003
1	11/07/2003
2	11/28/2003
3	01/23/2004
4	03/05/2004
5	04/09/2004
6	05/07/2004
7	09/10/2004

CARP0028-002 05/01/2003

STATEWIDE EXCEPT BEAVERHEAD AND SILVER BOW COUNTIES

	Rates	Fringes
Carpenters: (Zone 1)		
Carpenter.....	\$ 19.85	5.83
Millwright.....	\$ 21.85	5.83
Piledrivermen.....	\$ 19.85	5.83

CARP0028-004 06/01/2000

STATEWIDE EXCEPT BEAVERHEAD AND SILVER BOW COUNTIES

	Rates	Fringes
Diver Tender.....	\$ 26.25	5.70
Diver.....	\$ 54.93	5.70

CARP0112-001 05/01/1998

BEAVERHEAD AND SILVER BOW COUNTIES

	Rates	Fringes
Carpenters: (Zone pay not applicable)		
Carpenter.....	\$ 16.71	4.82
Millwright.....	\$ 17.21	4.82
Pile Driver.....	\$ 17.71	4.82

ELEC0044-001 06/01/2002

BEAVERHEAD, BIG HORN, BLAINE, BROADWATER, CARBON, CARTER, CASCADE, CHOUTEAU, CUSTER, DANIELS, DAWSON, DEER LODGE, FALLON, FERGUS, GALLATIN, GARFIELD, GLACIER, GOLDEN VALLEY, GRANITE, HILL, JEFFERSON, JUDITH, BASIN, LEWIS AND CLARK, LIBERTY, MADISON, MCCONE, MEAGHER, MINERAL, MISSOULA, MUSSELSHELL, PARK, PETROLEUM, PHILLIPS, PONDERA, POWDER RIVER, POWELL, PRAIRIE, RAVALLI, RICHLAND, ROOSEVELT, ROSEBUD, SHERIDAN, SILVER BOW, STILWATER, SWEET GRASS, TETON, TOOLE, TREASURE, VALLEY, WHEATLAND, WIBAUX, AND YELLOWSTONE COUNTIES

	Rates	Fringes
Line Construction		
(1) Lineman.....	\$ 25.79	4.25%+6.71
(2) Equipment Operator.....	\$ 20.63	4.25%+6.34
(3) Experienced Groundman....	\$ 16.76	4.25%+6.07

\* ELEC0233-001 06/01/2004

Blaine, Broadwater, Cascade, Chouteau, Fergus, Glacier, Hill,  
Judith Basin, Lewis & Clark, Liberty, Meagher, Petroleum,  
Phillips, Pondera, Teton, Valley, and Wheatland Counties

	Rates	Fringes
Electrician.....	\$ 23.26	3%+8.04
-----		
* ELEC0233-002 06/01/2004		

BEAVERHEAD, DEER LODGE, GRANITE, JEFFERSON, MADISON, POWELL, AND  
SILVER BOW COUNTIES

	Rates	Fringes
Electrician.....	\$ 23.25	3%+8.49
-----		
* ELEC0532-001 06/01/2004		

GALLATIN, PARK, AND SWEET GRASS COUNTIES

	Rates	Fringes
Electrician.....	\$ 22.59	4.25%+7.15
-----		
* ELEC0532-003 06/01/2004		

BIG HORN, CARBON, CARTER, CUSTER, DANIELS, DAWSON, FALLON,  
GARFIELD, GOLDEN VALLEY, McCONE, MUSSELSHELL, POWDER RIVER,  
PRAIRIE, RICHLAND, ROOSEVELT, ROSEBUD, SHERIDAN, STILLWATER,  
TREASURE, WIBAUX AND YELLOWSTONE COUNTIES

	Rates	Fringes
Electrician.....	\$ 24.08	4.25%+8.64
-----		
* ELEC0768-001 03/01/2004		

FLATHEAD, LAKE, LINCOLN, MINERAL, MISSOULA, RAVALLI, AND  
SANDERS COUNTIES

	Rates	Fringes
Electrician.....	\$ 23.00	4.25%+7.90
-----		
ELEC0768-003 04/01/2004		

FLATHEAD, LAKE, AND LINCOLN COUNTIES

	Rates	Fringes
Line Construction		
(1) Cable Splicer.....	\$ 27.03	9.81

(2) Lineman.....	\$ 24.85	9.84
(3) Groundman.....	\$ 16.48	9.07
(4) Line Equipment Operator..	\$ 20.52	8.75
(5) Pole Sprayer.....	\$ 21.36	9.29
(6) Tree Trimmer.....	\$ 22.20	9.30

-----  
 ENGI0400-001 05/01/2003

	Rates	Fringes
Power Equipment Operator		
(Zone 1)		
Group 1.....	\$ 18.58	5.61
Group 2.....	\$ 19.00	5.61
Group 3.....	\$ 19.37	5.61
Group 4.....	\$ 19.62	5.61
Group 5.....	\$ 20.60	5.61
Group 6.....	\$ 21.11	5.61
Group 7.....	\$ 22.65	5.61

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Air Compressor; Auto Fine Grader; Belt Finishing Machine; Boring Machine, small; Cement Silo; Crane, A-Frame Truck Crane; Crusher Conveyor; DW-10, 15, and 20 Tractor Roller; Farm Tractor; Forklift; Form Grader; Front-end Loader under 1 cu yd; Heavy Duty Drills; Herman Nelson Heater; Mulching Machine; Oiler, all except Cranes. & Shovels; Pumpman.

GROUP 2: Air Doctor; Backhoe/Excavator/Shovel to and including 3 cu yd; Bit Grinder; Bituminous Paving Travel Plant; Boring Machine, large; Broom, self-propelled; Concrete Travel Batcher; Concrete Float & Spreader; Concrete Bucket Dispatcher; Concrete Finish Machine; Concrete Conveyor; Distributor; Dozer, Rubber-Tired, Push & Side Boom; Elevating Grader/Gradall; Field Equipment Serviceman; Front-end Loader 1 cu yd to including 5 cu yd; Grade Setter; Heavy Duty Drills, all types; Hoist/Tugger, all; Hydralift & similar; Industrial Locomotive; Motor Patrol, except Finish; Mountain Skidder; Oiler - Cranes & Shovels; Pavement Breaker, EMSCO; Power Saw, self-propelled; Pugmill; Pumpcrete/Grout Machine; Punch Truck; Roller, other than Asphalt; Roller, Sheepsfoot, self-propelled; Roller, 25 tons and over; Ross Carrier; Rotomill under 6 ft; Trenching Machine; Washing/Screening Plant.

GROUP 3: Asphalt Paving Machine; Asphalt Screed; Backhoe/Excavator/Shovel over 3 cu yd; Cableway Highline; Concrete Batch Plant; Concrete Curing Machine; Concrete Pump; Cranes, Creter; Cranes, Electric Overhead; Cranes, 24 tons and under; Curb Machine/Slip Form Paver; Finish Dozer;

Front-end Loader over 5 cu yd; Mechanic/Welder; Pioneer Dozer; Roller, Asphalt (Breakdown & Finish); Rotomill, over 6 ft; Scraper, single, twin, or pulling Belly Dump; Yo-Yo Cat.

GROUP 4: Asphalt/Hot Plant Operator; Cranes, 25 tons to 44 tons; Crusher Operator; Finish Motor Patrol; Finish Scraper.

GROUP 5: Cranes, 45 tons to including 74 tons; Crane, Tower, all.

GROUP 6: Cranes, 75 tons to including 149 tons; Crane, Whirley, all.

GROUP 7: Cranes, 150 tons to including 250 tons (add \$1.00 for every 100 tons over 250 tons); Crane, Stiff-Leg or Derrick; Helicopter Hoist.

-----  
IRON0014-002 07/01/2003

FLATHEAD, GLACIER, LAKE, LINCOLN, MINERAL, MISSOULA, AND SANDERS COUNTIES

	Rates	Fringes
Ironworker.....	\$ 21.62	11.63

-----  
IRON0841-002 07/01/2003

REMAINING COUNTIES

	Rates	Fringes
Ironworker.....	\$ 19.20	12.51

-----  
\* LABO0098-001 05/01/2004

	Rates	Fringes
Laborers: (Zone 1)		
Group 1.....	\$ 14.52	5.50
Group 2.....	\$ 17.34	5.50
Group 3.....	\$ 17.48	5.50
Group 4.....	\$ 18.20	5.50

LABORERS CLASSIFICATIONS

GROUP 1: Flagperson

GROUP 2: All General Labor work; Burning Bar; Bucket man; Carpenter Tender; Caisson Worker; Cement Mason Tender; Cement Handler (dry); Chuck Tender; Choker Setter; Concrete worker; Curb Machine-Lay Down; Crusher and Batch worker;

Fence Erector; Form Setter; Form Stripper; Heater Tender; Landscaper; Pipe Wrapper; Pot Tender; Powderman Tender; Rail and Truck Loaders and Unloaders; Riprapper; Sealants for concrete and other materials; Sign Erection, Guard Rail and Jersey Rail; Stake Jumper; Spike Driver; Signalman; Tail Hoseman; Tool Checker and Houseman; Traffic Control worker.

GROUP 3: Concrete Vibrator; Dumpman (Grademan); Equipment Handler; Geotextile and Liners; High-Pressure Nozzleman; Jackhammer (Pavement Breaker); Laser Equipment; Non-Riding Rollers; Pipelayer; Posthole Digger (Power); Power Driven Wheelbarrow; Rigger; Sandblaster; Sod Cutter-Power; Tampers; Creosote Handler

GROUP 4: Asphalt Raker; Asbestos Laborer; Cutting Torch; Grade Setter; Hazmat Worker; High- Scaler; Power Saws (Faller & Concrete); Powderman (\$1.00 per hour above Group 4 rate); Rock & Core Drill; Tank/Vessel Cleaner; Track or Truck mounted Wagon Drill; Welder including Air Arc

-----  
PAIN0260-001 07/01/2002

BLAINE, BROADWATER, CASCADE, CHOUTEAU, DANIELS, FERGUS, GARFIELD, GLACIER, GRANITE (South of a line running East & West through the Southern city limits of Phillipsburg), HILL, JEFFERSON, JUDITH BASIN, LEWIS AND CLARK, LIBERTY, McCONE, MEAGHER, PETROLEUM, PHILLIPS, PONDERA, POWELL (South of a line running East & West through the Southern City limits of Helmsville), RICHLAND, ROOSEVELT, SHERIDAN, TETON, TOOLE, VALLEY, AND WHEATLAND COUNTIES

	Rates	Fringes
Painter.....	\$ 13.85	1%+3.45

-----  
PAIN0260-002 07/01/2002

FLATHEAD, GRANITE (North of a line running East & West through the Southern city limits of Phillipsburg), LAKE, LINCOLN, MINERAL, MISSOULA, POWELL (North of a line running East & West through the Southern city limits of Helmsville), RAVALLI, AND SANDERS COUNTIES

	Rates	Fringes
Painter.....	\$ 16.85	1%+3.45

-----  
PAIN1922-001 08/01/2003

BEAVERHEAD, BIG HORN, CARBON, CARTER, CUSTER, DAWSON, DEER LODGE, FALLON, GALLATIN, GOLDEN VALLEY, JEFFERSON, MADISON, MUSSELSHELL, PARK, POWDER RIVER, PRAIRIE, ROSEBUD, SILVER BOW,

STILLWATER, SWEET GRASS, TREASURE, WIBAUX, AND YELLOWSTONE  
COUNTIES

	Rates	Fringes
Painter		
Industrial (Includes		
Industrial Plants, Tanks,		
Pipes, Bridges).....	\$ 18.00	a+b

-----  
\* PLAS0119-001 05/01/2004

STATEWIDE (except Deer Lodge, Jefferson, Powell, and Silver Bow  
Counties)

	Rates	Fringes
Cement Masons: (Zone 1)		
Area 1.....	\$ 17.43	5.70
Area 2.....	\$ 17.43	5.70

AREA 1: STATEWIDE (except Deer Lodge, Jefferson, Powell, and  
Silver Bow Counties)

AREA 2: DEER LODGE, JEFFERSON, POWELL, AND SILVER BOW  
COUNTIES

-----  
PLUM0030-003 09/01/2003

BIGHORN, BLAINE, CARBON, CARTER, CASCADE, CHOUTEAU, CUSTER,  
DANIELS, DAWSON, FALLON, FERGUS, GARFIELD, GLACIER, GOLDEN  
VALLEY, HILL, JUDITH BASIN, LIBERTY, McCONE, MEAGHER,  
MUSSELSHELL, PETROLEUM, PHILLIPS, PONDERA, POWDER RIVER,  
PRAIRIE. RICHLAND, ROOSEVELT, ROSEBUD, SHERIDAN, STILLWATER,  
TETON, TOOLE, TREASURE, VALLEY, WHEATLAND, WIBAUX AND  
YELLOWSTONE COUNTIES

	Rates	Fringes
Plumber.....	\$ 24.20	10.05

-----  
\* PLUM0041-001 07/01/2003

BEAVERHEAD, BROADWATER, DEER LODGE, GALLATIN, GRANITE,  
JEFFERSON, LEWIS AND CLARK, MADISON, PARK, POWELL, SILVER BOW,  
AND SWEET GRASS COUNTIES

	Rates	Fringes
Plumber.....	\$ 24.15	8.35

-----  
\* PLUM0459-001 05/01/2004

FLATHEAD, GLACIER, LAKE, LINCOLN, MINERAL, MISSOULA, RAVALLI,

AND SANDERS

	Rates	Fringes
Plumber.....	\$ 23.41	9.30

---

TEAM0002-001 06/01/2003

	Rates	Fringes
Truck drivers: (Zone 1)		
Group 1.....	\$ 13.31	5.31
Group 2.....	\$ 17.34	5.31

TRUCK DRIVERS CLASSIFICATIONS:

GROUP 1: Pilot Car

GROUP 2: All Combination Trucks and Concrete Mixers; Distributor Driver; All Dry Batch Trucks; Dumpman, Gravel Spreader Box Operator; All Dump Trucks and similar equipment including DW 20, DW 21, or Euclid Tractor; Dumpsters; Flat Trucks; Servicemen; Lowboys, Four-Wheel Trailers; Float Semi-Trailer; Lumber Carriers, Lift Trucks & Fork Lifts; Pick-up Driver hauling material; Powder Truck (Bulk Unloader type); Power Boom; Service Truck Drivers, Fuel Truck Drivers, Tiremen; All Water Tank Drivers; Petroleum Products Drivers; Trucks with Power Equipment such as Winch, A-Frame Truck, Crane, Hydralift, Gout-Crete Truck, and Combination Mulching, Seeding & Fertilizing Truck; Truck Mechanic

---

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

---

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

---

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

WAGE RATE: MT20030002

GENERAL DECISION: **MT20030002** 11/07/2003 MT2

Date: November 7, 2003

General Decision Number: **MT20030002** 11/07/2003

Superseded General Decision Number: MT020002

State: Montana

Construction Types: Highway

Counties: Montana Statewide.

HIGHWAY CONSTRUCTION PROJECTS

Modification Number	Publication Date
0	06/13/2003
1	11/07/2003

\* SUMT2001-001 09/04/2003

**\*\*ZONE PAY\*\***

CARPENTERS, CEMENTS MASONS, IRON WORKERS, LABORERS, POWER EQUIPMENT OPERATORS, TRUCK DRIVERS

The hourly wage rates applicable to each project shall be determined by measuring the road miles over the shortest practical maintained route from the County Court House of the following towns to the center of the job:

BILLINGS, BOZEMAN, BUTTE, GREAT FALLS, HAVRE, HELENA, KALISPELL, LEWISTOWN, MILES CITY, MISSOULA

- ZONE 1: 0 to 30 miles
- ZONE 2: 30 to 60 miles - Base Pay +\$2.95
- ZONE 3: Over 60 miles - Base Pay + \$4.75

	Rates	Fringes
Carpenters:		
Carpenter.....	\$ 19.55	5.85
Piledriverman.....	\$ 19.55	5.85
Cement Mason.....	\$ 17.37	5.50
Electricians:		
Area 1.....	\$ 18.74	2.93+3.8%

Area 2.....	\$ 20.13	4.76+3.8%
Area 3.....	\$ 19.98	3.44+3.8%
Area 4.....	\$ 19.84	3.51+3.8%
Area 5.....	\$ 20.54	3.54+3.8%
Area 6.....	\$ 18.02	3.44+3.8%

ELECTRICIANS AREA DESCRIPTIONS

AREA 1: Beaverhead, Deer Lodge, Granite, Jefferson, MZdison, Silver Bow, and Powell Counties

AREA 2: Big Horn, Carbon, Carter, Custer, Dawson, Fallon, Garfield, Golden Valley, Musselshell, Powder River, Prairie, Rosebud, Stillwater, Treasure, Wibaux, and Yellowstone counties

AREA 3: Blaine, Cascade, Chouteau, Daniels, Fergus, Glacier, Hill, Judith Basin, Liberty, McCone, Petroleum, Pondera, Phillips, Richland, Roosevelt, Sheridan, Teton, Toole, Valley, and Wheatland Counties

AREA 4: Broadwater, Lewis and Clark, and Meagher Counties

AREA 5: Flathead, Lake, Lincoln, Mineral, Missoula, Ravalli, and Sanders Counties

AREA 6: Gallatin, Park, and Sweet Grass Counties

Ironworker

Flathead, Glacier, Lake, Lincoln, Mineral, Missoula and Sanders Cos.....	\$ 20.43	10.00
Remaining Counties.....	\$ 18.97	10.87

Laborers:

Group 1.....	\$ 13.68	5.50
Group 2.....	\$ 16.18	5.50
Group 3.....	\$ 16.35	5.50
Group 4.....	\$ 17.18	5.50

LABORERS CLASSIFICATIONS

GROUP 1: Flag person

GROUP 2: All General Labor work; Burning Bar; Bucket man; Carpenter Tender; Caisson Worker; Cement Mason Tender; Cement Handler (dry); Chuck Tender; Choker Setter; Concrete worker; Curb Machine-Lay Down; Crusher and Batch Plant Worker; Fence Erector; Form Setter; Form Stripper; Heater Tender; Landscaper; Pipe Wrapper; Pot Tender; Powderman Tender; Rail and Truck Loaders and Unloaders; Riprapper; Sealants for Concrete and other materials; Sign Erection, Guard Rail and Jersey Rail; Stake Jumper; Spike Driver; Signalman; Tail Hoseman; Tool Checker and Houseman; Traffic Control

worker

GROUP 3: Concrete Vibrator; Dumpman (Grademan); Equipment Handler; Geotextile and Liners; High-Pressure Nozzlemen; Jackhammer (Pavement Breaker); Laser equipment; Non-riding Rollers; Pipelayer; Posthole Digger (power); Power Driven Wheelbarrow; Rigger; Sandblaster; Sod Cutter-power; Tampers

GROUP 4: Ashpalt Raker; Cutting Torch; Grade Setter; High-Scaler; Power Saws (Faller & Concrete); Powderman (\$1.00 per hour above Group 4 rate); Rock & Core Drill; Track or Truck mounted Wagon Drill; Welder including Air Arc

Line Construction

Equipment Operator.....	\$ 19.16	5.05
Groundman.....	\$ 15.40	5.05

Painters:.....\$ 19.55 5.50

Pavement marking and related work. Includes operating marking and all other equipment and all work involved in traffic marking including removal, surface preparation and application of pavement markings including epoxies, paints, tape, buttons, thermo-plastics and any other products applied for traffic marking purposes and for directing and regulating traffic

Power Equipment Operator

Group 1.....	\$ 17.51	5.50
Group 2.....	\$ 18.38	5.50
Group 3.....	\$ 19.12	5.50
Group 4.....	\$ 19.71	5.50
Group 5.....	\$ 20.85	5.50
Group 6.....	\$ 21.44	5.50
Group 7.....	\$ 23.22	5.50

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: A-Frame Truck Crane; Air Compressor; Auto Fine Grader; Belt Finishing Machine; Boring Machine (small); Cement Silo, Crane; Crusher Conveyor, DW-10, 15, and 20 Tractor Roller; Farm Tractor; Forklift; Form-Grader; Front-end Loader under 1 cu yd; Oiler, Heavy Duty Drills; Pumpman; Oiler (All, except Cranes and Shovels)

GROUP 2: Air Doctor; Backhoe/Excavator/Shovel to & incl 3 cu yd Bit Grinder; Bituminous Paving Travel Plant; Boring Machine, large; Broom, Self-Propelled; Concrete Bucket Dispatcher; Concrete Conveyor; Concrete Finish Machine; Concrete Float and Spreader; Concrete Travel Batchter; Distributor; Dozer, Rubber tired, Push, and Side Boom; Drills, Heavy Duty (all types); Elevating Grader/Gradall; Field Equipment Serviceman; Front-end Loader 1 cu yd to and incl. 5 cu yd; Grade Setter; Hoist/Tugger (All Hydralift & Similar); Industrial Locomotive; Motor Patrol (Except

Finish); Mountain Skidder; Oiler, Cranes & Shovels; Pavement Breaker, EMSCO; Power Saw, Self-Propelled; Pugmill; Pumpcrete/ Grout Machine; Punch Truck; Rollers (All except Asphalt Finish and Breakdown); Ross Carrier; Rotomill under 6 ft; Trenching Machine; Washing/Screening Plant

GROUP 3: Asphalt Finish Roller; Asphalt Breakdown Roller; Asphalt Paving Machine; Backhoe/Excavator/Shovel larger than 3 cu yd; Asphalt Screed; Concrete Batch Plant; Cableway Highline; Concrete Curing Machine; Cranes, 24 tons & under; Cranes, Creter; Cranes, Electric Overhead; Concrete Pump; Curb Machine/Slip Form Paver; Finish Dozer; Mechanic/Welder; Pioneer Dozer; Rotomill 6 ft and over; Scraper, Single Engine; Scraper Twin or pulling Belly Dump; Yo Yo Cat Front-end Loader over 5 cu yd;

GROUP 4: Asphalt/Hot Plant Operator; Cranes, 25 tons to 44 tons; Crusher Operator; Finish Motor Patrol; Finish Scraper

SPECIAL OPERATORS:

GROUP 5: Cranes, 45 tons to and including 74 tons

GROUP 6: Cranes, 75 tons to and including 149 tons

GROUP 7: Cranes, 150 tons to and including 250 tons; Cranes over 250 tons: add \$1.00 for every 100 tons over 250 tons; Crane, Stiff-Leg or Derrick; Crane, Tower all); Crane, Whirley (all); Helicopter Hoist

Truck drivers:

Group 1.....	\$ 14.96	5.50
Group 2.....	\$ 19.55	5.50

GROUP 1: Pilot Car

GROUP 2: Combination Truck and Concrete Mixer and Transit Mixer; Dry Batch Trucks; Distributor Driver; Dumpman; Dump Trucks and similar equipment; Dumpster; Flat Trucks; Lumber Carriers; Lowboys; Pickup; Powder Truck Driver; Power Boom; Serviceman; Service Truck/Fuel Truck/Tireperson; Truck Mechanic; Trucks with Power Equipment; Warehouseman, Partsman, Cardex and Warehouse Expeditor; Water Trucks

-----  
WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.  
=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses

(29CFR 5.5 (a) (1) (ii)).

---

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

---

#### WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage

payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

Section G - Contract Administration Data

ACCOUNTING AND APPROPRIATION DATA

AA: 96X31230000 082433 3230HL739D067352 NA 96453  
COST 000000000000  
CODE:  
AMOUNT: \$8,170.00

## Section I - Contract Clauses

## CLAUSES INCORPORATED BY REFERENCE

52.219-20	Notice of Emerging Small Business Set-Aside	JAN 1991
52.222-6	Davis Bacon Act	FEB 1995
52.222-8	Payrolls and Basic Records	FEB 1988
52.222-9	Apprentices and Trainees	FEB 1988
52.222-10	Compliance with Copeland Act Requirements	FEB 1988
52.222-11	Subcontracts (Labor Standards)	FEB 1988
52.222-12	Contract Termination-Debarment	FEB 1988
52.222-13	Compliance with Davis -Bacon and Related Act Regulations.	FEB 1988
52.222-14	Disputes Concerning Labor Standards	FEB 1988
52.222-15	Certification of Eligibility	FEB 1988
52.222-16	Approval of Wage Rates	FEB 1988
52.222-42	Statement Of Equivalent Rates For Federal Hires	MAY 1989
52.228-5	Insurance - Work On A Government Installation	JAN 1997
52.232-27	Prompt Payment for Construction Contracts	OCT 2003
52.233-1	Disputes	JUL 2002
52.233-3	Protest After Award	AUG 1996
52.236-2	Differing Site Conditions	APR 1984
52.236-3	Site Investigation and Conditions Affecting the Work	APR 1984
52.236-5	Material and Workmanship	APR 1984
52.236-6	Superintendence by the Contractor	APR 1984
52.236-7	Permits and Responsibilities	NOV 1991
52.236-8	Other Contracts	APR 1984
52.236-9	Protection of Existing Vegetation, Structures, Equipment, Utilities, and Improvements	APR 1984
52.236-11	Use and Possession Prior to Completion	APR 1984
52.236-12	Cleaning Up	APR 1984
52.236-13	Accident Prevention	NOV 1991
52.236-13 Alt I	Accident Prevention (Nov 1991) - Alternate I	NOV 1991
52.236-14	Availability and Use of Utility Services	APR 1984
52.236-15	Schedules for Construction Contracts	APR 1984
52.242-15	Stop-Work Order	AUG 1989
52.242-15 Alt I	Stop-Work Order (Aug 1989) - Alternate I	APR 1984
52.243-4	Changes	AUG 1987
52.243-5	Changes and Changed Conditions	APR 1984
52.245-9	Use And Charges	APR 1984
52.246-21	Warranty of Construction	MAR 1994
52.249-13	Failure To Perform	APR 1984
252.217-7003	Changes	DEC 1991

## CLAUSES INCORPORATED BY FULL TEXT

## Successor Contracting Officers (52.201-4001)

The Contracting Officer who signed this contract is the primary Contracting Officer for the contract. Nevertheless, any Contracting Officer assigned to the Seattle District and acting within his/her authority may take formal action on this contract when a contract action needs to be taken and the primary Contracting Officer is unavailable.

## 52.219-1 SMALL BUSINESS PROGRAM REPRESENTATIONS (MAY 2004)

(a)(1) The North American Industry Classification System (NAICS) code for this acquisition is ( ) (insert NAICS code).

(2) The small business size standard is ( ) (insert size standard).

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b) Representations. (1) The offeror represents as part of its offer that it ( ) is, ( ) is not a small business concern.

(2) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, for general statistical purposes, that it ( ) is, ( ) is not a small disadvantaged business concern as defined in 13 CFR 124.1002.

(3) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it ( ) is, ( ) is not a women-owned small business concern.

(4) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it ( ) is, ( ) is not a veteran-owned small business concern.

(5) (Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.) The offeror represents as part of its offer that it ( ) is, ( ) is not a service-disabled veteran-owned small business concern.

(6) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, as part of its offer, that--

(i) It ( ) is, ( ) is not a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and

(ii) It ( ) is, ( ) is not a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate for the HUBZone small business concern or concerns that are participating in the joint venture. (The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture: \_\_\_\_\_.) Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

(c) Definitions. As used in this provision--

Service-disabled veteran-owned small business concern--

(1) Means a small business concern--

(i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and

(ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a service-disabled veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.

(2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

Veteran-owned small business concern means a small business concern--

(1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and

(2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern," means a small business concern --

(1) That is at least 51 percent owned by one or more women; in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and

(2) Whose management and daily business operations are controlled by one or more women.

(d) Notice.

(1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.

(2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall--

(i) Be punished by imposition of fine, imprisonment, or both;

(ii) Be subject to administrative remedies, including suspension and debarment; and

(iii) Be ineligible for participation in programs conducted under the authority of the Act.

(End of provision)

52.219-19 SMALL BUSINESS CONCERN REPRESENTATION FOR THE SMALL BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM (OCT 2000)

(a) Definition.

"Emerging small business" as used in this solicitation, means a small business concern whose size is no greater than 50 percent of the numerical size standard applicable to the North American Industry Classification System (NAICS) code assigned to a contracting opportunity.

(b) [Complete only if the Offeror has represented itself under the provision at 52.219-1 as a small business concern under the size standards of this solicitation.] The Offeror [ ] is, [ ] is not an emerging small business.

(c) (Complete only if the Offeror is a small business or an emerging small business, indicating its size range.)

Offeror's number of employees for the past 12 months (check this column if size standard stated in solicitation is expressed in terms of number of employees) or Offeror's average annual gross revenue for the last 3 fiscal years (check this column if size standard stated in solicitation is expressed in terms of annual receipts). (Check one of the following.)

No. of Employees    Avg. Annual Gross Revenues

\_\_\_ 50 or fewer    \_\_\_ \$1 million or less  
 \_\_\_ 51 - 100       \_\_\_ \$1,000,001 - \$2 million  
 \_\_\_ 101 - 250     \_\_\_ \$2,000,001 - \$3.5 million  
 \_\_\_ 251 - 500     \_\_\_ \$3,500,001 - \$5 million  
 \_\_\_ 501 - 750     \_\_\_ \$5,000,001 - \$10 million  
 \_\_\_ 751 - 1,000   \_\_\_ \$10,000,001 - \$17 million  
 \_\_\_ Over 1,000    \_\_\_ Over \$17 million

(End of provision)

52.219-21    SMALL BUSINESS SIZE REPRESENTATION FOR TARGETED INDUSTRY CATEGORIES UNDER THE SMALL BUSINESS COMPETITIVENESS DEMONSTRATION PROGRAM (MAY 1999)

(Complete only if the Offeror has represented itself under the provision at 52.219-1 as a small business concern under the size standards of this solicitation.)

Offeror's number of employees for the past 12 months (check this column if size standard stated in solicitation is expressed in terms of number of employees) or Offeror's average annual gross revenue for the last 3 fiscal years (check this column if size standard stated in solicitation is expressed in terms of annual receipts). (Check one of the following.)

No. of Employees    Avg. Annual Gross Revenues

\_\_\_ 50 or fewer    \_\_\_ \$1 million or less  
 \_\_\_ 51 - 100       \_\_\_ \$1,000,001 - \$2 million  
 \_\_\_ 101 - 250     \_\_\_ \$2,000,001 - \$3.5 million  
 \_\_\_ 251 - 500     \_\_\_ \$3,500,001 - \$5 million

\_\_\_ 501 - 750 \_\_\_ \$5,000,001 - \$10 million

\_\_\_ 751 - 1,000 \_\_\_ \$10,000,001 - \$17 million

\_\_\_ Over 1,000 \_\_\_ Over \$17 million

(End of provision)

#### Haul Road Restoration (52.236-4010, NOV 1998)

The Contractor shall preserve and protect all existing private access roads, haul roads, and/or right-of-way roads. At completion of the work and prior to the Contractor leaving the project/work site, the Contractor shall restore the pre-project conditions all such roads at its own expense. Restoration/repair efforts shall include replacement of base rock and/or surface treatment as required.

#### 252.204-7004 REQUIRED CENTRAL CONTRACTOR REGISTRATION ALTERNATE A (NOV 2003)

(a) Definitions. As used in this clause--

“Central Contractor Registration (CCR) database” means the primary Government repository for contractor information required for the conduct of business with the Government.

“Commercial and Government Entity (CAGE) code” means--

(1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or

(2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an “NCAGE code.”

“Data Universal Numbering System (DUNS) number” means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

“Data Universal Numbering System +4 (DUNS+4) number” means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

“Registered in the CCR database” means that--

(1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;

(2) The Contractor's CAGE code is in the CCR database; and

(3) The Government has validated all mandatory data fields and has marked the records “Active.”

(b)(1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee shall be registered in the CCR database prior to award, during performance, and through final payment of any contract, basic agreement, basic ordering agreement, or blanket purchasing agreement resulting from this solicitation.

(2) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation "DUNS" or "DUNS +4" followed by the DUNS or DUNS +4 number that identifies the offeror's name and address exactly as stated in the offer. The DUNS number will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.

(c) If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one.

(1) An offeror may obtain a DUNS number--

(i) If located within the United States, by calling Dun and Bradstreet at 1-866-705-5711 or via the Internet at <http://www.dnb.com>; or

(ii) If located outside the United States, by contacting the local Dun and Bradstreet office.

(2) The offeror should be prepared to provide the following information:

(i) Company legal business.

(ii) Tradestyle, doing business, or other name by which your entity is commonly recognized.

(iii) Company Physical Street Address, City, State, and Zip Code.

(iv) Company Mailing Address, City, State and Zip Code (if separate from physical).

(v) Company Telephone Number.

(vi) Date the company was started.

(vii) Number of employees at your location.

(viii) Chief executive officer/key manager.

(ix) Line of business (industry).

(x) Company Headquarters name and address (reporting relationship within your entity).

(d) If the Offeror does not become registered in the CCR database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award to the next otherwise successful registered Offeror.

(e) Processing time, which normally takes 48 hours, should be taken into consideration when registering. Offerors who are not registered should consider applying for registration immediately upon receipt of this solicitation.

(f) The Contractor is responsible for the accuracy and completeness of the data within the CCR database, and for any liability resulting from the Government's reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to review and update on an annual basis from the date of initial registration or subsequent updates its information in the CCR database to ensure it is current, accurate and complete. Updating information in the CCR does not alter the terms and conditions of this contract and is not a substitute for a properly executed contractual document.

(g)(1)(i) If a Contractor has legally changed its business name, “doing business as” name, or division name (whichever is shown on the contract), or has transferred the assets used in performing the contract, but has not completed the necessary requirements regarding novation and change-of-name agreements in Subpart 42.12, the Contractor shall provide the responsible Contracting Officer a minimum of one business day's written notification of its intention to (A) change the name in the CCR database; (B) comply with the requirements of Subpart 42.12 of the FAR; and (C) agree in writing to the timeline and procedures specified by the responsible Contracting Officer. The Contractor must provide with the notification sufficient documentation to support the legally changed name.

(ii) If the Contractor fails to comply with the requirements of paragraph (g)(1)(i) of this clause, or fails to perform the agreement at paragraph (g)(1)(i)(C) of this clause, and, in the absence of a properly executed novation or change-of-name agreement, the CCR information that shows the Contractor to be other than the Contractor indicated in the contract will be considered to be incorrect information within the meaning of the “Suspension of Payment” paragraph of the electronic funds transfer (EFT) clause of this contract.

(2) The Contractor shall not change the name or address for EFT payments or manual payments, as appropriate, in the CCR record to reflect an assignee for the purpose of assignment of claims (see FAR Subpart 32.8, Assignment of Claims). Assignees shall be separately registered in the CCR database. Information provided to the Contractor's CCR record that indicates payments, including those made by EFT, to an ultimate recipient other than that Contractor will be considered to be incorrect information within the meaning of the “Suspension of payment” paragraph of the EFT clause of this contract.

(h) Offerors and Contractors may obtain information on registration and annual confirmation requirements via the internet at <http://www.ccr.gov> or by calling 1-888-227-2423, or 269-961-5757.

(End of clause)