

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 26-Jul-2004	4. REQUISITION/PURCHASE REQ. NO. W68MD9-4033-8863	1 15
6. ISSUED BY USA ENGINEER DISTRICT, SEATTLE ATTN: CENWS-CT 4735 EAST MARGINAL WAY SOUTH SEATTLE WA 98134-2329		CODE W912DW	7. ADMINISTERED BY (If other than item 6) US ARMY, CORPS OF ENGINEERS BUNKER HILL RESIDENT OFFICE 1005 MCKINLEY AVE KELLOGG ID 83837-2513	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. W912DW-04-R-0020
			X	9B. DATED (SEE ITEM 11) 13-Jul-2004
				10A. MOD. OF CONTRACT/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.				
<p>Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:</p> <p>(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) W912DW-04-R-0020, MISCELLANEOUS REMEDIATION CONSTRUCTION SERVICES, BUNKER HILL MINING AND METALLURGICAL COMPLEX SUPERFUND FACILITY FOR THE STATES OF IDAHO AND WASHINGTON This Amendment One (0001) provides for the following: 1. Revisions to Sections 00110 and 0084, and clarification to Section 00700 Clause 52.228-1 (c) "The amount of the bid guarantee shall be 20% of the 2. Modification No.2 dated 23 July 2004, to Davis Bacon Wage Determination No. ID030017 and Modification 11 dated 23 July 2004 to Davis Bacon Wage Determination No. WA030001 are hereby incorporated into the solicitation.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
			TEL: _____ EMAIL: _____	
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	
_____ (Signature of person authorized to sign)			BY _____ (Signature of Contracting Officer)	
			16C. DATE SIGNED 02-Aug-2004	

3. The attached revised sections are to be replaced in their entirety. Specification changes are generally identified, for convenience by strikeout for deletions, and underlining of text for additions. All portions of the revised or new pages shall apply whether or not changes have been indicated.

4. The proposal due date and time remain unchanged as follows:

13 August 2004 at 2:00 p.m., LOCAL TIME

5. NOTICE TO OFFERORS: Offerors must acknowledge receipt of this amendment by number and date on offer or by telegram. Please mark on outside of the envelope in which the offer is enclosed to show amendment received.

Encl:

Section 01100 (revised)

Section 00840 (revised)

Davis Bacon Wage Determination No. ID030017 , Mod 2 dated 23 July 2004

Davis Bacon Wage Determination No. WA030001, Mod 11 dated 23 July 2004

TABLE OF CONTENTS

1. INTRODUCTION
 - A. Invitation
 - B. Project Description
2. SUBMITTAL REQUIREMENTS
 - A. General Requirements
 - B. Technical Proposal Format
 1. Cover Letter
 2. Table of Contents
 3. Technical Data
 - C. Price Proposal Format
3. EVALUATION FACTORS
 - A. Technical Evaluation Criteria
 1. Construction Organization Experience and Capabilities with Similar Construction Services
 - a. Key Personnel
 - b. Organizational Chart and Experience
 2. Proposed Contractor Quality Control Plan
 3. Contractor Past Performance
 4. Extent of Small Business Participation
 - B. Price
4. TECHNICAL MERIT RATINGS
 - A. Outstanding
 - B. Above Average
 - C. Satisfactory (Neutral)
 - D. Marginal
 - E. Unsatisfactory
5. TECHNICAL PROPOSAL MINIMUM REQUIREMENTS AND EVALUATION METHOD
 - A. Construction Organization Experience and Capabilities with Similar Construction Services
 1. Sub-criteria 1: Key Personnel
 - a. Submittal Requirements
 - b. Evaluation Method
 2. Sub-criteria 2: Organizational Chart and Experience
 - a. Submittal Requirements
 - b. Evaluation Method
 - B. Proposed Contractor Quality Control Plan
 1. Submittal Requirements
 2. Evaluation Method
 - C. Contractor Past Performance
 1. Submittal Requirements: Customer Satisfaction Survey
 2. Evaluation Method
 - D. Extent of Small Business Participation
 1. Submittal Requirements
 2. Evaluation Method
6. EVALUATION AND AWARD PROCEDURES
 - A. Relative Importance Definitions
 1. Significantly More Important
 2. More Important
 3. Comparatively Equal
 4. Equal

B. Evaluation

1. Technical proposal evaluation
2. Evaluation by Technical Evaluation Team (TET)
3. TET Utilization of rating factors
4. Consideration for Award
5. Price as secondary importance

C. Best Value Analysis

7. SELECTION AND AWARD WITHOUT DISCUSSIONS

- A. Government's Intent
- B. Competitive Range
- C. During Discussions
- D. After Discussions
- E. Selection and Award

8. DEBRIEFINGS

- A. Exclusion of Offerors
- B. Unsuccessful Offerors

9. CUSTOMER SATISFACTION SURVEY FORM

PROPOSAL SUBMISSION AND EVALUATION

1. INTRODUCTION.

A. Invitation. Your firm is invited to submit a proposal for the project entitled "Miscellaneous Remediation Construction Services, Bunker Hill Mining and Metallurgical Complex Superfund Facility for the States of Idaho and Washington". Contractors are required to prepare and submit proposals that will be evaluated in accordance with this section of the solicitation. This solicitation is issued as a Request For Proposal (RFP). Proposals will be evaluated based upon technical merit and cost. The Government intends to procure this service requirement on a competitive basis in accordance with the provisions set forth in this RFP, and make award on initial offers, without further discussions or additional information. An Indefinite Delivery Indefinite Quantity (ID/IQ) Firm fixed-price contract will be awarded to the firm(s) submitting the proposal that: a) conforms to this request for proposals (RFP); b) is considered to offer the best value to the Government in terms of the evaluation factors, including price; and, c) is determined to be in the best interest of the Government. The award will result in a contract that consists of a Base plus two (2) Option Periods. It is very important to read all sections of this RFP prior to assembling your proposal, in order for you to submit a successful proposal.

B. Project Description. The purpose of this indefinite-delivery, indefinite-quantity contract is to provide general construction services for remediation support of the Bunker Hill Mining and Metallurgical Complex Superfund Facility contract geographic boundaries. The Contractor shall provide construction services and perform the operations as generally described in this contract. Individual Task Orders issued under this contract will describe actual site operations to be performed on specific projects. The rights and obligations of the parties to this contract shall be subject to and governed by the provisions of this contract and the provisions of all Task Orders hereunder.

2. SUBMITTAL REQUIREMENTS.

A. General Requirements. Proposals shall be submitted in two parts: (a) technical proposal, and (b) price proposal. Each shall be submitted in a separate envelope or package with the type of proposal (i.e., technical or price) clearly printed on the outside of the envelope or package. Proposals must set forth full, accurate, and complete information as required by this RFP. Absence of information will be deemed as if no support for that criterion was provided. Offerors submitting proposals should limit submission to data essential for evaluation of proposals so that a minimum of time and money is expended in preparing information required by the Request for Proposals (RFP). Data submitted must reflect the offeror's interpretation of criteria contained in the RFP. Proposals are to be on 8 ½ x 11-inch paper, to the maximum extent practicable, and submitted in standard letter (8½ x 11-inch) hardback loose-leaf binders. If proposal is submitted in CD format, an original and 4 paper copies of the technical proposal and an original and 1 copy of the price proposal is still required. Contents of binders shall be tabbed and labeled to afford easy identification from the proposal Table of Contents. Pages shall be numbered consecutively. No material shall be incorporated by reference or reiteration of the RFP. Any such material will not be considered for evaluation. It shall be presented in a manner, which allows it to "STAND ALONE" without need for evaluators to reference other documents. Arrangements, layout plans, and notes may all be combined together on single sheets in order to simplify presentation, so long as clarity is maintained. Unnecessarily elaborate brochures or other presentation materials beyond those sufficient to present complete and effective responses are not desired and may be construed as an indication of the proposer's lack of cost-consciousness. Elaborate artwork, expensive paper and bindings, and expensive/ extensive visual and other presentation aids are neither necessary nor wanted. Offeror's are encouraged to structure their proposal submission using guidelines presented in Paragraph B below, of this Section. ~~However, to minimize effort expended by the Offeror's, other formats will be accepted so long as requested information is provided.~~ Penalty for making false statements in proposals is prescribed in 18 U.S.C. 1001.

B. Technical Proposal Format. Submit 5 copies, consisting of the original and 4 copies. As a minimum, each copy of the technical proposal should follow the general format specified below. Pages should be numbered from beginning to end, without repeating for new sections.

1. Cover Letter: The Technical Proposal Cover Letter, including deviations and betterments, should be the first page of your technical proposal and must show the following:

- a. Solicitation number;
- b. Name, address, telephone and facsimile numbers of the Offeror, and electronic address, if available.
- c. Names, titles, telephone and facsimile numbers, and electronic addresses, if available, of persons authorized to negotiate on the Offeror's behalf with the Government in connection with this solicitation.
- d. Names, title, and signature of the person authorized to sign the proposal.
- e. A statement that the offer has an acceptance period of 90 calendar days from the date the offer is submitted.
- g. Deviations from the RFP: Offerors shall specifically identify, in their cover letter in a section entitled "Deviations", all deviations from the minimum RFP requirements, and if required to submit a Final Proposal Revision, all changes made to their original proposal. All alternates shall be specifically addressed and expanded upon in the proposal or Final Proposal Revision. Deviations must not result in an Offeror's proposal that does not meet minimum RFP criteria.
- h. Identification of Items Exceeding RFP Requirements: Offeror's should specifically identify in an attachment to their cover letter a list entitled "Identification of Items Exceeding RFP Requirements" all items that exceed the minimum RFP requirements and, if required to submit a Final Proposal Revision, all changes made to their original proposal that exceed RFP minimum requirements. All of these items should be specifically addressed and expanded upon in the proposal or Final Proposal Revision.
- i. Amendments: Acknowledge all amendments by number and date of issue in your cover letter.

NOTE: If discussions are held, acknowledge all amendments issued on the cover letter submitted with your revised proposals or final proposal revisions.

2. Table of Contents: List all sections contained in the technical proposal. A separate section shall be provided for each evaluation criterion. Any additions or revisions to the proposal shall include an updated Table of Contents for each set.

3. Technical Data: Consisting of outline specifications and supporting data shall be furnished as part of the formal proposal and shall meet all requirements of the RFP, technical specifications and referenced regulations. It shall be specific and complete, and demonstrate thorough understanding of the requirements. It shall include, where applicable, complete explanations of procedures and the program you propose to follow. Additionally, it shall demonstrate the merit of the technical approach offered and shall be an orderly, specific, and complete document in every detail, and should demonstrate a thorough understanding of the requirement. It should include, where applicable, diagrams, charts, and complete explanations of the schedules or procedures you propose to follow.

C. Price Proposal Format. The contents of your price proposal should include the Pricing Schedule with prices for all line items (original). To include, completion and submission of Section K, Representations, Certifications and Other Statements of Offerors, acknowledgement of all amendments, Standard Form SF 1442, Solicitation, Offer & Award, and the Corporate Certificate located at the beginning of the solicitation. Ensure that the SF 1442 is signed by an official authorized to bind for your firm.

3. EVALUATION FACTORS – Proposals will be evaluated on the basis of two criteria: TECHNICAL and PRICE.

A.1. Technical Evaluation Criteria:

1-Construction Organization Experience and Capabilities with Similar Construction Services

A(1). Key Personnel

B(2). Organization Chart and Experience

2-Proposed Contractor Quality Control Plan

- ~~2~~ Contractor Past Performance
- ~~2~~ Extent of Small Business Participation

~~B-2~~ Price: Price will be evaluated for reasonableness, but not rated. Price will be a factor in establishing the competitive range prior to discussions and in making the final determination for award.

4. TECHNICAL MERIT RATINGS. Proposals will be evaluated using the following adjectival descriptions below. Evaluators will apply the appropriate adjective to each criterion (and sub-criterion) rated. The evaluator's narrative explanation must clearly establish that the Offeror's proposal meets the definitions established below:

A. Outstanding – Information submitted demonstrates Offeror's potential to significantly exceed performance or capability standards. The Offeror has clearly demonstrated an understanding of all aspects of the requirements to the extent that timeliness and highest quality performance is anticipated. Demonstrates exceptional strengths that will significantly benefit the Government. The Offeror's qualifications meet the fullest expectations of the Government. The Offeror has convincingly demonstrated that the RFP requirements have been analyzed, evaluated, and synthesized into approaches, plans and techniques that, when implemented, should result in outstanding, effective, efficient, and economical performance under the Contract. An assigned rating within "Outstanding" indicates that, in terms of the specific criterion (or sub-criterion), the submittal contains essentially no significant weaknesses, deficiencies or disadvantages; demonstrate the least level of risk. Very significantly exceeds most or all solicitation requirements. Very high probability of success.

B. Above Average – Information submitted demonstrates Offeror's potential to exceed performance or capability standards. Have one or more strengths that will benefit the Government. The areas in which the Offeror exceeds the requirements are anticipated to result in a high level of efficiency or productivity or quality. The Offeror's qualifications are adequately responsive with minor deficiencies but no major deficiencies noted. An assigned rating within "Above Average" indicates that, in terms of the specific criterion (or sub-criterion), any deficiencies noted are of a minor nature that should not seriously affect the Offeror's performance. The submittal demonstrates that the requirements of the RFP are well understood and the approach will likely result in a high quality of performance which represents low risk to the Government. A rating within "Above Average" is used when there are no indications of exceptional features or innovations that could prove to be beneficial, or contrarily, weaknesses that could diminish the quality of the effort or increase the risks of failure. Disadvantages are minimal. The submittal contains excellent features that will likely produce results very beneficial to the Government. Fully meets all RFP requirements and significantly exceed many of the RFP requirements. Response exceeds a "Satisfactory" rating. High probability of success.

C. Satisfactory (Neutral) – Information submitted demonstrates Offeror's potential to meet performance or capability standards. Acceptable solution. Meets minimum standard requirements. Few or no advantages or strengths. The Offeror's qualifications contain weaknesses in several areas that are not offset by strengths in other areas. A rating of "Satisfactory" indicates that, in terms of the specific criterion (or sub-criterion), the Offeror may satisfactorily complete the proposed tasks, but there is at least a moderate risk that s/he will not be successful. Equates to Neutral. Good probability of success as there is sufficient confidence that a fully compliant level of performance will be achieved. Meets all RFP requirements. Complete and comprehensive proposal; exemplifies an understanding of the scope and depth of the task requirements and the Offeror's understanding of the Government's requirements. Response exceeds a "Marginal" rating. No significant advantages or disadvantages.

D. Marginal – Information submitted demonstrates the Offeror's potential to marginally meet performance or capability standards necessary for minimal but acceptable contract performance. The submittal is not adequately responsive or does not address the specific criterion (or sub-criterion). The Offeror's interpretation of the Government's requirements is so superficial, incomplete, vague, incompatible, incomprehensible, or incorrect as to be Unsatisfactory. The assignment of a rating within the bounds of "Marginal" indicates that the evaluator feels that mandatory corrective action would be required to prevent significant deficiencies from affecting the overall project. The Offeror's qualifications demonstrate an acceptable understanding of the requirements of the RFP and the approach will likely result in an adequate quality of performance, which represents a moderate level of risk to the Government. Low probability of success, although the submittal has a reasonable chance of becoming at least acceptable. Response exceeds an "Unsatisfactory" rating. Significant disadvantages.

E. Unsatisfactory – Fails to meet performance or capability standards. Unacceptable. Requirements can only be met with major changes to the submittal. The submittal does not meet the minimum requirements of the RFP. There is no reasonable expectation that acceptable performance would be achieved. Offeror's qualifications have many deficiencies and/or gross omissions; failure to provide a reasonable, logical approach to fulfilling much of the Government's requirements; failure to meet many of the minimum requirements. The Offeror's qualifications submittals are so unacceptable that they would have to be completely revised in order to attempt to make it other than unacceptable; demonstrates an unacceptable level of risk. Very significant disadvantages.

5. TECHNICAL PROPOSAL MINIMUM REQUIREMENTS AND EVALUATION METHOD:

Evaluation Criteria – Construction Organization Experience and Capabilities with Construction Services, Proposed Contractor Quality Control Plan and Contractor Past Performance are equal to one another. Each of these criteria is significantly more important than Extent of Small Business Participation.

Criteria A: CONSTRUCTION ORGANIZATION EXPERIENCE AND CAPABILITIES WITH SIMILAR CONSTRUCTION SERVICES:

Sub-criteria (1): Key Personnel - The following Key Personnel shall be included in the organizational chart as required in accordance to Section 01351 of the Specifications of this Solicitation:

SUBMITTAL REQUIREMENTS: Provide qualifications in the form of resumes, for the proposed Key individual team members. Resumes should be no more than two (2) pages per individual and submitted in a format similar to the one shown below.

As a minimum, provide resumes for the following individuals (individuals may have no more than one role):

a) The Safety and Health Manager (Industrial Hygienist), or equivalent, shall be certified by the American Board of Industrial Hygiene or a Safety Professional Certified by the Board of Certified Safety Professionals. The Manager must have a minimum of three years experience in developing and implementing safety and health programs at Hazardous Waste sites. Experience includes the following duties:

- Supervising professional and technician level personnel;
- Developing worker exposure assessment programs and air monitoring programs and techniques;
- Managing personal protective equipment programs and conducting PPE hazard evaluations for the types of activities and hazards likely to be encountered on the project; and
- Knowledge of State and Federal occupational safety and health regulations.

b) Site Safety and Health Officer (minimum of two (2) personnel), must have a minimum two (2) years experience in implementing safety and health programs at hazardous waste sites where Level C personal protective equipment was required. The Officer must have experience in construction techniques and safety procedures; must have knowledge of Federal and State occupational safety and health regulations; have training in personal and respiratory protective equipment, confined space entry and in the proper use of air monitoring instruments and air sampling methods including monitoring for ionizing radiation.

c) Occupational Physician must be certified in Occupational Medicine by the American Board of Preventive Medicine, or if not certified, must be Board eligible by required training and experience.

d) Two (2) personnel that are certified in First Aid and CPR by the American Red Cross or other approved agency. The personnel must have been trained in universal precautions and the use of PPE as described in the Bloodborne Pathogens Standard of 29 CFR 1910.1030.

A resume for each of the above individuals may be provided in a format similar to the one shown in the table below. Note that key personnel identified in this proposal must be utilized on the project.

Name/Title
Proposed Duties/Functions (for this project)
Firm Affiliation/Years Affiliated
Years of Experience (performing duties/functions as proposed for this project)
Education (Degree, Year, Specialization)
Active Registrations (and/or Professional/Technical Licenses/Certifications)
Specific Qualifications (for this project, if any)
List of Relevant Projects Including:
Project Title & Location
Project Type
Dollar Value (construction \$)
Name of Employing Firm
Start & Completion Dates (Month/Year)
Duties/Functions (address how this relates to role for solicitation project)
Brief Description of Project (address how this relates to solicitation project)
Customer Point of Contact (i.e., name, relationship to project, agency/firm affiliation, city, state, current phone no.)
Awards or Recognition Received (if applicable)

EVALUATION METHOD: The more recent, and the greater the extent and relevance, of the team members' qualifications, prior project experience, and active registrations, and licensing, the higher the rating assigned for this criterion during evaluations.

Sub-criteria (2) Organizational Chart and Experience: Offerors shall provide an organizational chart clearly showing the Staff, as the personnel who will be utilized in this project's required services in accordance with the Specifications, and their responsibilities for this project. The Organizational Chart for the proposed organization shall include sufficient personnel with appropriate education, current training and experience to fulfill their assigned duties, stated in Section 01351 of the Specifications. Included with the organizational chart, the following requirements must be provided as part of the proposal.

SUBMITTAL REQUIREMENTS:

Provide a list of specific projects, using the format below, including projects for construction that are currently under construction, or were completed within the last five (5) years, by using a format similar to that shown in the table below to present this information. When submitting relevant experience similar to the construction services in the specifications of this solicitation that are currently in progress, projects must be at least 75% complete. Start with the most recent and relevant projects and work backwards in time.

Project Title & Location
Project Type
Dollar Value (construction \$)
Start & Completion Dates (Month/Year)
Role of Firm(s) (e.g., prime) (address type of work performed and percentage of work, as applicable)
Brief Description of Project (address how this relates to solicitation project)
Customer Point of Contact (i.e., name, relationship to project, agency/firm affiliation, city, state, current phone no.)
Awards or recognition received (if applicable)

Evaluation Method: The Organizational chart will be evaluated for functionality, completeness and reasonableness and the degree to which the offeror demonstrates an understanding of the aspects required for successfully accomplishing the services described in the solicitation. Rating will be based on the degree of technical relevance and team member qualifications.

Along with the organizational chart, proposed organizations will be evaluated for the quantity and quality of experience demonstrated. The greater the relevance and the more recent the prior project experience, the higher the rating assigned during evaluations. Demonstration of experience in completing projects that had the unique characteristics of the proposed project will be evaluated favorably. Projects involving contaminated areas such as the location required in this solicitation, with attributes similar to those specified in the Project Description of this section may be given more consideration.

Criteria B. PROPOSED CONTRACTOR QUALITY CONTROL PLAN:

1. The offeror must provide a Quality Control (QC) Plan that demonstrates the implementation of the requirements in accordance with Section 01451, entitled, "Contractor Quality Control". The plan shall consist of the following requirements to cover all construction operations, both on-site and off-site, including work by subcontractors, fabricators, suppliers and purchasing agents:

a. A description of the quality control organization, including a chart showing lines of authority and acknowledgment that the CQC staff shall implement the three phase control system for all aspects of the work specified. The staff shall include a CQC system manager who shall report to the project manager or someone higher in the Contractor's organization. Project manager in this context shall mean the individual with responsibility for the overall management of the project including quality and production.

b. The name, qualifications (in resume format), duties, responsibilities, and authorities of each person assigned a QC function.

c. A copy of the letter to the CQC System Manager signed by an authorized official of the firm which describes the responsibilities and delegates sufficient authorities to adequately perform the functions of the CQC System Manager including authority to stop work which is not in compliance with the contract. The CQC System Manager shall issue letters of direction to all other various quality control representatives outlining the duties, authorities and responsibilities.

d. Procedures for scheduling, reviewing, certifying, and managing submittals, including those of subcontractors, off-site fabricators, suppliers and purchasing agents, in accordance with Section 01330, Submittal Procedures, of the Specifications of this solicitation;

e. Control, verification and acceptance testing procedures for each specific test to include the test name, specification paragraph requiring test, feature of work to be tested, test frequency and person responsible for each test. Laboratory facilities will be validated by the Corps of Engineers Material Testing Center and approved by the Contracting Officer;

f. Procedures for tracking preparatory, initial and follow-up control phases and control, verification and acceptance tests including documentation;

g. Procedures for tracking construction deficiencies from identification through acceptable corrective action. These procedures will establish verification that identified deficiencies have been corrected;

h. Reporting procedures, including proposed reporting formats. This shall include a copy of the Daily CQC report form.

SUBMITTAL REQUIREMENTS: Provide the proposed Contractor Quality Control plan to ensure high quality material, methods, and maintainability. The offeror must demonstrate the capability to (1) provide adequate quantities and types of equipment units to accomplish the construction services within specified time periods and (2) coordinate and manage the work with an adequate team of individuals (i.e., team members).

Describe by written narrative your management approach to accomplish the work including a description of your quality control program. Discuss your capability and approach to (1) Review and complete the construction services for contract requirement; (2) Perform activities when requirements are submitted one after another; (3) Conform to

safety and housekeeping requirements; (4) Coordinate with the Government in emergent situations; (5) Coordinate and manage the work of team members.

EVALUATION METHOD: As a minimum, the offeror must demonstrate that the firm has sufficient equipment and personnel to execute the proposed plan. Better ratings will be assigned for technical completeness, specificity, and likelihood of success.

Criteria C. CONTRACTOR PAST PERFORMANCE:

Submittal Requirements: The Government will utilize performance evaluations contained in the Construction Contract Administration Support System (CCASS) to evaluate this criterion. All performance ratings for the past five (5) years shall be considered. If an offeror does not have past performance available in CCASS or wishes to augment the CCASS system ratings, the offerors may ask customers to submit the Customer Satisfaction Survey form found at the end of this section.

For each project constructed for Private Industry, provide a completed Customer Satisfaction Survey for each applicable Remediation Construction Services that is currently under construction (at least 75% complete) or that was completed within the last five (5) years. All Customer Satisfaction Surveys must be submitted to the Government from the customer or agency that is providing the information. Further instructions are found on the Customer Satisfaction Survey.

Submit a list of all customers (including current Point of Contact, phone number, and electronic address) who were requested to provide Customer Satisfaction Surveys.

Should offerors want to review the performance evaluation ratings contained in the Corps of Engineers CCASS Database, they may request the information by fax on company letterhead at the following number: (503) 808-4596.

Customer Satisfaction Survey – The reproducible Customer Satisfaction Survey form located at the end of this section will be used to provide information from your customers for the prime contractor regarding satisfaction, quality of work, and timely performance of the projects listed in the relevant experience examples. To be considered, your past customers (not the offeror) must complete the surveys and mail, hand-deliver, or fax directly to the Contracting Office, for receipt no later than the time and date the proposals are due. Customer Satisfaction Surveys should only be provided for projects constructed by the prime, listed under relevant experience. All Customer Satisfaction Surveys must be submitted to the Seattle District, Corps of Engineers by the customer/agency providing the information. Surveys submitted by the contractor will not be considered. Please ensure envelopes containing survey forms do not contain the offeror's return address. Offerors shall submit a list of all customers to whom Customer Satisfaction Surveys were provided, including current point of contact and phone number.

Evaluation Method. The Government reserves the right to consider all aspects of an offeror's performance history. The Government may also contact previous customers as references, and will use Customer Satisfaction Surveys received from customers. Past performance for projects listed under relevant experience will be evaluated first and higher evaluations ratings will be given for relevant projects with outstanding evaluations. The Government may initiate exchanges with an offeror to clarify adverse past performance information when the Offeror has not previously had an opportunity to comment on the evaluation. The Government reserves the right to contact the evaluators of the Customer Satisfaction Surveys submitted. The Government also reserves the right, but is not obligated, to query any Government agencies, databases, and publications for information such as performance evaluations, debarment, terminations, and litigation for evaluation purposes. Firms without any evaluations will be assigned a neutral rating of satisfactory on past performance (See FAR 15.305(a)(2)(iv)).

Criteria D. EXTENT OF SMALL BUSINESS PARTICIPATION

Submittal Requirements: No submittal is required for this criterion. The Government will utilize performance evaluations contained in the CCAS System to evaluate this criterion.

Evaluation Method: Firms will be evaluated for the success and extent of their small business participation in their subcontracting with small and disadvantaged business concerns. Firms will be evaluated based on the ratings received for item entitled "Implementation of Subcontracting Plan" on their past performance evaluations retrieved from the CCAS System. Firms without any evaluations in CCASS, or for which this item was not evaluated (i.e., N/A), will be assigned a neutral rating of satisfactory. Proposed firms that receive a rating below satisfactory for this item in one or more CCASS evaluations will receive a rating of marginal for this criterion. At a minimum, a list of references (minimum of five) shall be provided that will reflect the competency of the proposed offeror and effectiveness of the organization that was provided the reference. The projects may be completed and/or currently under execution. All project listed must have been executed or under execution with the past three (3) years. A Customer Satisfaction Survey form shall be submitted for each project

6. EVALUATION AND AWARD PROCEDURES

A. RELATIVE IMPORTANCE DEFINITIONS: For the purpose of this evaluation, the following terms will be used to establish the relative importance of the criteria:

- Significantly More Important: The criterion is at least three (3) times greater in value than another criterion.
- More Important: The criterion is at least two (2) times greater in value than another criterion.
- Comparatively Equal: The criterion is at least one and one-half (1.5) times greater in value than another criterion.
- Equal: The criterion is of the same value as another criterion.

B. EVALUATION.

1) Technical proposals will be evaluated for conformance with the minimum RFP criteria, and for the extent to which they exceed those criteria. While the intent is to keep the offeror's pre-award proposal effort to a minimum, proposals must provide adequate detail for evaluators to determine how the offeror's proposal meets or exceeds the RFP criteria. It must also form sufficient basis for developing a fair and reasonable price proposal.

2) All technical proposals will be evaluated by a Technical Evaluation Team (TET). Pricing data will not be considered during this evaluation. Criteria for the technical evaluation are set forth elsewhere in the solicitation and will be the sole basis for determining the technical merit of proposals. Culmination of the technical evaluation will be assignment of a technical rating for each offer.

3) The TET will utilize the relative importance definitions and technical merit ratings described earlier in this section of the solicitation to perform their technical evaluation.

4) To be considered for award, proposals shall conform to the terms and conditions contained in the RFP. No proposal shall be accepted that does not address all criteria requested in this section of the solicitation or which includes stipulations or qualifying conditions unacceptable to the Government.

5) Price is of secondary importance and will be considered of lower importance than technical factors. Pricing will be independently evaluated to determine reasonableness and to aid in determination of the Offeror's understanding of the work and ability to perform the contract.

C. BEST VALUE ANALYSIS. The Government is more concerned with obtaining superior technical features than with making award at the lowest overall cost to the Government. In determining the best value to the Government, the tradeoff process of evaluation will be utilized. The tradeoff process permits tradeoffs among price and non-price factors, and allows the Government to consider award to other than the lowest priced offeror or other than the highest technically rated offeror. You are advised that greater consideration will be given to the evaluation

of technical proposals rather than price. It is pointed out, however, that should technical competence between offerors be considered approximately the same, the cost or price could become more important in determining award.

7. SELECTION AND AWARD WITHOUT DISCUSSIONS

A. It is the intent of the Government to make award based upon initial offers, without further discussions or additional information. Therefore, proposals should be submitted initially on the most favorable terms from a price and technical standpoint. Do not assume you will be afforded the opportunity to clarify, discuss, or revise your proposal. If award is not made on initial offers, discussions will be conducted as described below.

B. **Competitive Range.** After initial evaluation of proposals, if the Contracting Officer determines that discussions are to be conducted, the Contracting Officer will establish a competitive range comprised of all of the most highly rated proposals, unless the range is further reduced for purposes of efficiency (i.e., the Contracting Officer may determine that the number of most highly rated proposals that might otherwise be included in the competitive range exceeds the number at which an efficient competition can be conducted). Discussions may be held with firms in the competitive range.

C. **During Discussions.** Written or oral (i.e., telephonic) discussions may be conducted by the Government and all offerors in the competitive range. As a result of discussions, offerors may make revisions to their initial offers. If an offeror's proposal is eliminated or otherwise removed from the competitive range during discussions, no further revisions to that offeror's proposal will be accepted or considered. Discussions will culminate in a request for Final Proposal Revisions, the date and time of which will be common to all offerors.

D. **After Discussions.** If discussions are conducted, then after receipt of final proposal revisions, the TET will evaluate supplemental information provided by offers, adjust technical scores previously assigned, and provide a recommendation to the Contracting Officer. Subsequently, and after evaluation of any changed to proposed prices, the Contracting Officer will perform a best-value analysis. Selection will be made on the basis of the responsible offer, which conforms to the RFP and represents the most advantageous offer to the Government, subject to availability of funds.

E. **Selection and Award.** The Government intends to make award based on initial offers. Award of a firm fixed-price task order will be based upon a tradeoff analysis among technical and other pertinent factors (i.e., past performance) and price to determine the best value to the Government in terms of technical factors and price, and the best balance between technical factors and price.

8. DEBRIEFINGS.

A. Offerors excluded from the competition before award will receive a notice and may request a debriefing before award by submitting a written request for a debriefing to the Contracting Officer within three (3) days after receipt of the notice of exclusion from the competition.

B. Unsuccessful Offerors shall request post-award debriefing within three (3) days after the date on which the offeror received notification of task order award. Point-by-point comparisons with other offerors' proposals will not be made, and debriefings will not reveal any information that is not releasable under the Freedom of Information Act.

END OF SECTION

**CUSTOMER SATISFACTION SURVEY (PAGE 1 OF 2) -
W912DW-04-R-0020, Miscellaneous Remediation Construction Services, Bunker Hill Mining and Metallurgical Complex
Superfund Facility for the States of Idaho and Washington**

SECTION 1 -- TO BE COMPLETED BY OFFEROR AND PROVIDED TO REFERENCE

Name of Firm Being Evaluated: _____

Project Title & Location: _____

Project Dollar Value: _____

Year Completed: _____ Project Manager: _____

SECTION 2 -- TO BE COMPLETED BY THE CUSTOMER REFERENCE AND MAILED, EMAILED, FAXED OR HAND-DELIVERED DIRECTLY TO:

U.S. Army Corps of Engineers, Seattle District
Attn: CENWS-CT-CB-CU Attn: Bonnie Lackey
P.O. Box 3755
Seattle, WA 98124-3755

FAX: (206) 764-6817
Street Address:
4735 E. Marginal Way S.
Seattle WA 98134-2329

Forms submitted by other than the customer (i.e., by the offeror), may not be considered.

OVERVIEW: The firm shown above has selected you as a customer reference to provide information on the firm's past performance. Your input is important to this firm and responses are required no later than the time and date proposals are due for inclusion in our evaluation.

Name of Individual completing survey: _____

Firm Name: _____ Phone Number: _____

Relationship to this Project: _____

The chart below depicts ratings to be used to evaluate this contractor's performance.

O	AA	S	M	U
Outstanding	Above Average	Satisfactory	Marginal	Unsatisfactory
Performance met all contract requirements and exceeded expectations. Problems, if any, were negligible, and were resolved in a timely and highly effective manner.	Performance met all contract requirements and exceeded some. There were a few minor problems which the contractor resolved in a timely, effective manner.	Performance met contract requirements. There were some minor problems, and corrective actions taken by the contractor were satisfactory.	Performance did not meet some contractual requirements. There were problems, some of a serious nature, for which corrective action was only marginally effective.	Performance did not meet contractual requirements. There were serious problems, and the contractor's corrective actions were ineffective.

CUSTOMER SATISFACTION SURVEY (PAGE 2 OF 2)

W912DW-04-R-0020, Miscellaneous Remediation Construction Services, Bunker Hill Mining and Metallurgical Complex Superfund Facility for the States of Idaho and Washington

In the following blocks, please indicate your overall level of satisfaction with the work performed by the firm shown in Section 1. Reference the chart outlined on page 1 of this survey.

For any marginal or unsatisfactory rating, please provide explanatory narratives in the remarks block. These narratives need not be lengthy; just detailed. If a question is not applicable, circle N/A. If more space is needed, then go to the end of the questionnaire or attach additional pages. Be sure to identify your continued narration with the respect line number, your name and project name.

	Quality of Work	Circle the appropriate rating using the chart on page 1
A	Quality of Service	O AA S M U N/A
B	Quality Control	O AA S M U N/A
C.	Adequacy of Submittals/Reporting	O AA S M U N/A
D.	Identification/correction of deficient work in a timely manner	O AA S M U N/A
E.	Displayed flexibility in responding to your needs	O AA S M U N/A
F.	Organizational structure/functional relationships of the team including subcontractors	O AA S M U N/A
G.	Response time to your requirements	O AA S M U N/A
H.	Extent of participation of small business concerns as subcontractors under this contract	O AA S M U N/A
I.	Overall rating for this project	O AA S M U N/A
J	How well did the contractor & subcontractors adhere to schedule?	<u>O AA S M U N/A</u>
K.	Would you select this contractor again for future projects?	Yes or No (circle one)

REMARKS: (Discuss strengths and weaknesses of the firm)

Thank you for completing this form. Your assistance in providing this information is appreciated.

(End of Summary of Changes)

This page intentionally blank

SECTION 00840

SPECIAL CONTRACT REQUIREMENTS

Table of Contents

<u>PARAGRAPH NO.</u>	<u>PARAGRAPH TITLE</u>
1.	PURPOSE AND SCOPE OF SERVICES
2.	PERIOD OF SERVICE
3.	ORDERING INFORMATION
4.	TASK ORDER LIMITATIONS
5.	INDEFINITE QUANTITY
6.	ORDERING PROCEDURES FOR TASK ORDERS
7.	WAD PROCEDURES
8.	PERFORMANCE AND PAYMENT BONDS AND ALTERNATIVE PAYMENT PROTECTIONS
9.	OPTION FOR INCREASED QUANTITY
10.	DAVIS-BACON WAGE RATES
11.	ORDER OF PRECEDENCE
12.	EVALUATION OF CONTRACTOR PERFORMANCE

This page intentionally left blank

SECTION 00840 - SPECIAL CONTRACT REQUIREMENTS

1. **PURPOSE AND SCOPE OF SERVICES.** The purpose of this indefinite-delivery, indefinite-quantity contract is to provide general construction services for remediation support of the Bunker Hill Mining and Metallurgical Complex Superfund Facility contract geographic boundaries. (See Section 01010 for geographic boundaries.) The Contractor shall provide construction services and perform the operations as generally described in this contract. Individual Task Orders issued under this contract will describe actual site operations to be performed on specific projects. The rights and obligations of the parties to this contract shall be subject to and governed by the provisions of this contract and the provisions of all Task Orders hereunder.

2. **PERIOD OF SERVICE.** Day one of the contract is the date of signature by the Contracting Officer. The ordering period for the contract shall automatically end upon completion of the base period, absent an extension. The contract shall include a base period, not-to exceed (NTE) one year and two option periods (NTE one year each), for a total contract performance period NTE three years. One year is defined as 365 consecutive days. Each extension of the contract period shall be evidenced by modification to this contract. Only the Contracting Officer and Successor Contracting Officers have authority to modify the contract. Absent any extension, the ordering period shall automatically end upon termination of the base period. Expiration or termination of the ordering period shall not affect performance of any order issued during the effective period of this contract.

3. ORDERING INFORMATION.

a. Any supplies and services to be furnished under this contract shall be ordered by issuance of Task Orders by the individuals or activities designated in this contract. Such orders may be issued for the base and option periods in accordance with paragraph 2, PERIOD OF SERVICE, above.

b. If mailed, a Task Order is considered "issued" when the Government deposits the order in the mail. Orders may be issued orally, by facsimile, or by electronic commerce methods.

c. The rights and obligations of the parties to this contract shall be subject to and governed by the provisions of this contract and the provisions of all Task Orders issued hereunder. To the extent of any inconsistency between the contract and a Task Order, provisions of this contract shall control.

d. The Contractor shall ensure that all contract work is completed in accordance with the time allowances and progress schedule set forth in each Task Order. The schedule is subject to adjustment by the Contracting Officer or duly authorized representative, in writing, for material delays on the part of the Government and for conditions beyond the control of the parties hereto.

4. TASK ORDER LIMITATIONS.

a. **Minimum Order.** When the Government requires supplies or services covered by this contract in an amount less than \$1,000, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those services under the contract.

b. **Maximum Order.** The Government may combine several projects, as indicated by separate Statements of Work and individual line items, in one Task Order, as required. The Contractor is not obligated to honor –

- (1) Any single Task Order in excess of \$1,000,000;
- (2) A series of orders from the ordering office totaling more than \$1,000,000 within a seven (7) calendar-day period.

c. Notwithstanding paragraphs (a) and (b) above, the Contractor shall honor any Task Order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within 5 calendar days after issuance, with written notice stating the Contractor's intent not to accept the services called for and the reasons. Upon receiving this notice, the Government may acquire the services from another source.

d. Except for any limitations on quantities in this paragraph (4) or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring simultaneous performance at multiple locations.

5. INDEFINITE QUANTITY ~~(52.216-22 – OCT 1995).~~

a. This is an indefinite-quantity contract for the services specified, and effective for the periods stated, in this section of the contract. Quantities of services specified in the Bid Schedule are estimates only and are not purchased by this contract. The Government will only pay the Contractor for the quantities ordered and accepted under Task Orders issued under this contract.

b. The price schedule for each period of the contract shall be in effect for 365 consecutive days.

c. Performance shall be made only as authorized by Task Orders issued in accordance with this section of the contract. The Contractor shall furnish to the Government, when and if ordered, the services specified in the Schedule up to and including the Contract not-to-exceed amount ~~a maximum of \$1 million~~ per contract period.

d. The Government is not obligated to fund the maximum cumulative dollar amount of this contract. Each Task Order will have funds obligated on an individual basis. The Government intends to order a minimum of two percent (2%) of the maximum possible amount for the base year and, if the option years are exercised, one percent (1%) of the maximum possible option amount. Should the Government fail to order this amount of services during the applicable contract period, the Contractor may submit a claim as provided in the contract clause entitled "Disputes." In no event will the Government's liability under this circumstance exceed 2% of the maximum possible amount for the base period and, if the option years are exercised, 1% of the maximum possible option amount.

e. The Contractor will be compensated at the rates shown in Bid Schedule, for the duration of the contract.

f. Reference the Contract Clause 52.216-22 Indefinite Quantity.

6. ORDERING PROCEDURES FOR TASK ORDERS.

a. **ISSUING A TASK ORDER RFP.** When the Government requires work under this Contract, a Request for Proposal (RFP) will be issued. Each RFP will typically consist of the following:

1) A statement of work describing the services to be performed, which may include special instructions and conditions including sequence of work, and a set of sketches or drawings to define the basis of work for the order.

2) Applicable bid items with estimated quantities from the schedule;

3) Liquidated damages to be assessed for non-completion of the work (if other than those stated in Section 00800);

4) Schedule for task order preparation and work execution;

5) If applicable, the RFP will also indicate the time and date for a joint site visit (scoping meeting). Joint site visits may be accomplished in connection with each Task Order, prior to final agreement, to resolve any work requirements or a meeting may be held in person to discuss particulars of the work.

b. No bid bond or bid guarantee will be required for individual Task Orders.

c. The Contractor will not be reimbursed for attendance during negotiations, site visits, or other pre-Task Order costs.

d. **SUBMISSION OF PROPOSAL BY CONTRACTOR.** The Contractor shall respond within the number of calendar days stated in the RFP by submitting a proposal to the Contracting Officer, or authorized representative, in accordance with the requirements stated in the RFP. Unless otherwise indicated in the RFP, proposals shall contain the following:

1) Proposed quantities for line items stated in the RFP, and any others materials or tasks that may be applicable;

2) Non-prepriced items (e.g., materials or tasks) broken out and separately priced. Include three price quotes from different manufacturers/suppliers for each item. Quotes shall be signed by an authorized representative of the manufacturer;

3) A completion schedule;

4) All submittals and documentation required by the contract to indicate that adequate layout, set-up, and planning to accomplish the work have been done.

5) Lump-sum price for all work to be performed under the Task Order.

e. **NEGOTIATION AND AWARD OF TASK ORDERS.**

1) Proposals will either be accepted as is or negotiated to the mutual agreement of both the Government and the Contractor. Upon conclusion of satisfactory discussions or negotiations (if required), a Task Order will be issued by the Contracting Officer reflecting the negotiated order price and payment terms as outlined in the statement of work or specifications. In any instance where there is failure to reach agreement on price, the Government reserves the right to withdraw the project and have it completed by other means. The awarded Task Order will be firm fixed-price with a specific completion date.

2) Task Orders will be issued on DD Form 1155. Orders may be placed via mail, telephone, facsimile or electronic commerce. The Task Order becomes binding when the Contracting Officer signs the Order. Notice to Proceed (NTP) will be issued separately after receipt of acceptable performance and payment bonds or alternate payment protections. Issuing and payment offices will be cited on each Task Order.

3) **PLANS AND SPECIFICATIONS.** The Contractor will be provided one (1) copy of the construction drawings and Statement of Work (with pertinent supplemental specifications) upon issue of each Task Order. All further reproduction shall be at the Contractor's expense. The Government may provide these as hard copy or as electronic media, such as e-mail or CD ROM, at its option.

7. WORK AUTHORIZATION DIRECTIVE (WAD) PROCEDURES:

Some requirements and/or groups of requirements may be awarded under a task order utilizing a Work Authorization Directive (WAD) described under Section 00800 SPECIAL CLAUSES. The WAD will be provided under a Request for Proposal cover letter and will generally include the requirements defined under paragraph 6 **ORDERING PROCEDURES FOR TASK ORDERS.** The WAD may contain one or more separate work items and additional work items may be added to the WAD within the not-to-exceed limitation. Quantity tracking if required will be identified under the individual WAD instructions. The maximum amount of each WAD is limited to \$50,000 and may not be exceed without written authorization of the Contracting Officer. The WAD will be signed by a contractor representative authorized with negotiation authority, and by either the Government Alternate Contracting Officer's (ACO) representative or the Contracting Officer's Representative (COR). These signatures will constitute a Notice to Proceed for the work specified under the WAD as of the date of the executed signatures. A copy of the WAD agreement document is included for information at the end of this section.

8. PERFORMANCE AND PAYMENT BONDS AND ALTERNATIVE PAYMENT PROTECTIONS (FAR 28.102-1).

a. Performance and payment bonds and alternative payment protections shall be provided for all Task Orders awarded under this contract. Bonds and other payment protections shall be provided within 5 calendar days of award of a Task Order, unless otherwise agreed. Notice to Proceed will not be issued until the Contractor provides sufficient bonding to cover the work being performed.

b. For Task Orders awarded between \$50,000 and \$100,000, payment protection shall be provided in accordance with clause 52.228-13, ALTERNATIVE PAYMENT PROTECTIONS, in Section 00700 of the contract.

c. For all other Task Orders, performance and payment bonds shall be required, and the penal sum established, by each Task Order.

d. **Performance Bond:** The penal sum of each performance bond shall equal one hundred percent (100%) of the price of each Task Order placed hereunder.

e. **Payment Bond:** The penal sum shall be fifty percent (50%) of order price.

f. **Additional Bonding:** Additional bonding shall only be required to the extent that the amount of construction being accomplished exceeds the value of the performance and payment bonds. Notice to Proceed will not be issued until the Contractor provides sufficient bonding to cover work being performed. Such additional bonding shall be provided within 5 calendar days of request by the Contracting Officer, unless otherwise agreed. Further information is provided in clause 52.228-2, ADDITIONAL BOND SECURITY, in Section 00700 of the contract.

9. **OPTION FOR INCREASED QUANTITY.** In any Task Order awarded under this contract, the Government may elect to make certain portions of the work, as described in the Statement of Work, optional. In Task Orders containing such options, the Government, at its discretion, may increase the quantity of work awarded by exercising one or more of the optional items at any time, or not at all, but no later than the number of calendar days stated in the individual Task Order. Notice to proceed on work items added by exercise of the option(s) may be given by Contracting Officer verbally or in writing. The completion schedule for the optional work that is awarded shall be based on receipt by the Contractor of either written or verbal notice to proceed, whichever is sooner.

10. **DAVIS-BACON WAGE RATES.** Davis-Bacon wage rates shall be utilized for all Task Orders under this contract.

a. The wage decisions in place at time of award shall be utilized for 365 consecutive days.

b. With exercise of an option at a one-year interval after the preceding contract period, current Davis-Bacon general wage decisions will be incorporated into the contract via modification. These rates shall be utilized for 365 consecutive days.

c. Compensation for increases in wage rates shall be made via the Contractor's coefficients for the option years.

d. See end of Section 00800 for General Wage Decisions.

11. **ORDER OF PRECEDENCE.** Any inconsistency in this solicitation or contract shall be resolved by giving precedence in the following order: (a) the Schedule (excluding the specifications), (b) representations and other instructions, (c) contract clauses, (d) other documents, exhibits, and attachments, and (e) the specifications.

04003

Miscellaneous Remediation Construction Services
Bunker Hill Mining and Metallurgical Complex Superfund Facility

12. EVALUATION OF CONTRACTOR PERFORMANCE. In accordance with FAR 36.201(a)(1)(i), the Contractor's performance will be evaluated annually before exercise of each option year, and may be evaluated upon completion of each Task Order. Interim evaluations may be prepared at any time during contract performance when determined to be in the best interest of the Government.

END OF SECTION

WORK AUTHORIZATION DOCUMENT

Miscellaneous Remediation Construction Services
Bunker Hill Mining and Metallurgical Complex Superfund Facility

WAD NUMBER:

DATE:

ISSUED BY:

PROPERTY DESCRIPTION:

ATTACHMENTS:

SCOPE OF WORK:

ESTIMATED LINE ITEM QUANTITIES: (see attached)

NEGOTIATIONS:

Final Negotiated Price (*): _____

Date of Negotiations: _____

Signed:

Contractor Signature/Date

Government Signature/Date

* The Final Negotiated Price is considered fair and reasonable by both parties, and is awarded as a lump sum (firm-fixed) price for all work required under this Work Authorization Document. The executed signatures above constitute a Notice to Proceed for subject work under this WAD as of the date of signature by both parties.

ATTACHMENT A

GENERAL DECISION: ID20030017 07/23/2004 ID17

Date: July 23, 2004

General Decision Number: ID20030017 07/23/2004

State: Idaho

Construction Types: Heavy

Counties: Adams, Bear Lake, Benewah, Bingham, Blaine, Boise, Bonner, Bonneville, Boundary, Butte, Camas, Caribou, Cassia, Clark, Clearwater, Custer, Elmore, Franklin, Fremont, Gem, Gooding, Idaho, Jefferson, Jerome, Kootenai, Latah, Lemhi, Lewis, Lincoln, Madison, Minidoka, Nez Perce, Oneida, Owyhee, Payette, Power, Shoshone, Teton, Twin Falls, Valley and Washington Counties in Idaho.

HEAVY CONSTRUCTION PROJECTS

Superseeds General Decision ID020030001

Modification Number	Publication Date
0	03/05/2004
1	06/18/2004
2	07/23/2004

CARPO808-004 01/01/2004

ADAMS, BEAR LAKE, BINGHAM, BOISE, BUTTE, BONNEVILLE, CAMAS, CARIBOU, CASSIA, CLARK, CUSTER, ELMORE, FRANKLIN, FREMONT, GEM, GOODING, IDAHO (SOUTH OF THE 46TH PARALLEL), JEFFERSON, JEROME, LEMHI, LINCOLN, MADISON, MINIDOKA, ONEIDA, OWYHEE, PAYETTE, POWER, TETON, TWIN FALLS, VALLEY AND WASHINGTON COUNTIES

ZONE 1

	Rates	Fringes
Carpenter (Including Cement Form Work).....	\$ 22.56	6.61

Zone Differential (Add to Zone 1 rates):

Zone 2 - \$1.50

* ELEC0073-007 07/01/2004

IDAHO (SOUTH OF THE 46TH PARALLEL) COUNTY

	Rates	Fringes
Cable splicer.....	\$ 24.07	3%+11.58
Electrician.....	\$ 23.67	3%+11.58

* ELEC0073-008 07/01/2004

BENEWAH, BONNER, BOUNDARY, CLEARWATER, IDAHO(NORTH OF THE 46TH PARALLEL), KOOTENAI, LATAH, LEWIS, NEZ PERCE AND SHOSHONE

COUNTIES

	Rates	Fringes
Cable Splicer.....	\$ 24. 07	3%+11. 58
Electrician.....	\$ 23. 67	3%+11. 58

* ELEC0291-007 06/01/2004

ADAMS, BOISE, ELMORE, GEM, PAYETTE, VALLEY AND WASHINGTON COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 26. 69	5%+7. 40
Electrician.....	\$ 24. 26	5%+7. 40

ELEC0449-001 12/01/2003

BEAR LAKE, BINGHAM, BONNEVILLE, BUTTE, CARIBOU, CLARK, CUSTER, FRANKLIN, FREMONT, JEFFERSON, LEMHI, MADISON, ONEIDA, POWER AND TETON COUNTIES

	Rates	Fringes
Electrician		
CONTRACTS \$250,000 AND UNDERS	\$ 19. 16	5%+8. 00
CONTRACTS OVER \$250,000.....	\$ 22. 81	5%+8. 00

ELEC0449-006 12/01/2003

BLAINE (SOUTH OF HIGHWAY 20), CAMAS, CASSIA, GOODING, JEROME, LINCOLN, MINIDOKA AND TWIN FALLS COUNTIES

	Rates	Fringes
Electrician		
CONTRACTS \$500,00 AND UNDER.	\$ 18. 28	5%+6. 85
CONTRACTS OVER \$500,000.....	\$ 21. 83	5%+6. 85

ELEC0449-007 12/01/2003

BLAINE (NORTH OF HIGHWAY 20) COUNTY

	Rates	Fringes
Electrician.....	\$ 22. 13	5%+6. 85

ENGI0370-013 01/01/2004

ADAMS, BEAR LAKE, BINGHAM, BLAINE, BOISE, BONNEVILLE, BUTTE, CARIBOU, CASSIA, CLARK, CUSTER, ELMORE, FRANKLIN, FREMONT, GEM, GOODING, IDAHO (SOUTH OF THE 46TH PARALLEL), JEFFERSON, JEROME, LEMHI, LINCOLN, MADISON, MINIDOKA, ONEIDA, OWYHEE, PAYETTE, POWER, TETON, TWIN FALLS, VALLEY AND WASHINGTON COUNTIES

ZONE 1

(Anyone working on HAZMAT jobs working with supplied air shall

receive \$1.00 per hour above classification)

	Rates	Fringes
Power equipment operator - bulldozer		
Including all attachments... \$	22.47	7.22
Power equipment operator - crane		
Over 50 tons..... \$	22.84	7.22
Tower Crane Operator..... \$	22.84	7.22
Up to and including 50 tons. \$	22.47	7.22
Power equipment operator - oiler..... \$	22.30	7.22
Power equipment operator - scraper		
ALL SCRAPERS UP TO AND INCLUDING 40 YARDS..... \$	22.47	7.22
All scrapers, pulling wagons, belly dumps and attachments, over 40 yards to and including 60 yards... \$	22.84	7.22
Euclid and similar, pulling wagons, belly dumps and attachments, over 60 yards to and including 80 yards..... \$	23.07	7.22
Euclid and similar, pulling wagons, belly dumps and attachments, over 80 yards to and including 100 yards..... \$	23.30	7.22
Euclids and similar, pulling wagons, belly dumps and attachments, over 100 yards..... \$	23.55	7.22

If a project is located in more than one zone the lower zone rate shall apply

Zone Differential (Add to Zone 1 rate): Zone 2 - \$1.50

Zone 1: That area within the State of Idaho located within 30 miles on either side of I-84 from the Oregon-Idaho State Line on the West to the Intersection of I-84 and I-86 in Cassia County, then following I-86 to Pocatello, then following I-15 to Idaho Falls, then following State Highway #20 - 10 miles north to the intersection with Moody Road then following I-15 south from the city of Pocatello to a point 10 miles South of the Southern Boundary of Bannock County extended to the West.

Zone 2: The remaining area of that portion of the State of Idaho south of Parallel 46 (the Washington-Oregon State Line extended eastward to Montana) that is not included in Zone 1 as described

BOOM PAY: All Cranes and Concrete Pump Boom Trucks
 100 ft to 150 ft \$. 15 over scale
 150 ft to 200 ft \$. 30 over scale
 Over 200 ft \$. 45 over scale

NOTE: When the crane operator receives additional pay for long boom, the Oiler Shall also receive such additional pay. In computing the length of the boom on Tower Cranes, they shall be measured from the base of the tower to the point of the boom

 ENGI0370-014 08/01/2003

BENEWAH, BONNER, BOUNDARY, CLEARWATER, IDAHO (NORTH OF THE 46TH PARALLEL), KOOTENAI, LATAH, LEWIS, NEZ PERCE AND SHOSHONE COUNTIES

ZONE 1: (Anyone working on HAZMAT jobs working with supplied air shall receive \$1.00 per hour above classification)

	Rates	Fringes
Power equipment operator - bulldozer		
(D-6 & equivalent and over)	\$ 23.02	7.37
(To D-6 or equivalent).....	\$ 22.42	7.37
Power equipment operator - crane		
25 TONS AND UNDER (ALL ATTACHMENTS INCLUDING CLAMSHELL, DRAGLINE).....	\$ 22.74	7.37
85 TONS AND OVER, AND ALL CLIMBING, OVERHEAD, RAIL AND TOWER.....	\$ 24.39	7.37
OVER 25 TONS UP TO AND INCLUDING 45 TONS (ALL ATTACHMENTS INCLUDING CLAMSHELL, DRAGLINE).....	\$ 23.02	7.37
OVER 45 TONS TO BUT NOT INCLUDING 85 TONS (ALL ATTACHMENTS INCLUDING CLAMSHELL, DRAGLINE).....	\$ 23.29	7.37
Power equipment operator - oiler.....	\$ 22.58	7.37
Power equipment operator - scraper		
(All, Rubber-Tired).....	\$ 23.02	7.37
(Multiple engine with three or scrapers).....	\$ 23.29	7.37

Zone Differential (Add to Zone 1 rate): Zone 2- \$2.00

**BASE POINTS: Spokane, Moses Lake, Pasco, Washington;
 Lewiston, Idaho**

**Zone 1: Within 45 radius miles from the main post office
 Zone 2: Outside 45 radius miles from the main post office**

BOOM PAY: (All Cranes, including Tower)
180' to 250' \$. 30 over scale
Over 250' \$. 60 over scale

NOTE: In computing the length of the boom on Tower Cranes, they shall be measured from the base of the Tower to the point of the boom

IRON0014- 009 07/01/2003

ADAMS (REMAINDER OF COUNTY), IDAHO (SOUTH OF THE 46TH PARALLEL), LEMHI (NORTHWEST CORNER), VALLEY (NORTHEASTERN 1/3) AND WASHINGTON (NORTHWESTERN 1/2) COUNTIES

	Rates	Fringes
Ironworkers: Rebar, Structural, Fence Erector.....	\$ 26. 32	12. 45

IRON0014- 010 07/01/2003

BENEWAH, BONNER, BOUNDARY, CLEARWATER, IDAHO(NORTH OF THE 46TH PARALLEL), KOOTENAI, LATAH, LEWIS, NEZ PERCE AND SHOSHONE

	Rates	Fringes
Ironworkers: Rebar, Structural, Fence Erector.....	\$ 26. 32	12. 45

*** IRON0732- 005 06/01/2004**

ADAMS (EAST CORNER), BEAR LAKE, BINGHAM, BLAINE, BOISE, BUTTE, BONNEVILLE, CAMAS, CARIBOU, CASSIA, CLARK, CLUSTER, ELMORE, FRANKLIN, FREMONT, GEM, GOODING, JEFFERSON, JEROME, LINCOLM, LEMHI (REMAINDER OF COUNTY), MADISON, MINIDOKA, ONEIDA, OWYHEE, PAYETTE, POWER, TETON, TWIN FALLS, VALLEY (SOUTHEAST 2/3), AND WASHINGTON (SOUTHEAST 1/2) COUNTIES

	Rates	Fringes
Ironworkers: Rebar, Structural, Fence Erector.....	\$ 21. 19	10. 49

LAB00155- 003 01/01/2004

ADAMS, BEAR LAKE, BINGHAM, BLAINE, BOISE, BONNEVILLE, BUTTE, CARIBOU, CASSIA, CLARK, CUSTER, ELMORE, FRANKLIN, FREMONT, GEM, GOODING, IDAHO (SOUTH OF THE 46TH PARALLEL), JEFFERSON, JEROME, LEMHI, LINCOLN, MADISON, MINIDOKA, ONEIDA, OWYHEE, PAYETTE, POWER, TETON, TWIN FALLS, VALLEY AND WASHINGTON COUNTIES

ZONE 1 (Anyone working on HAZMAT jobs working with supplied air shall receive \$1.00 per hour above classification)

	Rates	Fringes
--	-------	---------

Truck Driver, Dump.....	\$ 17.82	0.00
Truckdriver, Water Truck.....	\$ 20.89	4.06

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.
=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

WAIS Document Retrieval
GENERAL DECISION: WA20030001 07/23/2004 WA1

Date: July 23, 2004
General Decision Number: WA20030001 07/23/2004

Superseded General Decision Number: WA020001

State: Washington

Construction Types: Heavy (Heavy, and Dredging) and Highway

Counties: Washington Statewide.

HEAVY AND HIGHWAY AND DREDGING CONSTRUCTION PROJECTS (Excludes
D. O. E. Hanford Site in Benton and Franklin Counties)

Modification Number	Publication Date
0	06/13/2003
1	01/23/2004
2	02/06/2004
3	02/13/2004
4	03/05/2004
5	03/12/2004
6	04/16/2004
7	05/14/2004
8	06/18/2004
9	06/25/2004
10	07/02/2004
11	07/23/2004

CARP0001-008 06/01/2004

	Rates	Fringes
Carpenters:		
COLUMBIA RIVER AREA - ADAMS, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GRANT, OKANOGAN (EAST OF THE 120TH MERIDIAN) AND WALLA WALLA COUNTIES		
GROUP 1:.....	\$ 23.88	7.45
GROUP 2:.....	\$ 24.99	7.45
GROUP 3:.....	\$ 24.15	7.45
GROUP 4:.....	\$ 23.88	7.45
GROUP 5:.....	\$ 59.17	7.45
GROUP 6:.....	\$ 28.02	7.45
SPOKANE AREA: ASOTIN, GARFIELD, LINCOLN, PEND OREILLE, SPOKANE, STEVENS AND WHITMAN COUNTIES		
GROUP 1:.....	\$ 23.21	7.45
GROUP 2:.....	\$ 24.31	7.45
GROUP 3:.....	\$ 23.47	7.45

GROUP 4:.....	\$ 23.21	7.45
GROUP 5:.....	\$ 57.50	7.45
GROUP 6:.....	\$ 27.30	7.45

CARPENTERS CLASSIFICATIONS

GROUP 1: Carpenter; Burner-Welder; Rigger and Signaler; Insulators (all types), Acoustical, Drywall and Metal Studs, Metal Panels and Partitions; Floor Layer, Sander, Finisher and Astro Turf; Layout Carpenters; Form Builder; Rough Framer; Outside or Inside Finisher, including doors, windows, and jams; Sawfiler; Shingler (wood, composition) Solar, Fiberglass, Aluminum or Metal; Scaffold Erecting and Dismantling; Stationary Saw-Off Bearer; Wire, Wood and Metal Lather Applicator

GROUP 2: Millwright, machine erector

GROUP 3: Piledriver - includes driving, pulling, cutting, placing collars, setting, welding, or creosote treated material, on all piling

GROUP 4: Bridge, dock and wharf carpenters

GROUP 5: Divers

GROUP 6: Divers Tender

DEPTH PAYS FOR DIVERS:

Each foot over 50-100 feet	\$1.00
Each foot over 100-175 feet	2.25
Each foot over 175-250 feet	5.50

HAZMAT PROJECTS:

Anyone working on a HAZMAT job (task), where HAZMAT certification is required, shall be compensated at a premium, in addition to the classification working in as follows:

LEVEL D + \$.25 per hour - This is the lowest level of protection. No respirator is used and skin protection is minimal.

LEVEL C + \$.50 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B + \$.75 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit".

LEVEL A +\$1.00 per hour - This level utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line.

* CARP0003-006 06/01/2004

SOUTHWEST WASHINGTON: CLARK, COWLITZ, KLICKITAT,

LEWIS(Piledriver only), PACIFIC (South of a straight line made by extending the north boundary line of Wahkiakum County west to Willapa Bay to the Pacific Ocean), SKAMANIA AND WAHKIAKUM COUNTIES and INCLUDES THE ENTIRE PENINSULA WEST OF WILLAPA BAY

SEE ZONE DESCRIPTION FOR CITIES BASE POINTS

ZONE 1:

	Rates	Fringes
Carpenters:		
CARPENTERS; ACOUSTICAL.....	\$ 27. 72	10. 70
DIVERS TENDERS.....	\$ 30. 27	10. 70
DIVERS.....	\$ 65. 51	10. 70
DRYWALL.....	\$ 27. 72	10. 70
FLOOR LAYERS & FLOOR FINISHERS (the laying of all hardwood floors nailed and mastic set, parquet and wood-type tiles, and block floors, the sanding and finishing of floors, the preparation of old and new floors when the materials mentioned above are to be installed);		
INSULATORS (fiberglass and similar irritating materials.....	\$ 27. 87	10. 70
MILLWRIGHTS.....	\$ 28. 22	10. 70
PILEDRIVERS.....	\$ 28. 22	10. 70

DEPTH PAY:

50 TO 100 FEET \$1.00 PER FOOT OVER 50 FEET
 100 TO 150 FEET 1.50 PER FOOT OVER 100 FEET
 150 TO 200 FEET 2.00 PER FOOT OVER 150 FEET

Zone Differential (Add up Zone 1 rates):

Zone 2 - \$0.85
 Zone 3 - 1.25
 Zone 4 - 1.70
 Zone 5 - 2.00
 Zone 6 - 3.00

BASEPOINTS: ASTORIA, LONGVIEW, PORTLAND, THE DALLES, AND VANCOUVER, (NOTE: All dispatches for Washington State Counties: Cowlitz, Wahkiakum and Pacific shall be from Longview Local #1707 and mileage shall be computed from that point.)

ZONE 1: Projects located within 30 miles of the respective city hall of the above mentioned cities
 ZONE 2: Projects located more than 30 miles and less than 40 miles of the respective city of the above mentioned cities
 ZONE 3: Projects located more than 40 miles and less than 50 miles of the respective city of the above mentioned cities

ZONE 4: Projects located more than 50 miles and less than 60 miles of the respective city of the above mentioned cities.
 ZONE 5: Projects located more than 60 miles and less than 70 miles of the respective city of the above mentioned cities
 ZONE 6: Projects located more than 70 miles of the respected city of the above mentioned cities

 CARP0770-003 06/01/2004

	Rates	Fringes
Carpenters:		
CENTRAL WASHINGTON:		
CHELAN, DOUGLAS (WEST OF THE 120TH MERIDIAN), KITTITAS, OKANOGAN (WEST OF THE 120TH MERIDIAN) AND YAKIMA COUNTIES		
ACCOUSTICAL WORKERS.....	\$ 20.98	9.22
CARPENTERS AND DRYWALL APPLICATORS.....	\$ 20.72	9.22
CARPENTERS ON CREOSOTE MATERIAL.....	\$ 20.82	9.22
DIVERS TENDER.....	\$ 31.17	9.50
DIVERS.....	\$ 70.07	9.50
INSULATION APPLICATORS.....	\$ 20.72	9.22
MILLWRIGHT AND MACHINE ERECTORS.....	\$ 29.40	9.22
PILEDRIVER, BRIDGE DOCK AND WHARF CARPENTERS.....	\$ 28.40	9.22
PILEDRIVER, DRIVING, PULLING, CUTTING, PLACING COLLARS, SETTING, WELDING OR CRESOTE TREATED MATERIAL, ALL PILING.....	\$ 28.60	9.22
SAWFILERS, STATIONARY POWER SAW OPERATORS, FLOOR FINISHER, FLOOR LAYER, SHINGLER, FLOOR SANDER OPERATOR AND OPERATORS OF OTHER STATIONARY WOOD WORKING TOOLS.....	\$ 20.85	9.22
WESTERN WASHINGTON:		
CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS (excludes piledrivers only), MASON, PACIFIC (North of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES		
ACCOUSTICAL WORKERS.....	\$ 28.56	10.55

CARPENTERS AND DRYWALL APPLICATORS.....	\$ 28. 40	10. 55
CARPENTERS ON CREOSOTE MATERIAL.....	\$ 28. 50	10. 55
DIVERS TENDER.....	\$ 31. 17	10. 55
DIVERS.....	\$ 70. 07	10. 55
INSULATION APPLICATORS.....	\$ 28. 40	10. 55
MILLWRIGHT AND MACHINE ERECTORS.....	\$ 29. 40	10. 55
PILEDRIVER, BRIDGE, DOCK & WHARF CARPENTERS.....	\$ 28. 40	10. 55
PILEDRIVER, DRIVING, PULLING, CUTTING, PLACING COLLARS, SETTING, WELDING OR CREOSOTE TREATED MATERIAL, ALL PILING.....	\$ 28. 60	10. 55
SAWFILERS, STATIONARY POWER SAW OPERATORS, FLOOR FINISHER, FLOOR LAYER, SHINGLER, FLOOR SANDER OPERATOR AND OPERATORS OF OTHER STATIONARY WOOD WORKING TOOLS.....	\$ 28. 53	10. 55

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - ALL CLASSIFICATIONS EXCEPT MILLWRIGHTS AND PILEDRIVERS)

Hourly Zone Pay shall be paid on jobs located outside of the free zone computed from the city center of the following listed cities:

Seattle	Olympia	Bellingham
Auburn	Bremerton	Anacortes
Renton	Shelton	Yakima
Aberdeen-Hoquiam	Tacoma	Wenatchee
Ellensburg	Everett	Port Angeles
Centralia	Mount Vernon	Sunnyside
Chelan	Pt. Townsend	

Zone Pay:

0 - 25 radius miles	Free
25- 35 radius miles	\$1. 00/hour
35- 45 radius miles	\$1. 15/hour
45- 55 radius miles	\$1. 35/hour
Over 55 radius miles	\$1. 55/hour

(HOURLY ZONE PAY: WESTERN AND CENTRAL WASHINGTON - MILLWRIGHT AND PILEDRIVER ONLY)

Hourly Zone Pay shall be computed from Seattle Union Hall, Tacoma City center, and Everett City center

Zone Pay:

0 - 25 radius miles	Free
25- 45 radius miles	\$. 70/hour
Over 45 radius miles	\$1. 50/hour

ELEC0046- 001 12/01/2003

CALLAM, JEFFERSON, KING AND KITSAP COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 36.85	3%+10.55
Electrician.....	\$ 33.50	3%+10.55

ELEC0048- 003 01/01/2004

CLARK, KLIICKITAT AND SKAMANIA COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 31.40	3%+12.35
Electrician.....	\$ 31.15	3%+12.35

* ELEC0073- 001 07/01/2004

ADAMS, FERRY, LINCOLN, PEND OREILLE, SPOKANE, STEVENS, WHITMAN COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 24.07	3%+11.58
Electrician.....	\$ 23.67	3%+11.58

ELEC0076- 002 07/01/2003

GRAYS HARBOR, LEWIS, MASON, PACIFIC, PIERCE, AND THURSTON COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 33.32	3%+12.06
Electrician.....	\$ 30.02	3%+12.06

ELEC0077- 002 02/01/2004

	Rates	Fringes
Line Construction:		
CABLE SPLICERS.....	\$ 38.71	3.875%+8.75
GROUNDMEN.....	\$ 24.19	3.875%+7.00
LINE EQUIPMENT MEN.....	\$ 29.72	3.875%+7.00
LINEMEN, POLE SPRAYERS, HEAVY LINE EQUIPMENT MAN....	\$ 34.56	3.875%+8.75
POWDERMEN, JACKHAMMERMEN....	\$ 25.92	3.875%+7.00
TREE TRIMMER.....	\$ 20.27	3.875%+7.19

ELEC0112- 005 06/01/2004

ASOTIN, BENTON, COLUMBIA, FRANKLIN, GARFIELD, KITTITAS, WALLA WALLA, YAKIMA COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 31.24	3%+12.28
Electrician.....	\$ 29.75	3%+12.28

ELEC0191-003 09/01/2003

ISLAND, SAN JUAN, SNOHOMISH, SKAGIT AND WHATCOM COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 33.72	3%+9.83
Electrician.....	\$ 30.66	3%+9.83

ELEC0191-004 09/01/2003

CHELAN, DOUGLAS, GRANT AND OKANOGAN COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 29.33	3%+9.78
Electrician.....	\$ 26.66	3%+9.78

ELEC0970-001 06/01/2003

COWLITZ AND WAHKIAKUM COUNTIES

	Rates	Fringes
Cable splicer.....	\$ 31.57	3%+9.40
Electrician.....	\$ 28.70	3%+9.40

ENGI0302-003 06/01/2004

CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUNA, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES

PROJECTS: CATEGORY A PROJECTS (EXCLUDES CATEGORY B PROJECTS, AS SHOWN BELOW)

Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
Group 1A.....	\$ 30.61	10.25
Group 1AA.....	\$ 31.15	10.25
Group 1AAA.....	\$ 31.67	10.25
Group 1.....	\$ 30.09	10.25
Group 2.....	\$ 29.63	10.25
Group 3.....	\$ 29.24	10.25
Group 4.....	\$ 27.01	10.25

Zone Differential (Add to Zone 1 rates):

Zone 2 (26-45 radius miles) - \$.70
Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: Aberdeen, Bellingham, Bremerton, Everett, Kent, Mount Vernon, Port Angeles, Port Townsend, Seattle, Shelton, Wenatchee, Yakima

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1AAA - Cranes-over 300 tons, or 300 ft of boom (including jib with attachments)

GROUP 1AA - Cranes 200 to 300 tons, or 250 ft of boom (including jib with attachments); Tower crane over 175 ft in height, base to boom

GROUP 1A - Cranes, 100 tons thru 199 tons, or 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 100 tons and over; Tower crane up to 175 ft in height base to boom; Loaders-overhead, 8 yards and over; Shovels, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway; Cranes 45 tons thru 99 tons, under 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Derricks on building work; Excavator, shovel, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader-overhead 6 yards to, but not including 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9, HD 41, D-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self propelled 45 yards and over; Slipform pavers; Transporters, all truck or track type

GROUP 2 - Barrier machine (zipper); Batch Plant Operator-Concrete; Bump Cutter; Cranes, 20 tons thru 44 tons with attachments; Crane-overhead, bridge type-20 tons through 44 tons; Chipper; Concrete Pump-truck mount with boom attachment; Crusher; Deck Engineer/Deck Winches (power); Drilling machine; Excavator, shovel, backhoe-3 yards and under; Finishing Machine, Bidwell, Gamaco and similar equipment; Guardrail punch; Horizontal/directional drill operator; Loaders-overhead under 6 yards; Loaders-plant feed; Locomotives-all; Mechanics-all; Mixers-asphalt plant; Motor patrol graders-finishing; Piledriver (other than crane mount); Roto-mill, roto-grinder; Screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-self propelled, hard tail end dump, articulating off-road equipment-under 45 yards; Subgrade trimmer; Tractors, backhoes-over 75 hp; Transfer material service machine-shuttle buggy, blaw knox-roadtec; Truck crane oiler/driver-100 tons and over; Truck Mount portable conveyor; Yo Yo Pay dozer

GROUP 3 - Conveyors; Cranes-thru 19 tons with attachments; A-frame crane over 10 tons; Drill oilers-auger type, truck or crane mount; Dozers-D-9 and under; Forklift-3000 lbs. and

over with attachments; Horizontal/directional drill locator; Outside hoists-(elevators and manlifts), air tuggers, strato tower bucket elevators; Hydralifts/boom trucks over 10 tons; Loader-elevating type, belt; Motor patrol grader-nonfinishing; Plant oiler- asphalt, crusher; Pumps-concrete; Roller, plant mix or multi-lift materials; Saws-concrete; Scrpers-concrete and carry-all; Service engineer-equipment; Trenching machines; Truck Crane Oiler/Driver under 100 tons; Tractors, backhoe 75 hp and under

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete finish mahine-laser screed; Cranes-A frame-10 tons and under; Elevator and Manlift-permanent or shaft type; Gradechecker, Stakehop; Forklifts under 3000 lbs. with attachments; Hydralifts/boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole digger, mechanical; Power plant; Pumps, water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

CATEGORY B PROJECTS: 95% OF THE BASIC HOURLY RATE FOR EACH GROUP PLUS FULL FRINGE BENEFITS APPLICABLE TO CATEGORY A PROJECTS SHALL APPLY TO THE FOLLOWING PROJECTS. REDUCED RATES MAY BE PAID ON THE FOLLOWING:

1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
2. Projects of less than \$1 million where no building is involved. Surfacing and paving including, but utilities excluded.
3. Marine projects (docks, wharfs, ect.) less than \$150,000.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designed hazardous perimeter shall be elgible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing.

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

ENGI0302-009 06/01/2004

CHELAN (WEST OF THE 120TH MERIDIAN), CLALLAM, DOUGLAS (WEST OF THE 120TH MERIDIAN), GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, KITTITAS, MASON, OKANOGAN (WEST OF THE 120TH MERIDIAN), SAN JUNA, SKAGIT, SNOHOMISH, WHATCOM AND YAKIMA (WEST OF THE 120TH MERIDIAN) COUNTIES

ON PROJECTS DESCRIBED IN FOOTNOTE A BELOW, THE RATE FOR EACH

GROUP SHALL BE 95% OF THE BASE RATE PLUS FULL FRINGE BENEFITS.
ON ALL OTHER WORK, THE FOLLOWING RATES APPLY.

WORK PERFORMED ON HYDRAULIC DREDDGES:
Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
GROUP 1		
TOTAL PROJECT COST		
\$300,000 AND OVER.....	\$ 28.80	10.25
TOTAL PROJECT COST UNDER		
\$300,000.....	\$ 26.96	8.40
GROUP 2		
TOTAL PROJECT COST		
\$300,000 AND OVER.....	\$ 28.91	10.25
TOTAL PROJECT COST UNDER		
\$300,000.....	\$ 27.06	8.40
GROUP 3		
TOTAL PROJECT COST		
\$300,000 AND OVER.....	\$ 29.27	10.25
TOTAL PROJECT COST UNDER		
\$300,000.....	\$ 27.38	8.40
GROUP 4		
TOTAL PROJECT COST		
\$300,000 AND OVER.....	\$ 29.32	10.25
TOTAL PROJECT COST UNDER		
\$300,000.....	\$ 27.43	8.40
GROUP 5		
TOTAL PROJECT COST		
\$300,000 AND OVER.....	\$ 30.79	10.25
TOTAL PROJECT COST UNDER		
\$300,000.....	\$ 28.75	8.40
GROUP 6		
TOTAL PROJECT COST		
\$300,000 AND OVER.....	\$ 28.80	10.25
TOTAL PROJECT COST UNDER		
\$300,000.....	\$ 26.96	8.40

Zone Differential (Add to Zone 1 rates):

Zone 2 (26-45 radius miles) - \$.70

Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: Aberdeen, Bellingham, Bremerton, Everett, Kent,
Mount Vernon, Port Angeles, Port Townsend, Seattle, Shelton,
Wenatchee, Yakima

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1 - ASSISTANT MATE (DECKHAND)

GROUP 2 - OILER

GROUP 3 - ASSISTANT ENGINEER (ELECTRIC, DIESEL, STEAM OR
BOOSTER PUMP); MATES AND BOATMEN

GROUP 4 - CRANEMAN, ENGINEER WELDER

GROUP 5 - LEVERMAN, HYDRAULIC

GROUP 6 - MAINTENANCE

CATEGORY B PROJECTS: 95% OF THE BASIC HOURLY RATE FOR EACH GROUP PLUS FULL FRINGE BENEFITS APPLICABLE TO CATEGORY A PROJECTS SHALL APPLY TO THE FOLLOWING PROJECTS. REDUCED RATES MAY BE PAID ON THE FOLLOWING:

1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
2. Projects of less than \$1 million where no building is involved. Surfacing and paving including, but utilities excluded.
3. Marine projects (docks, wharfs, ect.) less than \$150,000.

HEAVY WAGE RATES (CATEGORY A) APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designed hazardous perimeter shall be eligible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing.

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

 ENGI0370-002 08/01/2003

ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

ZONE 1:

	Rates	Fringes
Power equipment operators:		
GROUP 1A.....	\$ 20.94	7.37
GROUP 1.....	\$ 21.49	7.37
GROUP 2.....	\$ 21.81	7.37
GROUP 3.....	\$ 22.42	7.37
GROUP 4.....	\$ 22.58	7.37
GROUP 5.....	\$ 22.74	7.37
GROUP 6.....	\$ 23.02	7.37
GROUP 7.....	\$ 23.29	7.37
GROUP 8.....	\$ 24.39	7.37

ZONE DIFFERENTIAL (Add to Zone 1 rate): Zone 2 - \$2.00

Zone 1: Within 45 mile radius of Spokane, Moses Lake, Pasco, Washington; Lewiston, Idaho

Zone 2: Outside 45 mile radius of Spokane, Moses Lake, Pasco, Washington; Lewiston, Idaho

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1A: Boat Operator; Crush Feeder; Oiler; Steam Cleaner

GROUP 1: Bit Grinders; Bolt Threading Machine; Compressors (under 2000 CFM, gas, diesel, or electric power); Deck Hand; Drillers Helper (Assist driller in making drill rod connections, service drill engine and air compressor, repair drill rig and drill tools, drive drill support truck to and on the job site, remove drill cuttings from around bore hole and inspect drill rig while in operation); Fireman & Heater Tender; Grade Checker; Hydro-seeder, Mulcher, Nozzlemann; Oiler Driver, & Cable Tender, Mucking Machine; Pumpman; Rollers, all types on subgrade, including seal and chip coatings (farm type, Case, John Deere & similar, or Compacting Vibrator), except when pulled by Dozer with operable blade; Welding Machine

GROUP 2: A-frame Truck (single drum); Assistant Refrigeration Plant (under 1000 ton); Assistant Plant Operator, Fireman or Pugmiser (asphalt); Bagley or Stationary Scraper; Belt Finishing Machine; Blower Operator (cement); Cement Hog; Compressor (2000 CFM or over, 2 or more, gas diesel or electric power); Concrete Saw (multiple cut); Distributor Leverman; Ditch Witch or similar; Elevator Hoisting Materials; Dope Pots (power agitated); Fork Lift or Lumber Stacker, hydra-lift & similar; Gin Trucks (pipeline); Hoist, single drum; Loaders (bucket elevators and conveyors); Longitudinal Float; Mixer (portable-concrete); Pavement Breaker, Hydra-Hammer & similar; Power Broom; Railroad Ballast Regulation Operator (self-propelled); Railroad Power Tamper Operator (self-propelled); Railroad Tamper Jack Operator (self-propelled); Spray Curing Machine (concrete); Spreader Box (self-propelled); Straddle Buggy (Ross & similar on construction job only); Tractor (Farm type R/T with attachment, except Backhoe); Tugger Operator

GROUP 3: A-frame Truck (2 or more drums); Assistant Refrigeration Plant & Chiller Operator (over 1000 ton); Backfillers (Cleveland & similar); Batch Plant & Wet Mix Operator, single unit (concrete); Belt-Crete Conveyors with power pack or similar; Belt Loader (Kocal or similar); Bending Machine; Bob Cat; Boring Machine (earth); Boring Machine (rock under 8 inch bit) (Quarry Master, Joy or similar); Bump Cutter (Wayne, Saginaw or similar); Canal Lining Machine (concrete); Chipper (without crane); Cleaning & Doping Machine (pipeline); Deck Engineer; Elevating Belt-type Loader (Euclid, Barber Green & similar); Elevating Grader-type Loader (Dumor, Adams or similar); Generator Plant Engineers (diesel or electric);

Gunnite Combination Mixer & Compressor; Locomotive Engineer; Mixermobile; Mucking Machine; Posthole Auger or Punch; Pump (grout or jet); Soil Stabilizer (P & H or similar); Spreader Machine; Tractor (to D-6 or equivalent) and Traxcavator; Traverse Finish Machine; Turnhead Operator

GROUP 4: Concrete Pumps (squeeze-crete, flow-crete, pump-crete, Whitman & similar); Curb Extruder (asphalt or concrete); Drills (churn, core, calyx or diamond) (operate drilling machine, drive or transport drill rig to and on job site and weld well casing); Equipment Serviceman; Greaser & Oiler; Hoist (2 or more drums or Tower Hoist); Loaders (overhead & front-end, under 4 yds. R/T); Refrigeration Plant Engineer (under 1000 ton); Rubber-tired Skidders (R/T with or without attachments); Surface Heater & Plant Machine; Trenching Machines (under 7 ft. depth capacity); Turnhead (with re-screening); Vacuum Drill (reverse circulation drill under 8 inch bit)

GROUP 5: Backhoe (under 45,000 gw); Backhoe & Hoe Ram (under 3/4 yd.); Carrydeck & Boom Truck (under 25 tons); Cranes (25 tons & under), all attachments including clamshell, dragline; Derricks & Stifflegs (under 65 tons); Drilling Equipment (8 inch bit & over) (Robbins, reverse circulation & similar) (operates drilling machine, drive or transport drill rig to and on job site and weld well casing); Hoe Ram; Piledriving Engineers; Paving (dual drum); Railroad Track Liner Operatr (self-propelled); Refrigeration Plant Engineer (1000 tons & over); Signalman (Whirleys, Highline Hammerheads or similar)

GROUP 6: Asphalt Plant Operator; Automatic Subgrader (Ditches & Trimmers) (Autograde, ABC, R. A. Hansen & similar on grade wire); Backhoe (45,000 gw and over to 110,000 gw); Backhoes & Hoe Ram (3/4 yd. to 3 yd.); Batch Plant (over 4 units); Batch & Wet Mix Operator (multiple units, 2 & incl. 4); Blade Operator (motor patrol & attachments, Athey & Huber); Boom Cats (side); Cable Controller (dispatcher); Clamshell Operator (under 3 yds.); Compactor (self-propelled with blade); Concrete Pump Boom Truck; Concrete Slip Form Paver; Cranes (over 25 tons, to and including 45 tons), all attachments including clamshell, dragline; Crusher, Grizzle & Screening Plant Operator; Dozer, 834 R/T & similar; Draglines (under 3 yds.); Drill Doctor; H. D. Mechanic; H. D. Welder; Loader Operator (front-end & overhead, 4 yds. incl. 8 yds.); Multiple Dozer Units with single blade; Paving Machine (asphalt and concrete); Quad-Track or similar equipment; Roller (finishing asphalt pavement); Roto Mill (pavement grinder); Scrapers, all, rubber-tired; Screed Operator; Shovel (under 3 yds.); Tractors (D-6 & equivalent & over); Trenching Machines (7 ft. depth & over); Tug Boat Operator Vactor guzzler, super sucker

GROUP 7: Backhoe (over 110,000 gw); Backhoes & Hoe Ram (3 yds & over); Blade (finish & bluetop) Automatic, CMI, ABC, Finish Athey & Huber & similar when used as automatic; Cableway Operators; Concrete Cleaning/Decontamination

machine operator; Cranes (over 45 tons to but not including 85 tons), all attachments including clamshell and dragline; Derricks & Stiffleys (65 tons & over); Elevating Belt (Holland type); Heavy equipment robotics operator; Loader (360 degrees revolving Koehring Scooper or similar); Loaders (overhead & front-end, over 8 yds. to 10 yds.); Rubber-tired Scrapers (multiple engine with three or more scrapers); Shovels (3 yds. & over); Whirleys & Hammerheads, ALL

GROUP 8: Cranes (85 tons and over, and all climbing, overhead, rail and tower), all attachments including clamshell, dragline; Loaders (overhead and front-end, 10 yards and over); Helicopter Pilot

BOOM PAY: (All Cranes, Including Tower)
 180 ft to 250 ft \$.30 over scale
 Over 250 ft \$.60 over scale

NOTE:

In computing the length of the boom on Tower Cranes, they shall be measured from the base of the Tower to the point of the boom

HAZMAT:

Anyone working on HAZMAT jobs, working with supplied air shall receive \$1.00 an hour above classification.

 ENGI0370-006 06/01/2002

ADAMS, ASOTIN, BENTON, CHELAN (EAST OF THE 120TH MERIDIAN), COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN (EAST OF THE 120TH MERIDIAN), PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA (EAST OF THE 120TH MERIDIAN) COUNTIES

WORK PERFORMED ON HYDRAULIC DREDGES

	Rates	Fringes
Hydraulic Dredge		
GROUP 1:.....	\$ 24.73	6.27
GROUP 2:.....	\$ 25.10	6.27
GROUP 3:.....	\$ 25.13	6.27
GROUP 4:.....	\$ 25.52	6.27
GROUP 5:.....	\$ 24.63	6.27

- GROUP 1: Assistant Mate (Deckhand) and Oiler
- GROUP 2: Assistant Engineer (Electric, Diesel, Steam, or Booster Pump); Mates and Boatmen
- GROUP 3: Engineer Welder
- GROUP 4: Leverman, Hydraulic
- GROUP 5: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHELL DREDGE, HOE AND DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND BULLDOZERS.

ENGI0612- 001 06/01/2004

LEWIS, PIERCE, PACIFIC (THAT PORTION WHICH LIES NORTH OF A PARALLEL LINE EXTENDED WEST FROM THE NORTHERN BOUNDARY OF WAHKAIKUM COUNTY TO THE SEA IN THE STATE OF WASHINGTON) AND THURSTON COUNTIES

PROJECTS:

CATEGORY A PROJECTS (excludes Category B projects, as shown below)

	Rates	Fringes
Power equipment operators:		
WORK PERFORMED ON		
HYDRAULIC DREDGES: Total		
Project cost \$300,000 and over		
GROUP 1.....	\$ 28.80	10.25
GROUP 2.....	\$ 28.91	10.25
GROUP 3.....	\$ 29.27	10.25
GROUP 4.....	\$ 29.32	10.25
GROUP 5.....	\$ 30.79	10.25
GROUP 6.....	\$ 28.80	10.25
WORK PERFORMED ON		
HYDRAULIC DREDGES: Total		
Project Cost under \$300,000		
GROUP 1.....	\$ 26.96	8.40
GROUP 2.....	\$ 27.06	8.40
GROUP 3.....	\$ 27.38	8.40
GROUP 4.....	\$ 27.43	8.40
GROUP 5.....	\$ 28.75	8.40
GROUP 6.....	\$ 26.96	8.40

ZONE 2 (26-45 radius miles) - Add \$.70 to Zone 1 rates

ZONE 3 (Over 45 radius miles) - Add \$1.00 to Zone 1 rates

BASEPOINTS: Tacoma, Olympia, and Centralia

CATEGORY B PROJECTS - 95% of the basic hourly rate for each group plus full fringe benefits applicable to Category A projects shall apply to the following projects: Reduced rates may be paid on the following:

1. Projects involving work on structures such as buildings and structures whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
3. Marine projects (docks, wharfs, etc.) less than \$150,000

WORK PERFORMED ON HYDRAULIC DREDGES:

GROUP 1: Assistant Mate (Deckhand

GROUP 2: Oiler
 GROUP 3: Assistant Engineer (Electric, Diesel, Steam or
 Booster Pump); Mates and Boatmen
 GROUP 4: Craneman, Engineer Welder
 GROUP 5: Leverman, Hydraulic GROUP 6: Maintenance

HEAVY WAGE RATES APPLIES TO CLAM SHEEL DREDGE, HOE AND
 DIPPER, SHOVELS AND SHOVEL ATTACHMENTS, CRANES AND
 BULLDOZERS

HANDLING OF HAZARDOUS WASTE MATERIALS

H-1 - When not outfitted with protective clothing of level D
 equipment - Base wage rate
 H-2 - Class "C" Suit - Base wage rate + \$.25 per hour
 H-3 - Class "B" Suit - Base wage rate + \$.50 per hour
 H-4 - Class "A" Suit - Base wage rate +\$.75 per hour

 * ENGI0612-002 06/01/2004

LEWIS, PIERCE, PACIFIC (portion lying north of a parallel line
 extending west from the northern boundary of Wahkaikum County
 to the sea) AND THURSTON COUNTIES

ON PROJECTS DESCRIBED IN FOOTNOTE A BELOW, THE RATE FOR EACH
 GROUP SHALL BE 90% OF THE BASE RATE PLUS FULL FRINGE BENEFITS.
 ON ALL OTHER WORK, THE FOLLOWING RATES APPLY.

Zone 1 (0-25 radius miles):

	Rates	Fringes
Power equipment operators:		
GROUP 1A.....	\$ 30.61	10.25
GROUP 1AA.....	\$ 31.15	10.25
GROUP 1AAA.....	\$ 31.67	10.25
GROUP 1.....	\$ 30.09	10.25
GROUP 2.....	\$ 29.63	10.25
GROUP 3.....	\$ 29.24	10.25
GROUP 4.....	\$ 27.01	10.25

Zone Differential (Add to Zone 1 rates):

Zone 2 (26-45 radius miles) = \$.70

Zone 3 (Over 45 radius miles) - \$1.00

BASEPOINTS: CENTRALIA, OLYMPIA, TACOMA

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1 AAA - Cranes-over 300 tons or 300 ft of boom
 (including jib with attachments)

GROUP 1AA - Cranes- 200 tonsto 300 tons, or 250 ft of boom
 (including jib with attachments; Tower crane over 175 ft in
 height, bas to boom

GROUP 1A - Cranes, 100 tons thru 199 tons, or 150 ft of boom

(including jib with attachments); Crane-overhead, bridge type, 100 tons and over; Tower crane up to 175 ft in height base to boom; Loaders-overhead, 8 yards and over; Shovels, excavator, backhoes-6 yards and over with attachments

GROUP 1 - Cableway; Cranes 45 tons thru 99 tons under 150 ft of boom (including jib with attachments); Crane-overhead, bridge type, 45 tons thru 99 tons; Derricks on building work; Excavator, shovel, backhoes over 3 yards and under 6 yards; Hard tail end dump articulating off-road equipment 45 yards and over; Loader- overhead, 6 yards to, but not including, 8 yards; Mucking machine, mole, tunnel, drill and/or shield; Quad 9 HD 41, D-10; Remote control operator on rubber tired earth moving equipment; Rollagon; Scrapers-self-propelled 45 yards and over; Slipform pavers; Transporters, all track or truck type

GROUP 2 - Barrier machine (zipper); Batch Plant Operator-concrete; Bump Cutter; Cranes, 20 tons thru 44 tons with attachments; Crane-Overhead, bridge type, 20 tons through 44 tons; Chipper; Concrete pump-truck mount with boom attachment; Crusher; Deck engineer/deck winches (power); Drilling machine; Excavator, shovel, backhoe-3 yards and under; Finishing machine, Bidwell, Gamaco and similar equipment; Guardrail punch; Loaders, overhead under 6 yards; Loaders-plant feed; Locomotives-all; Mechanics- all; Mixers, asphalt plant; Motor patrol graders, finishing; Piledriver (other than crane mount); Roto-mill, roto-grinder; Screedman, spreader, topside operator-Blaw Knox, Cedar Rapids, Jaeger, Caterpillar, Barbar Green; Scraper-self-propelled, hard tail end dump, articulating off-road equipment- under 45 yards; Subgrader trimmer; Tractors, backhoe over 75 hp; Transfer material service machine-shuttle buggy, Blaw Knox- Roadtec; Truck Crane oiler/driver-100 tons and over; Truck Mount Portable Conveyor; Yo Yo pay

GROUP 3 - Conveyors; Cranes through 19 tons with attachments; Crane-A-frame over 10 tons; Drill oilers-auger type, truck or crane mount; Dozer-D-9 and under; Forklift-3000 lbs. and over with attachments; Horizontal/directional drill locator; Outside Hoists-(elevators and manlifts), air tuggers, strato tower bucket elevators; Hydralifts/boom trucks over 10 tons; Loaders-elevating type, belt; Motor patrol grader-nonfinishing; Plant oiler- asphalt, crusher; Pump-Concrete; Roller, plant mix or multi-lfit materials; Saws-concrete; Scrapers, concrete and carry all; Service engineers-equipment; Trenching machines; Truck crane oiler/driver under 100 tons; Tractors, backhoe under 75 hp

GROUP 4 - Assistant Engineer; Bobcat; Brooms; Compressor; Concrete Finish Machine-laser screed; Cranes A-frame 10 tons and under; Elevator and manlift (permanent and shaft type); Forklifts-under 3000 lbs. with attachments; Gradechecker, stakehop; Hydralifts/boom trucks, 10 tons and under; Oil distributors, blower distribution and mulch seeding operator; Pavement breaker; Posthole

digger-mechanical; Power plant; Pumps-water; Rigger and Bellman; Roller-other than plant mix; Wheel Tractors, farmall type; Shotcrete/gunite equipment operator

FOOTNOTE A- Reduced rates may be paid on the following:

1. Projects involving work on structures such as buildings and bridges whose total value is less than \$1.5 million excluding mechanical, electrical, and utility portions of the contract.
2. Projects of less than \$1 million where no building is involved. Surfacing and paving included, but utilities excluded.
3. Marine projects (docks, wharfs, etc.) less than \$150,000.

HANDLING OF HAZARDOUS WASTE MATERIALS: Personnel in all craft classifications subject to working inside a federally designated hazardous perimeter shall be eligible for compensation in accordance with the following group schedule relative to the level of hazardous waste as outlined in the specific hazardous waste project site safety plan.

H-1 Base wage rate when on a hazardous waste site when not outfitted with protective clothing

H-2 Class "C" Suit - Base wage rate plus \$.25 per hour.

H-3 Class "B" Suit - Base wage rate plus \$.50 per hour.

H-4 Class "A" Suit - Base wage rate plus \$.75 per hour.

 * ENGI0701-002 01/01/2004

CLARK, COWLITZ, KLICKKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

	Rates	Fringes
Power equipment operators: (See Footnote A)		
ZONE 1:		
GROUP 1.....	\$ 29.51	9.70
GROUP 1A.....	\$ 30.99	9.70
GROUP 1B.....	\$ 32.46	9.70
GROUP 2.....	\$ 28.25	9.70
GROUP 3.....	\$ 27.47	9.70
GROUP 4.....	\$ 26.93	9.70
GROUP 5.....	\$ 26.32	9.70
GROUP 6.....	\$ 23.91	9.70

Zone Differential (add to Zone 1 rates):

Zone 2 - \$1.50

Zone 3 - 3.00

For the following metropolitan counties: MULTNOMAH; CLACKAMAS; MARION; WASHINGTON; YAMHILL; AND COLUMBIA; CLARK; AND COWLITZ COUNTY, WASHINGTON WITH MODIFICATIONS AS INDICATED:

All jobs or projects located in Multnomah, Clackamas and Marion Counties, West of the western boundary of Mt. Hood National Forest and West of Mile Post 30 on Interstate 84 and West of Mile Post 30 on State Highway 26 and West of Mile Post 30 on Highway 22 and all jobs or projects located in Yamhill County, Washington County and Columbia County and all jobs or projects located in Clark & Cowlitz County, Washington except that portion of Cowlitz County in the Mt. St. Helens "Blast Zone" shall receive Zone I pay for all classifications.

All jobs or projects located in the area outside the identified boundary above, but less than 50 miles from the Portland City Hall shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the Portland City Hall, but outside the identified border above, shall receive Zone III pay for all classifications.

For the following cities: ALBANY; BEND; COOS BAY; EUGENE; GRANTS PASS; KLAMATH FALLS; MEDFORD; ROSEBURG

All jobs or projects located within 30 miles of the respective city hall of the above mentioned cities shall receive Zone I pay for all classifications.

All jobs or projects located more than 30 miles and less than 50 miles from the respective city hall of the above mentioned cities shall receive Zone II pay for all classifications.

All jobs or projects located more than 50 miles from the respective city hall of the above mentioned cities shall receive Zone III pay for all classifications.

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: CONCRETE: Batch Plant and/or Wet Mix Operator, three units or more; CRANE: Helicopter Operator, when used in erecting work; Whirley Operator, 90 ton and over; LATTICE BOOM CRANE: Operator 200 tons through 299 tons, and/or over 200 feet boom; HYDRAULIC CRANE: Hydraulic Crane Operator 90 tons through 199 tons with luffing or tower attachments; FLOATING EQUIPMENT: Floating Crane, 150 ton but less than 250 ton

GROUP 1A: HYDRAULIC CRANE: Hydraulic Operator, 200 tons and over (with luffing or tower attachment); LATTICE BOOM CRANE: Operator, 200 tons through 299 tons, with over 200 feet boom; FLOATING EQUIPMENT: Floating Crane 250 ton and over

GROUP 1B: LATTICE BOOM CRANE: Operator, 300 tons through 399 tons with over 200 feet boom; Operator 400 tons and over; FLOATING EQUIPMENT: Floating Crane 350 ton and over

GROUP 2: ASPHALT: Asphalt Plant Operator (any type); Roto Mill, pavement profiler, operator, 6 foot lateral cut and over; **BLADE:** Auto Grader or "Trimmer" (Grade Checker required); Blade Operator, Robotic; **BULLDOZERS:** Bulldozer operator over 120,000 lbs and above; Bulldozer operator, twin engine; Bulldozer Operator, tandem, quadline, D10, D11, and similar type; Bulldozere Robotic Equipment (any type; **CONCRETE:** Batch Plant and/or Wet Mix Operator, one and two drum; Automatic Concrete Slip Form Paver Operator; Concrete Canal Line Operator; Concrete Profiler, Diamond Head; **CRANE:** Cableway Operator, 25 tons and over; **HYDRAULIC CRANE:** Hydraulic crane operator 90 tons through 199 tons (with luffing or tower attachment); **TOWER/WHIRLEY OPERATOR:** Tower Crane Operator; Whirley Operator, under 90 tons; **LATTICE BOOM CRANE:** 90 through 199 tons and/or 150 to 200 feet boom; **CRUSHER:** Crusher Plant Operator; **FLOATING EQUIPMENT:** Floating Clamshell, etc. operator, 3 cu. yds. and over; Floating Crane (derrick barge) Operator, 30 tons but less than 150 tons; **LOADERS:** Loader operator, 120,000 lbs. and above; **REMOTE CONTROL:** Remote controlled earth-moving equipment; **RUBBER-TIRED SCRAPERS:** Rubber-tired scraper operator, with tandem scrapers, multi-engine; **SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR:** Shovel, Dragline, Clamshell, operator 5 cu. yds and over; **TRENCHING MACHINE:** Wheel Excavator, under 750 cu. yds. per hour (Grade Oiler required); Canal Trimmer (Grade Oiler required); Wheel Excavator, over 750 cu. yds. per hour; Band Wagon (in conjunction with wheel excavator); **UNDERWATER EQUIPMENT:** Underwater Equipment Operator, remote or otherwise; **HYDRAULIC HOES- EXCAVATOR:** Excavator over 130,000 lbs.

GROUP 3: BULLDOZERS: Bulldozer operator, over 70,000 lbs. up to and including 120,000 lbs.; **HYDRAULIC CRANE:** Hydraulic crane operator, 50 tons through 89 tons (with luffing or tower attachment); **LATTICE BOOM CRANES:** Lattice Boom Crane-50 through 89 tons (and less than 150 feet boom); **FORKLIFT:** Rock Hound Operator; **HYDRAULIC HOES- EXCAVATOR:** excavator over 80,000 lbs. through 130,000 lbs.; **LOADERS:** Loader operator 60,000 and less than 120,000; **RUBBER-TIRED SCRAPERS:** Scraper Operator, with tandem scrapers; Self-loading, paddle wheel, auger type, finish and/or 2 or more units; **SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER OPERATOR:** Shovel, Dragline, Clamshell operators 3 cu. yds. but less than 5 cu yds.

GROUP 4: ASPHALT: Screed Operator; Asphalt Paver operator (screeman required); **BLADE:** Blade operator; Blade operator, finish; Blade operator, externally controlled by electronic, mechanical hydraulic means; Blade operator, multi-engine; **BULLDOZERS:** Bulldozer Operator over 20,000 lbs and more than 100 horse up to 70,000 lbs; Drill Cat Operator; Side-boom Operator; Cable-Plow Operator (any type); **CLEARING:** Log Skidders; Chippers; Incinerator; Stump Splitter (loader mounted or similar type); Stump Grinder (loader mounted or similar type; Tub Grinder; Land Clearing

Machine (Track mounted forestry mowing & grinding machine);
Hydro Axe (loader mounted or similar type); COMPACTORS
SELF-PROPELLED: Compactor Operator, with blade; Compactor
Operator, multi-engine; Compactor Operator, robotic;
CONCRETE: Mixer Mobile Operator; Screed Operator; Concrete
Cooling Machine Operator; Concrete Paving Road Mixer;
Concrete Breaker; Reinforced Tank Banding Machine (K-17 or
similar types); Laser Screed; CRANE: Chicago boom and
similar types; Lift Slab Machine Operator; Boom type
lifting device, 5 ton capacity or less; Hoist Operator, two
(2) drum; Hoist Operator, three (3) or more drums; Derrick
Operator, under 100 ton; Hoist Operator, stiff leg, guy
derrick or similar type, 50 ton and over; Cableway Operator
up to twenty (25) ton; Bridge Crane Operator, Locomotive,
Gantry, Overhead; Cherry Picker or similar type crane;
Carry Deck Operator; Hydraulic Crane Operator, under 50
tons; LATTICE BOOM CRANE OPERATOR: Lattice Boom Crane
Operator, under 50 tons; CRUSHER: Generator Operator;
Diesel-Electric Engineer; Grizzley Operator; Drill Doctor;
Boring Machine Operator; Driller-Percussion, Diamond, Core,
Cable, Rotary and similar type; Cat Drill (John Henry);
Directional Drill Operator over 20,000 lbs pullback;
FLOATING EQUIPMENT: Diesel-electric Engineer; Jack
Operator, elevating barges, Barge Operator, self-
unloading; Piledriver Operator (not crane type) (Deckhand
required); Floating Clamshell, etc. Operator, under 3 cu.
yds. (Fireman or Diesel-Electric Engineer required);
Floating Crane (derrick barge) Operator, less than 30 tons;
GENERATORS: Generator Operator; Diesel-electric Engineer;
GUARDRAIL EQUIPMENT: Guardrail Punch Operator (all types);
Guardrail Auger Operator (all types); Combination Guardrail
machines, i. e., punch auger, etc.; HEATING PLANT: Surface
Heater and Planer Operator; HYDRAULIC HOES EXCAVATOR:
Robotic Hydraulic backhoe operator, track and wheel type up
to and including 20,000 lbs. with any or all attachments;
Excavator Operator over 20,000 lbs through 80,000 lbs. ;
LOADERS: Belt Loaders, Kolman and Ko Cal types; Loaders
Operator, front end and overhead, 25,000 lbs and less than
60,000 lbs; Elevating Grader Operator by Tractor operator,
Sierra, Euclid or similar types; PILEDRIERS: Hammer
Operator; Piledriver Operator (not crane type); PIPELINE,
SEWER WATER: Pipe Cleaning Machine Operator; Pipe Doping
Machine Operator; Pipe Bending Machine Operator; Pipe
Wrapping Machine Operator; Boring Machine Operator; Back
Filling Machine Operator; REMOTE CONTROL: Concrete Cleaning
Decontamination Machine Operator; Ultra High Pressure Water
Jet Cutting Tool System Operator/Mechanic; Vacuum Blasting
Machine Operator/mechanic; REPAIRMEN, HEAVY DUTY: Diesel
Electric Engineer (Plant or Floating; Bolt Threading
Machine operator; Drill Doctor (Bit Grinder); H. D.
Mechanic; Machine Tool Operator; RUBBER-TIRED SCRAPERS:
Rubber-tired Scraper Operator, single engine, single
scraper; Self-loading, paddle wheel, auger type under 15
cu. yds.; Rubber-tired Scraper Operator, twin engine;
Rubber-tired Scraper Operator, with push-ull attachments;
Self Loading, paddle wheel, auger type 15 cu. yds. and
over, single engine; Water pulls, water wagons; SHOVEL,

DRAGLINE, CLAMSHELL, SKOOPER OPERATOR: Diesel Electric Engineer; Stationary Drag Scraper Operator; Shovel, Dragline, Clamshell, Operator under 3 cy yds.; Grade-all Operator; SURFACE (BASE) MATERIAL: Blade mounted spreaders, Ulrich and similar types; TRACTOR-RUBBERED TIRED: Tractor operator, rubber-tired, over 50 hp flywheel; Tractor operator, with boom attachment; Rubber-tired dozers and pushers (Michigan, Cat, Hough type); Skip Loader, Drag Box; TRENCHING MACHINE: Trenching Machine operator, digging capacity over 3 ft depth; Back filling machine operator; TUNNEL: Mucking machine operator

GROUP 5: ASPHALT: Extrusion Machine Operator; Roller Operator (any asphalt mix); Asphalt Burner and Reconditioner Operator (any type); Roto-Mill, pavement profiler, ground man; BULLDOZERS: Bulldozer operator, 20,000 lbs. or less or 100 horse or less; COMPRESSORS: Compressor Operator (any power), over 1,250 cu. ft. total capacity; COMPACTORS: Compactor Operator, including vibratory; Wagner Pactor Operator or similar type (without blade); CONCRETE: Combination mixer and Compressor Operator, gunite work; Concrete Batch Plant Quality Control Operator; Belcrete Operator; Pumpcrete Operator (any type); Pavement Grinder and/or Grooving Machine Operator (riding type); Cement Pump Operator, Fuller-Kenyon and similar; Concrete Pump Operator; Grouting Machine Operator; Concrete mixer operator, single drum, under (5) bag capacity; Cast in place pipe laying machine; maginnis Internal Full slab vibrator operator; Concrete finishing machine operator, Clary, Johnson, Bidwell, Burgess Bridge deck or similar type; Curb Machine Operator, mechanical Berm, Curb and/or Curb and Gutter; Concrete Joint Machine Operator; Concrete Planer Operator; Tower Mobile Operator; Power Jumbo Operator setting slip forms in tunnels; Slip Form Pumps, power driven hydraulic lifting device for concrete forms; Concrete Paving Machine Operator; Concrete Finishing Machine Operator; Concrete Spreader Operator; CRANE: Helicopter Hoist Operator; Hoist Operator, single drum; Elevator Operator; A-frame Truck Operator, Double drum; Boom Truck Operator; HYDRAULIC CRANE OPERATOR: Hydraulic Boom Truck, Pittman; DRILLING: Churm Drill and Earth Boring Machine Operator; Vacuum Truck; Directional Drill Operator over 20,000 lbs pullback; FLOATING EQUIPMENT: Fireman; FORKLIFT: Fork Lift, over 10 ton and/or robotic; HYDRAULIC HOES EXCAVATORS: Hydraulic Backhoe Operator, wheel type (Ford, John Deere, Case type); Hydraulic Backhoe Operator track type up to and including 20,000 lbs.; LOADERS: Loaders, rubber-tired type, less than 25,000 lbs; Elevating Grader Operator, Tractor Towed requiring Operator or Grader; Elevating loader operator, Athey and similar types; OILERS: Service oiler (Greaser); PIPELINE-SEWER WATER: Hydra hammer or similar types; Pavement Breaker Operator; PUMPS: Pump Operator, more than 5 (any size); Pot Rammer Operator; RAILROAD EQUIPMENT: Locomotive Operator, under 40 tons; Ballast Regulator Operator; Ballast Tamper Multi-Purpose Operator; Track Liner Operator; Tie Spacer Operator; Shuttle Car Operator;

Locomotive Operator, 40 tons and over; MATERIAL HAULERS: Cat wagon DJBs Volvo similar types; Conveyored material hauler; SURFACING (BASE) MATERIAL: Rock Spreaders, self-propelled; Pulva-mixer or similar types; Chiip Spreading machine operator; Lime spreading operator, construction job siter; SWEEPERS: Sweeper operator (Wayne type) self-propelled construction job site; TRACTOR-RUBBER TIRED: Tractor operator, rubber-tired, 50 hp flywheel and under; Trenching machine operator, maximum digging capacity 3 ft depth; TUNNEL: Dinkey

GROUP 6: ASPHALT: Plant Oiler; Plant Fireman; Pugmill Operator (any type); Truck mounted asphalt spreader, with screed; COMPRESSORS: Compressor Operator (any power), under 1,250 cu. ft. total capacity; CONCRETE: Plant Oiler, Assistant Conveyor Operator; Conveyor Operator; Mixer Box Operator (C. T. B., dry batch, etc.); Cement Hog Operator; Concrete Saw Operator; Concrete Curing Machine Operator (riding type); Wire Mat or Brooming Machine Operator; CRANE: Oiler; Fireman, all equipment; Truck Crane Oiler Driver; A-frame Truck Operator, single drum; Tugger or Coffin Type Hoist Operator; CRUSHER: Crusher Oiler; Crusher Feederman; CRUSHER: Crusher oiler; Crusher feederman; DRILLING: Drill Tender; Auger Oiler; FLOATING EQUIPMENT: Deckhand; Boatman; FORKLIFT: Self-propelled Scaffolding Operator, construction job site (excluding working platform); Fork Lift or Lumber Stacker Operator, construction job site; Ross Carrier Operator, construction job site; Lull Hi-Lift Operator or Similar Type; GUARDRAIL EQUIPMENT: Oiler; Auger Oiler; Oiler, combination guardrail machines; Guardrail Punch Oiler; HEATING PLANT: Temporary Heating Plant Operator; LOADERS: Bobcat, skid steer (less than 1 cu yd.); Bucket Elevator Loader Operator, BarberGreene and similar types; OILERS: Oiler; Guardrail Punch Oiler; Truck Crane Oiler-Driver; Auger Oiler; Grade Oiler, required to check grade; Grade Checker; Rigger; PIPELINE-SEWER WATER: Tar Pot Fireman; Tar Pot Fireman (power agitated); PUMPS: Pump Operator (any power); Hydrostatic Pump Operator; RAILROAD EQUIPMENT: Brakeman; Oiler; Switchman; Motorman; Ballast Jack Tamper Operator; SHOVEL, DRAGLINE, CLAMSHELL, SKOOPER, ETC. OPERATOR: Oiler, Grade Oiler (required to check grade); Grade Checker; Fireman; SWEEPER: Broom operator, self propelled, construction job site; SURFACING (BASE) MATERIAL: Roller Operator, grading of base rock (not asphalt); Tamping Machine operator, mechanical, self-propelled; Hydrographic Seeder Machine Operator; TRENCHING MACHINE: Oiler; Grade Oiler; TUNNEL: Conveyor operator; Air filtration equipment operator

* ENGI 0701-003 06/01/2004

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND WAHKIAKUM COUNTIES

DREDGING:

	Rates	Fringes
Dredging:		
ZONE A		
ASSISTANT ENGINEER.....	\$ 31.52	9.75
ASSISTANT MATE.....	\$ 27.62	9.75
LEVERMAN, DIPPER, FLOATING CLAMSHELL.....	\$ 33.84	9.75
LEVERMAN, HYDRAULIC.....	\$ 33.84	9.75
TENDERMAN.....	\$ 30.46	9.75
ZONE B		
ASSISTANT ENGINEER.....	\$ 33.52	9.75
ASSISTANT MATE.....	\$ 29.62	9.75
LEVERMAN, DIPPER, FLOATING CLAMSHELL.....	\$ 35.84	9.75
LEVERMAN, HYDRAULIC.....	\$ 35.84	9.75
TENDERMAN.....	\$ 32.46	9.75
ZONE C		
ASSISTANT ENGINEER.....	\$ 34.52	9.75
ASSISTANT MATE.....	\$ 30.62	9.75
LEVERMAN, DIPPER, FLOATING CLAMSHELL.....	\$ 36.84	9.75
LEVERMAN, HYDRAULIC.....	\$ 36.84	9.75
TENDERMAN.....	\$ 33.46	9.75

ZONE DESCRIPTION FOR DREDGING:

ZONE A - All jobs or projects located within 30 road miles of Portland City Hall.

ZONE B - Over 30-50 road miles from Portland City Hall.

ZONE C - Over 50 road miles from Portland City Hall.

*All jobs or projects shall be computed from the city hall by the shortest route to the geographical center of the project.

* IRON0014- 005 07/01/2003

ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND ORIELLE, SPOKANE, STEVENS, WALLA WALLA AND WHITMAN COUNTIES

	Rates	Fringes
Ironworker.....	\$ 26.32	12.45

* IRON0029- 002 07/01/2003

CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKAIKUM COUNTIES

	Rates	Fringes
Ironworker.....	\$ 27.82	12.45

* IRON0086- 002 07/01/2003

YAKIMA, KITTITAS AND CHELAN COUNTIES

	Rates	Fringes
Ironworker.....	\$ 27.47	12.45

 * IRON0086-004 07/01/2003

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PIERCE, SKAGIT, SNOHOMISH, THURSTON, AND WHATCOM COUNTIES

	Rates	Fringes
Ironworker.....	\$ 28.57	12.45

 * LAB00001-002 06/01/2004

ZONE 1:

	Rates	Fringes
Laborers:		
CALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (NORTH OF STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY WAHKIAKUM COUNTY WEST TO THE PACIFIC OCEAN), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES		
GROUP 1.....	\$ 19.96	7.70
GROUP 2.....	\$ 20.28	7.70
GROUP 3.....	\$ 24.96	7.70
GROUP 4.....	\$ 25.44	7.70
GROUP 5.....	\$ 25.80	7.70
CHELAN, DOUGLAS (WEST OF THE 120TH MERIDIAN), KITTITAS AND YAKIMA COUNTIES		
GROUP 1.....	\$ 14.70	7.70
GROUP 2.....	\$ 17.02	7.70
GROUP 3.....	\$ 18.74	7.70
GROUP 4.....	\$ 19.22	7.70
GROUP 5.....	\$ 19.58	7.70

ZONE DIFFERENTIAL (ADD TO ZONE 1 RATES):
 ZONE 2 - \$.70
 ZONE 3 - \$1.00

BASE POINTS: CHELAN, SUNNYSIDE, WENATCHEE, AND YAKIMA

- ZONE 1 - Projects within 25 radius miles of the respective city hall
- ZONE 2 - More than 25 but less than 45 radius miles from the respective city hall
- ZONE 3 - More than 45 radius miles from the respective city hall

BASE POINTS: BELLINGHAM, MT. VERNON, EVERETT, SEATTLE, KENT,
TACOMA, OLYMPIA, CENTRALIA, ABERDEEN, SHELTON, PT.
TOWNSEND, PT. ANGELES, AND BREMERTON

ZONE 1 - Projects within 25 radius miles of the respective
city hall

ZONE 2 - More than 25 but less than 45 radius miles from the
respective city hall

ZONE 3 - More than 45 radius miles from the respective city hall

LABORERS CLASSIFICATIONS

GROUP 1: Landscaping and Planting; Watchman; Window
Washer/Cleaner (detail clean-up, such as but not limited to
cleaning floors, ceilings, walls, windows, etc., prior to
final acceptance by the owner)

GROUP 2: Batch Weighman; Crusher Feeder; Fence Laborer;
Flagman; Pilot Car

GROUP 3: General Laborer; Air, Gas, or Electric Vibrating
Screed; Asbestos Abatement Laborer; Ballast Regulator
Machine; Brush Cutter; Brush Hog Feeder; Burner; Carpenter
Tender; Cement Finisher Tender; Change House or Dry Shack;
Chipping Gun (under 30 lbs.); Choker Setter; Chuck Tender;
Clean-up Laborer; Concrete Form Stripper; Curing Laborer;
Demolition (wrecking and moving including charred
material); Ditch Digger; Dump Person; Fine Graders;
Firewatch; Form Setter; Gabian Basket Builders; Grout
Machine Tender; Grinders; Guardrail Erector; Hazardous
Waste Worker (Level C); Maintenance Person; Material Yard
Person; Pot Tender; Rip Rap Person; Riggers; Scale Person;
Sloper Sprayer; Signal Person; Stock Piler; Stake Hopper;
Toolroom Man (at job site); Topper-Tailer; Track Laborer;
Truck Spotter; Vinyl Seamer

GROUP 4: Cement Dumper-Paving; Chipping Gun (over 30 lbs.);
Clary Power Spreader; Concrete Dumper/Chute Operator;
Concrete Saw Operator; Drill Operator (hydraulic, diamond,
aiartrac); Faller and Bucker Chain Saw; Grade Checker and
Transit Person; Groutmen (pressure) including post tension
beams; Hazardous Waste Worker (Level B); High Scaler;
Jackhammer; Laserbeam Operator; Manhole Builder-Mudman;
Mortarman and Hodcarrier; Nozzleman (concrete pump, green
cutter when using combination of high pressure air and
water on concrete and rock, sandblast, gunite, shotcrete,
water blaster, vacuum blaster); Pavement Breaker; Pipe
Layer and Caulker; Pipe Pot Tender; Pipe Reliner (not
insert type); Pipe Wrapper; Power Jacks; Railroad Spike
Puller-Power; Raker-Asphalt; Rivet Buster; Rodder; Sloper
(over 20 ft); Spreader (concrete); Tamper and Similar
electric, air and glas operated tool; Timber Person-sewer
(lagger shorer and cribber); Track Liner Power; Tugger
Operator; Vibrator; Well Point Laborer

GROUP 5: Caisson Worker; Miner; Powderman; Re-Timberman;

Hazardous Waste Worker (Level A).

* LAB00238-004 06/01/2004

ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS (EAST OF THE 120TH MERIDIAN), FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA AND WHITMAN COUNTIES

	Rates	Fringes
Laborers:		
ZONE 1:		
GROUP 1.....	\$ 17.46	6.80
GROUP 2.....	\$ 19.56	6.80
GROUP 3.....	\$ 19.83	6.80
GROUP 4.....	\$ 20.10	6.80
GROUP 5.....	\$ 20.38	6.80
GROUP 6.....	\$ 21.75	6.80

Zone Differential (Add to Zone 1 rate): \$2.00

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston

Zone 1: 0-45 radius miles from the main post office.

Zone 2: 45 radius miles and over from the main post office.

LABORERS CLASSIFICATIONS

GROUP 1: Flagman; Landscape Laborer; Scaleman; Traffic Control Maintenance Laborer (to include erection and maintenance of barricades, signs and relief of flagperson); Window Washer/Cleaner (detail cleanup, such as, but not limited to cleaning floors, ceilings, walls, windows, etc. prior to final acceptance by the owner)

GROUP 2: Asbestos Abatement Worker; Brush Hog Feeder; Carpenter Tender; Cement Handler; Clean-up Laborer; Concrete Crewman (to include stripping of forms, hand operating jacks on slip form construction, application of concrete curing compounds, pumpcrete machine, signaling, handling the nozzle of squeezecrete or similar machine, 6 inches and smaller); Confined Space Attendant; Concrete Signalman; Crusher Feeder; Demolition (to include clean-up, burning, loading, wrecking and salvage of all material); Dumpman; Fence Erector; Firewatch; Form Cleaning Machine Feeder; Stacker; General Laborer; Grout Machine Header Tender; Guard Rail (to include guard rails, guide and reference posts, sign posts, and right-of-way markers); Hazardous Waste Worker, Level D (no respirator is used and skin protection is minimal); Miner, Class "A" (to include all bull gang, concrete crewman, dumpman and pumpcrete crewman, including distributing pipe, assembly & dismantle, and nipper); Nipper; Riprap Man; Sandblast Tailhoseman; Scaffold Erector (wood or steel); Stake Jumper; Structural Mover (to include separating foundation, preparation, cribbing, shoring, jacking and unloading of structures); Tailhoseman (water nozzle); Timber Bucker and Faller (by

hand); Track Laborer (RR); Truck Loader; Well-Point Man;
All Other Work Classifications Not Specially Listed Shall
Be Classified As General Laborer

GROUP 3: Asphalt Raker; Asphalt Roller, walking; Cement Finisher Tender; Concrete Saw, walking; Demolition Torch; Dope Pot Firemen, non-mechanical; Driller Tender (when required to move and position machine); Form Setter, Paving; Grade Checker using level; Hazardous Waste Worker, Level C (uses a chemical "splash suit" and air purifying respirator); Jackhammer Operator; Miner, Class "B" (to include brakeman, finisher, vibrator, form setter); Nozzlemán (to include squeeze and flo-crete nozzle); Nozzlemán, water, air or steam; Pavement Breaker (under 90 lbs.); Pipelayer, corrugated metal culvert; Pipelayer, multi-plate; Pot Tender; Power Buggy Operator; Power Tool Operator, gas, electric, pneumatic; Railroad Equipment, power driven, except dual mobile power spiker or puller; Railroad Power Spiker or Puller, dual mobile; Rodder and Spreader; Tamper (to include operation of Barco, Essex and similar tampers); Trencher, Shawnee; Tugger Operator; Wagon Drills; Water Pipe Liner; Wheelbarrow (power driven)

GROUP 4: Air and Hydraulic Track Drill; Brush Machine (to include horizontal construction joint cleanup brush machine, power propelled); Caisson Worker, free air; Chain Saw Operator and Faller; Concrete Stack (to include laborers when laborers working on free standing concrete stacks for smoke or fume control above 40 feet high); Gunité (to include operation of machine and nozzle); Hazardous Waste Worker, Level B (uses same respirator protection as Level A. A supplied air line is provided in conjunction with a chemical "splash suit"); High Scaler; Laser Beam Operator (to include grade checker and elevation control); Miner, Class C (to include miner, nozzleman for concrete, laser beam operator and rigger on tunnels); Monitor Operator (air track or similar mounting); Mortar Mixer; Nozzlemán (to include jet blasting nozzleman, over 1,200 lbs., jet blast machine power propelled, sandblast nozzle); Pavement Breaker (90 lbs. and over); Pipelayer (to include working topman, caulker, collarman, jointer, mortarman, rigger, jacker, shorer, valve or meter installer); Pipewrapper; Plasterer Tender; Vibrators (all)

GROUP 5 - Drills with Dual Masts; Hazardous Waste Worker, Level A (utilizes a fully encapsulated suit with a self-contained breathing apparatus or a supplied air line); Miner Class "D", (to include raise and shaft miner, laser beam operator on riases and shafts)

GROUP 6 - Powderman

* LAB00238-006 06/01/2004

COUNTIES EAST OF THE 120TH MERIDIAN: ADAMS, ASOTIN, BENTON, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT, LINCOLN, OKANOGAN, PEND OREILLE, STEVENS, SPOKANE, WALLA WALLA, WHITMAN

	Rates	Fringes
Hod Carrier.....	\$ 21.05	6.80

 * LAB00335-001 06/01/2004

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE
 MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHKIAKUM COUNTY
 WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHKIAKUM COUNTIES

	Rates	Fringes
Laborers:		
ZONE 1:		
GROUP 1.....	\$ 23.73	7.50
GROUP 2.....	\$ 24.27	7.50
GROUP 3.....	\$ 24.68	7.50
GROUP 4.....	\$ 25.03	7.50
GROUP 5.....	\$ 21.44	7.50
GROUP 6.....	\$ 19.22	7.50
GROUP 7.....	\$ 16.30	7.50

Zone Differential (Add to Zone 1 rates):
 Zone 2 \$ 0.65
 Zone 3 - 1.15
 Zone 4 - 1.70
 Zone 5 - 2.75

BASE POINTS: GOLDENDALE, LONGVIEW, AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city all.
 ZONE 2: More than 30 miles but less than 40 miles from the
 respective city hall.
 ZONE 3: More than 40 miles but less than 50 miles from the
 respective city hall.
 ZONE 4: More than 50 miles but less than 80 miles from the
 respective city hall.
 ZONE 5: More than 80 miles from the respective city hall.

LABORERS CLASSIFICATIONS

GROUP 1: Asphalt Plant Laborers; Asphalt Spreaders; Batch
 Weighman; Broomers; Brush Burners and Cutters; Car and
 Truck Loaders; Carpenter Tender; Change-House Man or Dry
 Shack Man; Choker Setter; Clean-up Laborers; Curing,
 Concrete; Demolition, Wrecking and Moving Laborers;
 Dumpers, road oiling crew; Dumpmen (for grading crew);
 Elevator Feeders; Guard Rail, Median Rail Reference Post,
 Guide Post, Right of Way Marker; Fine Graders; Fire Watch;
 Form Strippers (not swinging stages); General Laborers;
 Hazardous Waste Worker; Leverman or Aggregate Spreader
 (Flaherty and similar types); Loading Spotters; Material
 Yard Man (including electrical); Pittsburgh Chipper
 Operator or Similar Types; Railroad Track Laborers; Ribbon
 Setters (including steel forms); Rip Rap Man (hand placed);
 Road Pump Tender; Sewer Labor; Signalman; Skipman; Slopers;

Spraymen; Stake Chaser; Stockpiler; Tie Back Shoring; Timber Faller and Bucker (hand labor); Toolroom Man (at job site); Tunnel Bullgang (above ground); Weight-Man- Crusher (aggregate when used)

GROUP 2: Applicator (including pot power tender for same), applying protective material by hand or nozzle on utility lines or storage tanks on project; Brush Cutters (power saw); Burners; Choker Splicer; Clary Power Spreader and similar types; Clean- up Nozzleman-Green Cutter (concrete, rock, etc.); Concrete Power Buggyman; Concrete Laborer; Crusher Feeder; Demolition and Wrecking Charred Materials; Gunit Nozzleman Tender; Gunit or Sand Blasting Pot Tender; Handlers or Mixers of all Materials of an irritating nature (including cement and lime); Tool Operators (includes but not limited to: Dry Pack Machine; Jackhammer; Chipping Guns; Paving Breakers); Pipe Doping and Wrapping; Post Hole Digger, air, gas or electric; Vibrating Screed; Tampers; Sand Blasting (Wet); Stake-Setter; Tunnel-Muckers, Brakemen, Concrete Crew, Bullgang (underground)

GROUP 3: Asbestos Removal; Bit Grinder; Drill Doctor; Drill Operators, air tracks, cat drills, wagon drills, rubber-mounted drills, and other similar types including at crusher plants; Gunit Nozzleman; High Scalers, Strippers and Drillers (covers work in swinging stages, chairs or belts, under extreme conditions unusual to normal drilling, blasting, barring-down, or sloping and stripping); Manhole Builder; Powdermen; Concrete Saw Operator; Pwdermen; Power Saw Operators (Bucking and Falling); Pumpcrete Nozzlemen; Sand Blasting (Dry); Sewer Timberman; Track Liners, Anchor Machines, Ballast Regulators, Multiple Tampers, Power Jacks, Tugger Operator; Tunnel-Chuck Tenders, Nippers and Timbermen; Vibrator; Water Blaster

GROUP 4: Asphalt Raker; Concrete Saw Operator (walls); Concrete Nozzelman; Grade Checker; Pipelayer; Laser Beam (pipelaying)- applicable when employee assigned to move, set up, align; Laser Beam; Tunnel Miners; Motorman-Dinky Locomotive-Tunnel; Powderman-Tunnel; Shield Operator-Tunnel

GROUP 5: Traffic Flaggers

GROUP 6: Fence Builders

GROUP 7: Landscaping or Planting Laborers

 * LAB00335- 010 06/01/2004

CLARK, COWLITZ, KLUCKITAT, PACIFIC (SOUTH OF A STRAIGHT LINE MADE BY EXTENDING THE NORTH BOUNDARY LINE OF WAHAKIYAKUM COUNTY WEST TO THE PACIFIC OCEAN), SKAMANIA AND WAHAKIYAKUM COUNTIES

	Rates	Fringes
Hod Carrier.....	\$ 25. 49	7. 50

* PAIN0005- 002 06/01/2003

STATEWIDE EXCEPT CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH),
SKAMANIA, AND WAHKIAKUM COUNTIES

	Rates	Fringes
Painters:		
STRIPERS.....	\$ 21.25	6.42

* PAIN0005- 004 03/01/2004

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS,
MASON, PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND
WHATCOM COUNTIES

	Rates	Fringes
Painter.....	\$ 24.36	6.41

* PAIN0005- 006 07/01/2003

ADAMS, ASOTIN; BENTON AND FRANKLIN (EXCEPT HANFORD SITE);
CHELAN, COLUMBIA, DOUGLAS, FERRY, GARFIELD, GRANT, KITTITAS,
LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA,
WHITMAN AND YAKIMA COUNTIES

	Rates	Fringes
Painters:		
Application of Cold Tar Products, Epoxies, Polyure thanes, Acids, Radiation Resistant Material, Water and Sandblasting, Bridges, Towers, Tanks, Stacks, Steeple.....	\$ 19.97	6.22
Brush, Roller, Striping, Steam cleaning and Spray....	\$ 18.97	6.22
Lead Abatement, Asbestos Abatement.....	\$ 19.97	6.22
TV Radio, Electrical Transmission Towers.....	\$ 20.72	6.22

*\$.70 shall be paid over and above the basic wage rates
listed for work on swing stages and high work of over 30 feet.

* PAIN0055- 002 07/01/2003

CLARK, COWLITZ, KLICKITAT, PACIFIC, SKAMANIA, AND WAHKIAKUM
COUNTIES

	Rates	Fringes
Painters:		
Brush & Roller.....	\$ 17.61	6.12

High work - All work 60 ft. or higher.....	\$ 18.36	6.12
Spray and Sandblasting.....	\$ 18.21	6.12

* PAIN0055-007 06/01/2004

CLARK, COWLITZ, KLICKITAT, SKAMANIA and WAHKIAKUM COUNTIES

	Rates	Fringes
Painters:		
HIGHWAY AND PARKING LOT STRIPER.....	\$ 23.99	8.05

* PLAS0072-004 06/01/2003

ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY,
FRANKLIN, GARFIELD, GRANT, KITTITAS, LINCOLN, OKANOGAN, PEND
OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN, AND YAKIMA
COUNTIES

	Rates	Fringes
Cement Mason		
ZONE 1:.....	\$ 22.33	7.03

Zone Differential (Add to Zone 1 rate): Zone 2 - \$2.00

BASE POINTS: Spokane, Pasco, Moses Lake, Lewiston
Zone 1: 0 - 45 radius miles from the main post office
Zone 2: Over 45 radius miles from the main post office

* PLAS0528-001 06/01/2004

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS,
MASON, PACIFIC (NORTH), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH,
THURSTON, AND WHATCOM COUNTIES

	Rates	Fringes
Cement Masons:		
CEMENT MASON.....	\$ 29.14	10.87
COMPOSITION, COLOR MASTIC, TROWEL MACHINE, GRINDER, POWER TOOLS, GUNNITE NOZZLE.	\$ 29.39	10.87

* PLAS0555-002 06/01/2004

CLARK, COWLITZ, KLICKITAT, PACIFIC (SOUTH), SKAMANIA, AND
WAHKIAKUM COUNTIES

ZONE 1:

	Rates	Fringes
Cement Masons:		
CEMENT MASONS DOING BOTH		

COMPOSITION/POWER MACHINERY AND SUSPENDED/HANGING SCAFFOLD..	\$ 26.95	10.80
CEMENT MASONS ON SUSPENDED, SWINGING AND/OR HANGING SCAFFOLD.....	\$ 26.47	10.80
CEMENT MASONS.....	\$ 25.99	10.80
COMPOSITION WORKERS AND POWER MACHINERY OPERATORS...	\$ 26.47	10.80

Zone Differential (Add To Zone 1 Rates):

Zone 2 -	\$0.65
Zone 3 -	1.15
Zone 4 -	1.70
Zone 5 -	2.75

BASE POINTS: BEND, CORVALLIS, EUGENE, LONGVIEW, MEDFORD,
PORTLAND, SALEM, THE DALLES, VANCOUVER

- ZONE 1: Projects within 30 miles of the respective city hall
- ZONE 2: More than 30 miles but less than 40 miles from the
respective city hall.
- ZONE 3: More than 40 miles but less than 50 miles from the
respective city hall.
- ZONE 4: More than 50 miles but less than 80 miles from the
respective city hall.
- ZONE 5: More than 80 miles from the respective city hall

* PLUM032-002 01/01/2004

CLALLAM, KING AND JEFFERSON COUNTIES

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 34.43	14.33

* PLUM032-003 01/01/2004

CHELAN, KITTITAS (NORTHERN TIP), DOUGLAS (NORTH), AND OKANOGAN
(NORTH) COUNTIES

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 26.38	11.68

* PLUM044-003 06/01/2003

ADAMS (NORTHERN PART), ASOTIN (CLARKSTON ONLY), FERRY (EASTERN
PART), LINCOLN (EASTERN PART), PEND ORIELLE, STEVENS, SPOKANE,
AND WHITMAN COUNTIES

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 26.01	10.74

* PLUM082-001 01/01/2004

CLARK (NORTHERN TIP INCLUDING WOODLAND), COWLITZ, GRAYS HARBOR,
LEWIS, MASON (EXCLUDING NE SECTION), PACIFIC, PIERCE SKAMANIA,
THURSTON AND WAHKIAKUM COUNTIES

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 30.40	13.17

* PLUM0265-003 01/01/2004		

ISLAND, SKAGIT, SNOHOMISH, SAN JUAN AND WHATCOM COUNTIES

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 30.20	13.17

* PLUM0290-003 04/01/2004		

CLARK (ALL EXCLUDING NORTHERN TIP INCLUDING CITY OF WOODLAND)

	Rates	Fringes
Plumbers and Pipefitters.....	\$ 32.58	14.07

* PLUM0598-005 06/01/2004		

ADAMS (SOUTHERN PART), ASOTIN (EXCLUDING THE CITY OF
CLARKSTON), BENTON, COLUMBIA, DOUGLAS (EASTERN HALF), FERRY
(WESTERN PART), FRANKLIN, GARFIELD, GRANT, KITTITAS (ALL BUT
NORTHERN TIP), KLICKITAT, LINCOLN (WESTERN PART), OKANOGAN
(EASTERN), WALLA WALLA AND YAKIMA COUNTIES

	Rates	Fringes
Plumber.....	\$ 31.57	15.25

* PLUM0631-001 01/01/2004		

MASON (NE SECTION), AND KITSAP COUNTIES

	Rates	Fringes
Plumbers and Pipefitters All new construction, additions, and remodeling of commercial building projects such as: cocktail lounges and taverns, professional buildings, medical clinics, retail stores, hotels and motels, restaurants and fast food types, gasoline service stations, and car washes where the plumbing and mechanical cost of the project is less than		

\$100, 000.....	\$ 20. 85	4. 58
All other work where the plumbing and mechanical cost of the project is \$100, 000 and over.....		
	\$ 29. 29	13. 17

 * TEAM0037-002 06/01/2004

CLARK, COWLITZ, KLICKITAT, PACIFIC (South of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific Ocean), SKAMANIA, AND WAHKI AKUM COUNTIES

	Rates	Fringes
Truck drivers:		
ZONE 1		
GROUP 1.....	\$ 24. 15	9. 50
GROUP 2.....	\$ 24. 27	9. 50
GROUP 3.....	\$ 24. 40	9. 50
GROUP 4.....	\$ 24. 66	9. 50
GROUP 5.....	\$ 24. 88	9. 50
GROUP 6.....	\$ 25. 04	9. 50
GROUP 7.....	\$ 25. 24	9. 50

Zone Differential (Add to Zone 1 Rates):

- Zone 2 - \$0. 65
- Zone 3 - 1. 15
- Zone 4 - 1. 70
- Zone 5 - 2. 75

BASE POINTS: ASTORIA, THE DALLES, LONGVIEW AND VANCOUVER

ZONE 1: Projects within 30 miles of the respective city hall.

ZONE 2: More than 30 miles but less than 40 miles from the respective city hall.

ZONE 3: More than 40 miles but less than 50 miles from the respective city hall.

ZONE 4: More than 50 miles but less than 80 miles from the respective city hall.

ZONE 5: More than 80 miles from the respective city hall.

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: A Frame or Hydra lift truck w/load bearing surface; Articulated dump truck; Battery Rebuilders; Bus or Manhaul Driver; Concrete Buggies (power operated); Concrete pump truck; Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations there of: up to and including 10 cu. yds.; Lift Jitneys, Fork Lifts (all sizes in loading, unloading and transporting material on job site); Loader and/or Leverman on Concrete Dry Batch Plant (manually operated); Pilot Car; Pickup truck; Solo

Flat Bed and misc. Body Trucks, 0-10 tons; Truck Tender; Truck Mechanic Tender; Water Wagons (rated capacity) up to 3,000 gallons; Transit Mix and Wet or Dry Mix - 5 cu. yds. and under; Lubrication Man, Fuel Truck Driver, Tireman, Wash Rack, Steam Cleaner or combinations; Team Driver; Slurry Truck Driver or Leverman; Tireman

GROUP 2: Boom truck/hydra lift or retracting crane; Challenger; Dumpsters or similar equipment all sizes; Dump Trucks/articulated dumps 6 cu to 10 cu.; Flaherty Spreader Driver or Leverman; Lowbed Equipment, Flat Bed Semi-trailer or doubles transporting equipment or wet or dry materials; Lumber Carrier, Driver-Straddle Carrier (used in loading, unloading and transporting of materials on job site); Oil Distributor Driver or Leverman; Transit mix and wet or dry mix trucks: over 5 cu. yds. and including 7 cu. yds.; Vacuum trucks; Water truck/Wagons (rated capacity) over 3,000 to 5,000 gallons

GROUP 3: Ammonia nitrate distributor driver; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 10 cu. yds. and including 30 cu. yds. includes Articulated dump trucks; Selfpropelled street sweeper; Transit mix and wet or dry mix truck: over 7 cu yds. and including 11 cu yds.; Truck Mechanic-Welder-Body Repairman; Utility and cleanup truck; Water Wagons (rated capacity) over 5,000 to 10,000 gallons

GROUP 4: Asphalt burner; Dump Trucks, side, end and bottom dumps, including Semi-Trucks and Trains or combinations thereof: over 30 cu. yds. and including 50 cu. yds. includes articulated dump trucks; Fire guard; Transit Mix and Wet or Dry Mix Trucks, over 11 cu. yds. and including 15 cu. yds.; Water Wagon (rated capacity) over 10,000 gallons to 15,000 gallons

GROUP 5: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 50 cu. yds. and including 60 cu. yds. includes articulated dump trucks

GROUP 6: Bulk cement spreader w/o auger; Dry prebatch concrete mix trucks; Dump trucks, side, end and bottom dumps, including Semi Trucks and Trains of combinations thereof: over 60 cu. yds. and including 80 cu. yds., and includes articulated dump trucks; Skid truck

GROUP 7: Dump Trucks, side, end and bottom dumps, including Semi Trucks and Trains or combinations thereof: over 80 cu. yds. and including 100 cu. yds., includes articulated dump trucks; Industrial lift truck (mechanical tailgate)

* TEAM0174-001 06/01/2004

CLALLAM, GRAYS HARBOR, ISLAND, JEFFERSON, KING, KITSAP, LEWIS, MASON, PACIFIC (North of a straight line made by extending the north boundary line of Wahkiakum County west to the Pacific

Ocean), PIERCE, SAN JUAN, SKAGIT, SNOHOMISH, THURSTON AND WHATCOM COUNTIES

	Rates	Fringes
Truck drivers:		
ZONE A:		
GROUP 1:.....	\$ 26.39	11.08
GROUP 2:.....	\$ 25.81	11.08
GROUP 3:.....	\$ 23.41	11.08
GROUP 4:.....	\$ 19.16	11.08
GROUP 5:.....	\$ 26.15	11.08

ZONE B (25-45 miles from center of listed cities*): Add \$.70 per hour to Zone A rates.

ZONE C (over 45 miles from centr of listed cities*): Add \$1.00 per hour to Zone A rates.

*Zone pay will be calculated from the city center of the following listed cities:

BELLINGHAM	CENTRALIA	RAYMOND	OLYMPIA
EVERETT	SHELTON	ANACORTES	BELLEVUE
SEATTLE	PORT ANGELES	MT. VERNON	KENT
TACOMA	PORT TOWNSEND	ABERDEEN	BREMERTON

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1 - "A-frame or Hydralift" trucks and Boom trucks or similar equipment when "A" frame or "Hydralift" and Boom truck or similar equipment is used; Buggymobile; Bulk Cement Tanker; Dumpsters and similar equipment, Tournorockers, Tournowagon, Tournotrailer, Cat DW series, Terra Cobra, Le Tourneau, Westinghouse, Athye Wagon, Euclid Two and Four-Wheeled power tractor with trailer and similar top-loaded equipment transporting material: Dump Trucks, side, end and bottom dump, including semi-trucks and trains or combinations thereof with 16 yards to 30 yards capacity: Over 30 yards \$.15 per hour additional for each 10 yard increment; Explosive Truck (field mix) and similar equipment; Hyster Operators (handling bulk loose aggregates); Lowbed and Heavy Duty Trailer; Road Oil Distributor Driver; Spreader, Flaherty Transit mix used exclusively in heavy construction; Water Wagon and Tank Truck-3,000 gallons and over capacity

GROUP 2 - Bulllifts, or similar equipment used in loading or unloading trucks, transporting materials on job site; Dumpsters, and similar equipment, Tournorockers, Tournowagon, Turnotrailer, Cat. D.W. Series, Terra Cobra, Le Tourneau, Westinghouse, Athye wagon, Euclid two and four-wheeled power tractor with trailer and similar top-loaded equipment transporting material: Dump trucks, side, end and bottom dump, including semi-trucks and trains or combinations thereof with less than 16 yards capacity; Flatbed (Dual Rear Axle); Grease Truck, Fuel Truck, Greaser, Battery Service Man and/or Tire Service Man;

Leverman and loader at bunkers and batch plants; Oil tank transport; Scissor truck; Slurry Truck; Sno-Go and similar equipment; Swampers; Straddler Carrier (Ross, Hyster) and similar equipment; Team Driver; Tractor (small, rubber-tired)(when used within Teamster jurisdiction); Vacuum truck; Water Wagon and Tank trucks-less than 3,000 gallons capacity; Winch Truck; Wrecker, Tow truck and similar equipment

GROUP 3 - Flatbed (single rear axle); Pickup Sweeper; Pickup Truck. (Adjust Group 3 upward by \$2.00 per hour for onsite work only)

GROUP 4 - Escort or Pilot Car

GROUP 5 - Mechanic

HAZMAT PROJECTS

Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C: +\$.25 per hour - This level uses an air purifying respirator or additional protective clothing.

LEVEL B: +\$.50 per hour - Uses same respirator protection as Level A. Supplied air line is provided in conjunction with a chemical "splash suit."

LEVEL A: +\$.75 per hour - This level utilizes a fully-encapsulated suit with a self-contained breathing apparatus or a supplied air line.

 * TEAM0760-002 06/01/2004

ADAMS, ASOTIN, BENTON, CHELAN, COLUMBIA, DOUGLAS, FERRY, FRANKLIN, GARFIELD, GRANT KITTITAS, LINCOLN, OKANOGAN, PEND OREILLE, SPOKANE, STEVENS, WALLA WALLA, WHITMAN AND YAKIMA COUNTIES

	Rates	Fringes
Truck drivers: (ANYONE WORKING ON HAZMAT JOBS SEE FOOTNOTE A BELOW)		
ZONE 1: (INCLUDES ALL OF YAKIMA COUNTY)		
GROUP 1.....	\$ 17.83	9.50
GROUP 2.....	\$ 20.10	9.50
GROUP 3.....	\$ 20.60	9.50
GROUP 4.....	\$ 20.93	9.50
GROUP 5.....	\$ 21.04	9.50
GROUP 6.....	\$ 21.21	9.50
GROUP 7.....	\$ 21.74	9.50
GROUP 8.....	\$ 22.07	9.50

Zone Differential (Add to Zone 1 rate: Zone 2 - \$2.00)

BASE POINTS: Spokane, Moses Lake, Pasco, Lewiston

Zone 1: 0-45 radius miles from the main post office.

Zone 2: 45 radius miles and over from the main post office

TRUCK DRIVERS CLASSIFICATIONS

GROUP 1: Escort Driver or Pilot Car; Employee Haul; Power Boat Hauling Employees or Material

GROUP 2: Fish Truck; Flat Bed Truck; Fork Lift (3000 lbs. and under); Leverperson (loading trucks at bunkers); Trailer Mounted Hydro Seeder and Mulcher; Seeder & Mulcher; Stationary Fuel Operator; Tractor (small, rubber-tired, pulling trailer or similar equipment)

GROUP 3: Auto Crane (2000 lbs. capacity); Buggy Mobile & Similar; Bulk Cement Tanks & Spreader; Dumptor (6 yds. & under); Flat Bed Truck with Hydraulic System; Fork Lift (3001-16,000 lbs.); Fuel Truck Driver, Steamcleaner & Washer; Power Operated Sweeper; Rubber-tired Tunnel Jumbo; Scissors Truck; Slurry Truck Driver; Straddle Carrier (Ross, Hyster, & similar); Tireperson; Transit Mixers & Truck Hauling Concrete (3 yd. to & including 6 yds.); Trucks, side, end, bottom & articulated end dump (3 yards to and including 6 yds.); Warehouseperson (to include shipping & receiving); Wrecker & Tow Truck

GROUP 4: A-Frame; Burner, Cutter, & Welder; Service Greaser; Trucks, side, end, bottom & articulated end dump (over 6 yards to and including 12 yds.); Truck Mounted Hydro Seeder; Warehouseperson; Water Tank truck (0-8,000 gallons)

GROUP 5: Dumptor (over 6 yds.); Lowboy (50 tons & under); Self-loading Roll Off; Semi-Truck & Trailer; Tractor with Steer Trailer; Transit Mixers and Trucks Hauling Concrete (over 6 yds. to and including 10 yds.); Trucks, side, end, bottom and end dump (over 12 yds. to & including 20 yds.); Truck-Mounted Crane (with load bearing surface either mounted or pulled, up to 14 ton); Vacuum Truck (super sucker, guzzler, etc.)

GROUP 6: Flaherty Spreader Box Driver; Flowboys; Fork Lift (over 16,000 lbs.); Dumps (Semi-end); Mechanic (Field); Semi-end Dumps; Transfer Truck & Trailer; Transit Mixers & Trucks Hauling Concrete (over 10 yds. to & including 20 yds.); Trucks, side, end, bottom and articulated end dump (over 20 yds. to & including 40 yds.); Truck and Pup; Tournarocker, DWs & similar with 2 or more 4 wheel-power tractor with trailer, gallonage or yardage scale, whichever is greater Water Tank Truck (8,001- 14,000 gallons)

GROUP 7: Oil Distributor Driver; Stringer Truck (cable operated trailer); Transit Mixers & Trucks Hauling Concrete (over 20 yds.); Truck, side, end, bottom end dump (over 40 yds. to & including 100 yds.); Truck Mounted Crane (with load bearing surface either mounted or pulled (16 through 25 tons);

GROUP 8: Prime Movers and Stinger Truck; Trucks, side, end, bottom and articulated end dump (over 100 yds.); Helicopter Pilot Hauling Employees or Materials

Footnote A - Anyone working on a HAZMAT job, where HAZMAT certification is required, shall be compensated as a premium, in addition to the classification working in as follows:

LEVEL C-D: - \$.50 PER HOUR (This is the lowest level of protection. This level may use an air purifying respirator or additional protective clothing.

LEVEL A-B: - \$1.00 PER HOUR (Uses supplied air in conjunction with a chemical splash suit or fully encapsulated suit with a self-contained breathing apparatus.

NOTE:

Trucks Pulling Equipment Trailers: shall receive \$.15/hour over applicable truck rate

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION