



US Army Corps  
of Engineers  
Seattle District

**PROGRAMMATIC ESA<sup>1</sup> CONSULTATION**  
**Specific Project Information Form**  
 For Replacement of up to Eighteen (18) Existing Piling  
 Version: November 21, 2002



USFWS Programmatic Reference Number: 1-3-00-I-1524 & 1-3-00-IC-I525

NMFS Programmatic Reference Number: WSB-01-197

1. **Programmatic Activity:** Replacement of up to Eighteen (18) Piling
  2. **Drawings** - Drawings must be submitted. See attached Drawing Guidance and Glossary of Terms.
  3. **Date:** \_\_\_\_\_
  4. **Applicant:** \_\_\_\_\_ **Corps Reference No.:** \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
  5. **Agent:** \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_
  6. **Project Name** (e.g., Alice's Restaurant): \_\_\_\_\_
  7. **Location(s) of Activity:**  
 Section: \_\_\_\_\_ Township: \_\_\_\_\_ Range: \_\_\_\_\_  
 Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_  
 Waterbody: \_\_\_\_\_ County: \_\_\_\_\_
  8. **Listed or Proposed Fish Species Present:** \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
  9. **Listed Non-Fish Species Present** (listed non-fish species are not covered under this programmatic consultation; individual consultation is required for the non-fish species): \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
- Summary of Endangered Species Act Consultation for Non-Fish Species** (e.g., no effect with work window): \_\_\_\_\_  
 \_\_\_\_\_
10. **Description of Work:** Describe what is being placed, installed, or constructed (i.e., pier, mooring buoys, pilings, dolphins, etc.) and the type of material used:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

<sup>1</sup> Endangered Species Act

**Construction Techniques** – Describe how the work will be done:

Machinery (types): \_\_\_\_\_

By Hand: \_\_\_\_\_

11. **Permit Authorization Requested** (e.g., Nationwide Permit, Regional General Permit, Letter of Permission or Individual Permit): \_\_\_\_\_

12. **All Programmatic Conditions Must Be Met.**

- Work is done in approved work window.
- No work will be done in or within 300 feet of an existing or previously designated Superfund Clean-up sites or a site currently or previously designated for cleanup under the Washington State Model Toxic Cleanup Act.
- No piles are associated with log raft booms.
- No sheet piling will be used in lieu of pole piling.
- Existing piling will be partially cut with a new pile secured directly on top, fully extracted, or cut 2-feet below the mudline.
- For all treated piling that are fully extracted or cut 2-feet below the mudline, the holes or cut piling will be capped with appropriate material (such as clean sand, or plastic or steel pile cap for cut piling) to ensure that the chemicals from the existing pile do not leach into the adjacent sediments or water column. If fill (i.e. clean sand) is used to cap the area, the fill material should match sediment substrate of the site.
- All removed creosote treated piling will be cut into maximum lengths of 4 feet prior to disposal.
- If a barge is used, the barge does not ground out and the barge will not be over or within 300 feet of vegetated shallows (except where such vegetation is limited to State-designated noxious weeds).
- Hydraulic water jets will not be used to remove or place piling.
- Piling will be replaced in the same general location and do not extend beyond the footprint of the existing structure (i.e., pier).
- Timing: The action shall only occur once within one approved work window for a single and complete project. The approved work windows are described in *Programmatic Consultation – Phase I: Approved Work Windows*. For example, only a maximum of 18 piles shall be replaced on a single pier within the approved work window. The following year, up to 18 piles may be replaced on the same pier within the approved work window for that year.
- The project complies with the Implementation Conditions outlined in *Not Likely to Adversely Affect (NLAA) Programmatic Consultation: General Implementation Conditions*.

In Fresh Waters, including the Columbia River mainstem, Baker Bay, and the Snake River:

- Only non-treated piling are used.

In Marine/Estuarine Waters excluding Baker Bay:

- Use of vibratory pile drivers is prohibited where the piling is located in or within 300 feet of eelgrass beds.
- No piling treated with creosote or pentachlorophenol will be used.

I as the applicant or designated agent have read all the activity and waterway specific conditions and the general implementation conditions for the "Not Likely to Adversely Affect" Programmatic Consultation, dated 30 May 2001. I certify that this project meets all conditions of the programmatic consultation. In the event that the U.S. Army Corps of Engineers, Seattle District, the U.S. Fish and Wildlife Service, and/or the National Marine Fisheries Service/NOAA Fisheries determines that the conditions have not been met, I agree to comply with all resolution measures in accordance with Corps regulations.

\_\_\_\_\_  
Applicant/Agent

\_\_\_\_\_  
Date

----- **Below to be completed by the Corps** -----

I have reviewed the Department of the Army application and this form for consistency with the "Not Likely to Adversely Affect" Programmatic Consultation, dated 30 May 2001.

Additional Information (complete as applicable):

1. **Summary of ESA Consultation for Non-Fish Species** (e.g., "no effect" determination, date consultation completed, etc): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

2. **Summary of ESA Consultation for Associated Project Activities Not Covered by the Programmatic Consultation** (e.g., "no effect" for replacement overwater structure such as decking): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3. **Forage Fish Habitat** (check box if WDFW documented habitat is present):

**Surf Smelt:**

**Allowable Work Window:**

**Pacific Herring:**

**Allowable Work Window:**

**Sand Lance:**

**Allowable Work Window:**

**Approved Work Window** (see the US Army Corps of Engineers website, [http://www.nws.usace.army.mil/PublicMenu/Menu.cfm?sitename=REG&pagename=mainpage\\_ESA](http://www.nws.usace.army.mil/PublicMenu/Menu.cfm?sitename=REG&pagename=mainpage_ESA)):

\_\_\_\_\_ to \_\_\_\_\_

\_\_\_\_\_  
Corps Project Manager

\_\_\_\_\_  
Date

\_\_\_\_\_  
Corps Environmental Analyst/ESA Coordinator

\_\_\_\_\_  
Date



US Army Corps  
of Engineers  
Seattle District

## Drawing Guidance



Drawings must be submitted, incorporating the following information, as it applies to your project. For definitions of the terms, see attached glossary.

**Suggested guidance for completion of drawings.** Three types of illustrations are very helpful to properly depict the proposed activity: Vicinity Map, Plan View, and Cross-Sectional View. Drawings are best prepared using clear printing, black ink, and the fewest number of sheets possible. Include the scale. The importance of clear accurate drawings cannot be overstated. If you have questions regarding completing the drawings, you may call the U.S. Army Corps of Engineers, Regulatory Branch at (206) 764-3495.

**Vicinity Map.** A copy of a county or city road map, or a U.S. Geological Survey topographic map may be used. Include:

- a. North arrow.
- b. Name of waterbody (and river mile if appropriate).
- c. Location of the proposed activity (indicate with a circle, arrow, X, or similar symbol).

**Plan View.** This drawing illustrates the proposed project area as if you were looking down at the site from overhead.

- a. North arrow.
- b. Name of waterbody and direction of water flow.
- c. Location of existing shoreline relative to proposed work and relative to habitat areas (listed in item 7).
- d. Dimensions of the activity or structure and impervious surfaces and the distance it extends into the waterbody and/or related resource/habitat areas (listed in item 7), as appropriate.
- e. Habitat Areas: If present, the following habitat areas must be shown on the plan view:
  1. Wetland delineation
  2. Riffle/pool complex delineation
  3. Side- and off-channel habitat
  4. Vegetated shallows
  5. Snake River and Ozette Lake sockeye salmon spawning areas
  6. Forage fish spawning areas (herring, surf smelt, sand lance, etc.)
  7. ESA Listed or proposed fish spawning areas (chinook salmon, chum salmon, steelhead, bull trout, and cutthroat trout)

**Cross-Sectional View.** This drawing illustrates the proposed activity as if it were cut from the side and/or front. Include:

- a. Location of water elevation relative to the bank or shore.
- b. Water depth at waterward face of project.
- c. Dimensions of the activity or structure, and the distance it extends into the waterbody and/or related resource/habitat areas (listed in item 7), as appropriate.
- d. Indicate dredge and/or fill areas as appropriate.
- e. Indicate types and location of resource/habitat areas (listed in item 7).

## Glossary of Terms

EELGRASS – Eelgrass (*Zostera marina* or *Zostera japonica*) is a rooted plant that grows in intertidal and shallow subtidal estuarine and marine areas. It is distinguished by flat, grass-like leaves up to 1.4 cm (about 3/4 of an inch) wide and can be over 3 meters (6 feet) in length (height and width varying by species). The upright stems originate from an underground rhizome. The seeds are enclosed in elongated membranous, translucent packets. Eelgrass occurs up to about 1.8 meters (6 feet) above MLLW and as deep as 6.6 meter (22 feet) below MLLW, elevations varying by species. Both species grow well in sandy or muddy substrate and may be found along both low and moderate energy shorelines throughout Puget Sound. [US Army Corps of Engineers, 1984]

FORAGE FISH / FORAGE SPECIES – As used in this document, these are generic terms for all of those fish species that as adults are small enough that salmonids may prey upon, particularly in the estuarine or marine environment. The primary forage fish in estuarine or marine areas include herring, surf smelt, and sand lance. (Also known by the term “bait fish.”)

INTERTIDAL VASCULAR PLANTS – Fleishy plants that grow between the extreme high tide and extreme low tide areas of brackish or saltwater systems. Examples include brass buttons, Lyngby’s sedge, pickleweed, Pacific silverweed, salt grass, saltweed (fat hen), and Seaside plantain. [Corps, 1984]

KELP – Large brown alga or seaweed that grows in the intertidal region and are also plentiful below the low-tide line (Phylum *Phaeophyta*). A feature of many kelps is a holdfast consisting of a mass of stuffy rootlike structures. This type of holdfast, looking like something fished out of a jar of mixed pickles, is limited to the brown algae. Float bladders are another distinctive characteristic of many representatives of this group. [Kozloff, 1993]

LISTED SPECIES – Any species of fish, wildlife or plant, which has been determined to be endangered or threatened under section 4 of the Act. [50 CFR 402.02]

MACROALGAE – Algae (red, brown or green) where each plant is large enough to distinguish with the naked eye, usually referring to algae that grows in estuarine or marine systems. Algae may occur as individual plants in the intertidal or low tide areas such as Kelp or as thin membranes, or thick rubbery sometimes warty sheets that can be found on rocks in the intertidal area. [Kozloff, 1993]

RIFFLE AND POOL COMPLEXES – Riffle and pool complexes are one of 6 “special aquatic sites”. Steep gradient sections of streams are sometimes characterized by riffle and pool complexes. Such stream sections are recognizable by their hydraulic characteristics. The rapid movement of water over a coarse substrate in riffles results in a rough flow, a turbulent surface, and high dissolved oxygen levels in the water. Pools are deeper areas associated with riffles. Pools are characterized by a slower stream velocity, a steaming flow, a smooth surface, and a finer substrate. Riffle and pool complexes are particularly valuable habitat for fish and wildlife. [40 CFR 230.45(a) Subpart E]

SPAWNING AREA – These are substrates into and upon which aquatic species will lay their eggs. Salmonid spawning areas vary by species, ESU, or DPS. Typically, salmon species eggs require 30 to 90 days of incubation. Salmon species alevin typically remain in the gravel for 30 to 150 days, emerging as fry in the spring or summer months. Total time in the gravel is typically 60 to 240 days. Bull trout eggs require a minimum of 200 days of incubation. Bull trout fry have been found to stay in gravel for 3 weeks after emergence, for a total time in gravel of 221 days. Known areas are identified by species in the WDFW StreamNet data base. Forage fish spawning areas are identified in the Washington State Department of Fish and Wildlife’s 1995 “Puget Sound Intertidal Baitfish Spawning Beach Survey Project” document.

VEGETATED SHALLOW - Vegetated shallows are one of 6 “special aquatic sites”. Vegetated shallows are permanently inundated areas that under normal circumstances support communities of rooted aquatic vegetation, such as turtle grass, eelgrass, kelp, other macroalgae, and intertidal vascular plants in estuarine and marine systems as well as a number of freshwater species in streams and lakes. [40 CFR 230.43(a) Subpart E]

WETLANDS – Wetlands are one of 6 “special aquatic sites”. “Wetlands” means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soils conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. [33 CFR 328.3(b) and 40 CFR 230.41(a)(1)]