

APPENDIX G

Mitigation Monitoring Report for RGP 5

Residential Overwater Structures in the Mid-Columbia and Lower Okanogan Rivers

Submit this completed form to: U.S. Army Corps of Engineers, Regulatory Branch, P.O. Box 3755, Seattle, WA 98124-3755. A completed form must be submitted 1, 2, 3, 4 and 5 years after the Corps accepts your as-built drawing of the mitigation area.

Corps Reference Number: _____

Date Your As-Built Drawings Were Accepted by the Corps _____

Date This Report Is Due: _____

Units of Mitigation Required by the Corps: _____

Your Name: _____

Your Address: _____

Your City/State/Zip Code: _____

You must attach to this form: Photographs of the mitigation area taken within the last two months.

Conditions of your Corps permit require 100% survival of all planted trees and shrubs during the first and second years after planting. During the third through fifth years after planting, 80% survival is required. Individual plants that die must be replaced with a species from the list below. At least two trees must be planted in your mitigation area. If necessary, use fencing to protect your plantings.

Date of Inspection	Species Name of Dead Plants	Number of Dead Plants	Name of Species Replanted	Number Replanted

Native trees: *Populus trichocarpa* (Black cottonwood), *Pinus ponderosa* (Ponderosa pine), *Pseudotsuga menziesii* (Douglas-fir)

Native shrubs: *Salix sitchensis* (Sitka willow), *S. scouleriana* (Scouler's willow), *S. exigua* (Sandbar willow), *S. prolixa* (Mackenzie's willow), *S. lasiandra* (Pacific willow), *Cornus stolonifera* (Red-osier dogwood).