



Section 01501 Attachment I - SIGNS



- SIGN SHALL BE FABRICATED FROM .125 THICK 6061-T6 ALUMINUM PANEL
- COLOR
 1. SAFETY RED (SR)
 2. WHITE
 3. WHITE
 4. BLACK
- LETTERING SHALL BE HELVETICA BOLD TYPOGRAPHY.
- LETTERS AND BACKGROUND SHALL BE REFLECTIVE SHEETING MATERIAL.
- SIGNS SHALL BE POSTED AT 6'-6" (BOTTOM SIGN TO GRADE) OR AS DIRECTED BY THE CONTRACTING OFFICER.
- LETTERING TO BE CENTERED ON PANEL.




SAMPLE CONSTRUCTION SIGN FOR MCP PROJECTS

SCHEDULE

SPACE	HT.	LINE	DESCRIPTION	LETTER	STROKE	HT.
A	2"	1	LOCATION	2	3/8"	1/4"
B	2 5/8"	2	PROJECT NOMENCLATURE *	2	3/4"	3/8"
C	5 3/4"	3	U.S. AIR FORCE PROJECT	4	1/2"	1/2"
D	6"	4	CONSTRUCTION UNDER SUPERVISION OF	1	1/2"	1/8"
E	4"	5	CONSTRUCTION AGENCY *	2	3/8"	1/4"
F	4"	6	GENERAL CONTRACTOR *	1	3/8"	3/16"
G	1"	7	GENERAL CONTRACTOR	1	3/8"	3/16"
H	2 7/8"	*	WILL VARY TO SUIT PROJECT REQUIREMENTS			
I	2"		SEATTLE DISTRICT			

U.S. AIR FORCE
PROJECT
CONSTRUCTION SIGN

Sheet 1 OF 2
 U.S. Army Eng'r. Dist., Seattle, WA.
 Proj. No. 44-111-100-100-100
 Proj. No. 44-111-100-100-100
 Date: 20 JUNE 84
 GRI B.L.M. File No. 481/40-08-18



NOTES:

1. Signboard 4' x 8' x 5/8" grade A-C exterior type plywood with medium density overlay on both sides.
2. Paint both sides and edges with one prime coat and two coats of paint, accordance with FED. STD. 595b, color number brown 30118 exterior type enamel. Lettering shall be as shown on drawing and shall be antique linen 33578 gloss exterior type enamel.
3. Lettering shall be Helvetica medium.
4. Acceptable abbreviations may be used for Contractor's name.
5. Department of Air Force Seal and Corps of Engineers' Castle to be Government furnished.
6. No company logo shall be used.
7. Sign posts and 1 1/2" wood trim shall be stained dark brown.
8. Upon completion of work under this contract, the project sign shall be removed from the job site and shall remain the property of the Contractor.

SHEET 2 OF 2

END OF SECTION